

Name of Bird Alaska Wren Year 1963

Locality of Nest south of Halibout Bay 1 1/2 mi.

Latitude 60° 37' Longitude 156° 56'

Altitude 150 Direction slope faces N.E.

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other .....

List abundant plants:

Willow dwarf Birch,  
Jacobson Tea

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST

No. of eggs hatched 5 .....

No. of unhatched eggs .....

Cause of non-hatching of eggs .....

No. of chicks that left nest .....

Cause of death of chicks not leaving nest .....



Name of Bird	Year
ROBIN	1966

Locality of Nest 2 MI. S. of JUNEAU, (THANE Road)

Latitude..... Longitude.....

Altitude... 30..... Direction slope faces... S.W....

Nest.... 6.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other .. Gravel Highway, 10 feet away, .....

List abundant plants: 30 ft. from coast.

Elderberry  
Alder (2 species)

Sitka Spruce  
"Devil's Club"  
Salmonberry

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat
- On building

FATE OF NEST Not re-visited

No. of eggs hatched .....

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....



Name of Bird Robin | Year 1960

Locality of Nest Mendenhall Lake Area

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude \_\_\_\_\_ Direction slope faces \_\_\_\_\_

Nest 6 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')   
Moist tundra  Rocky tundra  Marsh

Other \_\_\_\_\_

List abundant plants:

Willow, Alder, Spruce  
hemlock - all scrubby  
Glacier Moraine

POSITION OF NEST

In tree, brush, or shrub  Spruce

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

FATE OF NEST

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving \_\_\_\_\_

Nest \_\_\_\_\_



Name of Bird Robin | Year 1960

Locality of Nest Peterson Creek near Juneau Alaska

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude \_\_\_\_\_ Direction slope faces \_\_\_\_\_

Nest 12 ft. above ground or base of cliff.

**TYPE OF VEGETATION IN AREA (check one or more)**

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky tundra  Marsh

Other \_\_\_\_\_

List abundant plants:

**POSITION OF NEST**

In tree, brush, or shrub  Spruce

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

**FATE OF NEST**

No. of eggs hatched 4

No. of unhatched eggs 0

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving \_\_\_\_\_

Nest \_\_\_\_\_





Name of Bird Robin Year 1960

Locality of Nest Peterson Creek near Duran

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude \_\_\_\_\_ Direction slope faces \_\_\_\_\_

Nest 8 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky tundra  Marsh

Other \_\_\_\_\_

List abundant plants:

POSITION OF NEST

In tree, brush, or shrub  Spruce

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

FATE OF NEST

No. of eggs hatched 4

No. of unhatched eggs 0

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving \_\_\_\_\_

Nest \_\_\_\_\_



Name of Bird	ROBIN	Year	1971
--------------------	-------	------	------

Locality of Nest	GOOSE COVE GLACIER BAY
------------------------	---------------------------

Latitude..... Longitude.....

Altitude..... ~50' ..... Direction slope faces..... S.....

Nest..... 4' .....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other .....

List abundant plants:

WILLOW, ALDER

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST

No. of eggs hatched .....

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

.....



Name of Bird ROBIN Year 1967

Locality of Nest BARTLETT COVE LAGOON  
GLACIER BAY

Latitude 58° 27' Longitude 135° 52'

Altitude 25' Direction slope faces -

Nest 15 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other NONE

List abundant plants: NONE

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat
- On building  DOCK

FATE OF NEST

- No. of eggs hatched 0
- No. of unhatched eggs 3
- Cause of non-hatching of eggs ABANDONED  
(EVIDENTLY)
- No. of chicks that left nest 0
- Cause of death of chicks not leaving nest UNHATCHED

2 1 7 4 2 1 7 4 2 1  
110 109 108 107 106 105 104 103 102 101

UNISORT AND BIRROUSHS CORPORATION - TODD DIV. - L

# ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer **DENNIS WIK  
GLACIER BAY**

### FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
1	JULY	3	0	YES	
2					
3					
4					
5					
6					
7					
8					
9					
10					
11					
12					
13					
14					
15					
16					
17					
18					
19					
20					
21					
22					
23					
24					
25					
26					
27					

**REMARKS:** e.g. Birds banded, pertinent weather information, etc. *This bird built a nest under a dock and flew off every time somebody walked over the nest. Finally she abandoned it altogether. Or else she was killed.*

509 508 507 506 505 504 503 502 501  
1 2 4 7 1 2 4 7 1

UNISORT

Name of Bird Turdus migratorius Year 1964

Locality of Nest Umiut, Alaska

Latitude 69° 23' Longitude 152° 08'

Altitude 352 Direction slope faces \_\_\_\_\_

Nest 30 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

- Forest  Tall brush (4-10')  Shrub (1-4')   
Moist tundra  Rocky Tundra  Field  Marsh

Other nest in abandon bldg

List abundant plants: on paster

POSITION OF NEST

- In tree, brush or shrub   
On ground, under tree, brush or shrub   
On ground, not under tree, brush or shrub   
On ground, in open on sand or rocks   
On cliff or bank  On floating mat   
<sup>in</sup> On building

FATE OF NEST

No. of eggs hatched ?

No. of unhatched eggs ?

Cause of non-hatching of eggs ?

No. of chicks that left nest 2 ?

Cause of death of chicks not leaving nest \_\_\_\_\_





Name  
of  
Bird

Robin

Year

1965

Locality  
of  
Nest

Umait, Alaska

Latitude

Longitude

Altitude

Direction slope faces

Nest

4

ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest

Tall brush (4-10')

Shrub (1-4')

Moist tundra

Rocky Tundra

Field

Marsh

Other

in abandoned airplane

List abundant plants:

#### POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank

On floating mat

~~On~~ building  (airplane)

#### FATE OF NEST

No. of eggs hatched

?

No. of unhatched eggs

?

Cause of non-hatching of eggs

?

No. of chicks that left nest

3

Cause of death of chicks not leaving nest



Name  
of  
Bird

Robin

Year

1960

Locality  
of  
Nest

Levelock, Alaska

Latitude

59° 8'

Longitude

157° 10' W

Altitude

25'

Direction slope faces

Level

Nest

7.5

ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest



Tall brush (4-10')



Shrub (1-4')



Moist tundra



Rocky tundra



Marsh



Other

List abundant plants:

Willow - Ader scrub 10-15' high  
with small spruce intermixed.

POSITION OF NEST

In tree, brush, or shrub



Spruce tree.

On ground, under tree, brush or shrub



On ground, not under tree, brush or shrub



On ground, in open on sand or rocks



On cliff or bank



On floating mat



FATE OF NEST

No. of eggs hatched

.....

No. of unhatched eggs

.....

Cause of non-hatching of eggs

.....

No. of chicks that left nest

.....

Cause of death of chicks not leaving

Nest

.....



Name of Bird Robin Year 1960

Locality of Nest Levelock Kvichak R. 58 mi E. Dillingham

Latitude 59° 8' Longitude 157° 10'

Altitude 25' Direction slope faces Level

Nest 5' ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')   
Moist tundra  Rocky tundra  Marsh

Other Townsite

List abundant plants:

Willow, Alder, Spruce

POSITION OF NEST

In tree, brush, or shrub  Spruce  
On ground, under tree, brush or shrub   
On ground, not under tree, brush or shrub   
On ground, in open on sand or rocks   
On cliff or bank  On floating mat

FATE OF NEST

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving

Nest \_\_\_\_\_



Name of Bird Robin

Year 1963

Locality of Nest Wiseman

Latitude 67.25!..... Longitude.....

Altitude..... Direction slope faces.....

Nest.....3.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other .....

List abundant plants: Fireweed, grasses, willows

Top of standing oil drum hidden  
POSITION OF NEST by another reclining

In tree, brush or shrub  drum

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST

No. of eggs hatched .....

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

No. of chicks that left nest.....3.....

Cause of death of chicks not leaving nest.....

*absent*





Name of Bird Robin Year 1964

Locality of Wiseman village  
Nest

Latitude 67° 24' Longitude near 150° flat

Altitude..... Direction slope faces.....

Nest 8 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other .....

List abundant plants: grasses, willows poplar trees, rose (wild), fireweed, alders, young spruce trees.

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat
- On building  eave.

FATE OF NEST

No. of eggs hatched ..... 2 .....

No. of unhatched eggs..... 1 .....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest..... apparently 2 .....

Cause of death of chicks not leaving nest.....

.....



Name of Bird Robin

Year 1963

Locality of Nest 2 miles north of Wiseman

Wiseman 67 25' Latitude..... Longitude.....

Altitude..... Direction slope faces.....

Nest.....<sup>2</sup>.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other Border lengthy pond.....

List abundant plants: Grasses, small spruce and scrub, few birch, water plants, lichens, mosses

POSITION OF NEST

- In tree, brush or shrub 
On ground, under tree, brush or shrub 
On ground, not under tree, brush or shrub 
On ground, in open on sand or rocks 
On cliff or bank  On floating mat 
On building

FATE OF NEST

- No. of eggs hatched .....<sup>4</sup>.....
No. of unhatched eggs.....
Cause of non-hatching of eggs.....
.....
No. of chicks that left nest.....
Cause of death of chicks not leaving nest.....
.....



Name  
of  
Bird

Robin

Year

1964

Locality  
of  
Nest

Loon Lake

Latitude

67° 57' N

Longitude

152° 30' W

Altitude

2350

Direction slope faces

Nest

5

ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest

Tall brush (4-10')

Shrub (1-4')

Moist Tundra

Rocky Tundra

Field

Marsh

Other .....

List abundant plants:

tall willows

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank

On floating mat

On building

FATE OF NEST

No. of eggs hatched ..... 3

No. of unhatched eggs. none

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest..... 3

Cause of death of chicks not leaving nest.....

.....

2 1 7 4 2 1 7 4 2 1  
 110 109 108 107 106 105 104 103 102 101

UNISORT ANALYTICAL SERVICES CARD

**ALASKA NEST RECORD CARD**

University of Alaska, College, Alaska

Name and address of observer **GILBERT F. STAENDER**  
**13900 S. W. Sundleaf Dr.**  
**Oswego, Oregon**

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
-----	-------	-------------	--------------	---------------------	------

4	7	3		♀	
4	7	2	1	(Just hatched)	
20	7		3		
28	7			fledged	
(Parents feeding)					

REMARKS: e.g. Birds banded, pertinent weather information, etc.

Very late nest - latest robin nest of area

309 308 307 306 305 304 303 302 301  
 1 2 4 7 1 2 4 7 1

UNISORT

#60

Name of Bird Robin Year 1965

Locality of Nest Lovely Lake  
Brooks Range

Latitude 67° 57' N Longitude 153° 10' W

Altitude 2500' Direction slope faces flat

Nest 1' ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other near stream

List abundant plants:

feltleaf willow

POSITION OF NEST

In tree, brush or shrub  in crotch

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST

No. of eggs hatched unknown

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest unknown

Cause of death of chicks not leaving nest.....

.....

2 1 7 4 2 1 7 4 2 1  
110 109 108 107 106 105 104 103 102 101

27 4  
26 2  
25 1  
24 7  
23 4  
22 2  
21 1  
20 7  
19 4  
18 2  
17 1  
16 7  
15 4  
14 2  
13 1  
12 7  
11 4  
10 2  
9 1  
8 7  
7 4  
6 2  
5 1  
4 7  
3 4  
2 2  
1 1

# ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer **GILBERT F. STAENDER**  
**13900 S. W. Sundeleaf Dr.**  
**Oswego, Oregon**

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
8	7	3		♀	
<del>10</del>	7	3		♀	

REMARKS: e.g. Birds banded, pertinent weather information, etc.

*no male robin present*

309 308 307 306 305 304 303 302 301  
1 7 4 2 1 7 4 2 1

UNISORT ANALYTICAL SYSTEMS CORPORATION - TODD DIVISION - 1

UNISORT



Name  
of  
Bird

ROBIN

Year

1966

Locality  
of  
Nest

Loon Lake, Brooks Range

Latitude... 68° N ..... Longitude... 152° 30' W.

Altitude... 2400' ..... Direction slope faces... level.

Nest... 6 ..... ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other willow patch on valley floor

List abundant plants:

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST

No. of eggs hatched... *unknown*

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

No. of chicks that left nest... *0*

Cause of death of chicks not leaving nest.....



Name of Bird **ROBIN** Year **1966**

Locality of Nest **Loon Lake, Brooks Range**

Latitude **57° 55' N** Longitude **152° 30' W**

Altitude **2350** Direction slope faces **south**

Nest **3** ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other .....

List abundant plants:

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat
- On building

FATE OF NEST

No. of eggs hatched ... *none* .....

No. of unhatched eggs ... *4* .....

Cause of non-hatching of eggs ... *predator* .....

*had made holes & sucked*

No. of chicks that *eggs dry* left nest .....

Cause of death of chicks not leaving nest .....



Name of Bird **ROBIN** Year **1966**

Locality of Nest **Loon Lake, Brooks Range**

Latitude... **67° 55' N** ... Longitude... **152° 30' W** ...

Altitude... **2400'** ... Direction slope faces **level** ...

Nest... **8** ... ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other **willow patch on valley floor**

List abundant plants:

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST

No. of eggs hatched .....

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

.....



Name of Bird **ROBIN** Year **1966**

Locality of Nest **Loon Lake, Brooks Range**

Latitude... **67° 55' N** ... Longitude... **152° 30' W** ...

Altitude... **2400'** ... Direction slope faces... **E** ...

Nest... **8** ... ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other .....

List abundant plants:

**Felt-leaf willow, alder**

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST

No. of eggs hatched ..... **3** .....

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

.....





Name of Bird **ROBIN** Year **1966**

Locality of Nest **Loon Lake, Brooks Range**

Latitude **67° 55' N.** Longitude **152° 30' W.**

Altitude **2350** Direction slope faces **level**

Nest **2 1/2** ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other **on valley floor near lake and stream**

List abundant plants:

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST

No. of eggs hatched **3**

No. of unhatched eggs

Cause of non-hatching of eggs

No. of chicks that left nest **3**

Cause of death of chicks not leaving nest

110 109 108 107 106 105 104 103 102 101

# ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer *Mrs. GILBERT F. STAENDER  
13900 S. W. Sundleaf Dr  
Oswego, Oregon*

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
30	6	2	1	+	
1	7		3		
7	7		3		
13	7	1 fledged & 2 left in nest			
14	7	last young left nest			

REMARKS: e.g. Birds banded, pertinent weather information, etc.

*both parents feeding & defending each visit*

309 308 307 306 305 304 303 302 301

UNISORT

#53

Name of Bird Robin Year 1965

Locality of Nest Lonely Lake Brooks Range

Latitude 67°57'N Longitude 153°10'W

Altitude 2900' Direction slope faces

Nest 3' ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest [ ] Tall brush (4-10') [x] Shrub (1-4') [ ]

Moist Tundra [ ] Rocky Tundra [ ] Field [ ] Marsh [ ]

Other ... meadow stream ...

List abundant plants:

yellow leaf willow

POSITION OF NEST

In tree, brush or shrub [x] in crotch

On ground, under tree, brush or shrub [ ]

On ground, not under tree, brush or shrub [ ]

On ground, in open on sand or rocks [ ]

On cliff or bank [ ] On floating mat [ ]

On building [ ]

FATE OF NEST

No. of eggs hatched 3

No. of unhatched eggs none

Cause of non-hatching of eggs

No. of chicks that left nest 3

Cause of death of chicks not leaving nest

2 1 7 4 2 1 7 4 2 1  
 110 109 108 107 106 105 104 103 102 101

27 4  
 26 2  
 25 1  
 24 7  
 23 4  
 22 2  
 21 1  
 20 7  
 19 4  
 18 2  
 17 1  
 16 7  
 15 4  
 14 2  
 13 1  
 12 7  
 11 4  
 10 2  
 9 1  
 8 7  
 7 4  
 6 2  
 5 1  
 4 7  
 3 4  
 2 2  
 1 1

UNISORT ANIMATED CARDS

# ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer **GILBERT F. STAENDER**  
**13900 S. W. Sundleaf Dr.**  
**Oswego, Oregon**

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
1	7		3	♀♂	
2					
3					
4					
5					
6					
7					
8					
9					
10					
11					
12					
13					
14					
15					
16					
17					
18					
19					
20					
21					
22					
23					
24					
25					
26					
27					

REMARKS: e.g. Birds banded, pertinent weather information, etc.

*young ready to fledge when we found nest - both parents*

UNISORT ANIMATED CARDS

309 308 307 306 305 304 303 302 301  
 1 2 4 7 1 2 4 7 1

UNISORT

Name of Bird	Robin	Year	1964
--------------	-------	------	------

Locality of Nest Loon Lake

Latitude 67°55'N Longitude 152°30'W

Altitude 2400' Direction slope faces.....

Nest.....10 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other .....

List abundant plants:

tall willows

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat
- On building

FATE OF NEST

No. of eggs hatched 3.....

No. of unhatched eggs none.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest 3.....

Cause of death of chicks not leaving nest.....

.....



#44

Name of Bird Robin Year 1965

Locality of Nest Lonely Lake Brooks Range

Latitude 67°57'N Longitude 153°10'W

Altitude 3500' Direction slope faces S

Nest 4' ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other alpine slope

List abundant plants:

shrubby willow  
cotton grass

POSITION OF NEST

In tree, brush or shrub  in crotch

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST

No. of eggs hatched 3

No. of unhatched eggs none

Cause of non-hatching of eggs.....

No. of chicks that left nest 3

Cause of death of chicks not leaving nest.....





Name

Year

of  
Bird Robin

1964

Locality  
of  
Nest

Loon Lake

Latitude 67°55'N Longitude 153°30'W

Altitude 2350 Direction slope faces level

Nest 4 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other .....

List abundant plants:

tall willows

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST

No. of eggs hatched 4

No. of unhatched eggs none

Cause of non-hatching of eggs.....

No. of chicks that left nest 2

Cause of death of chicks not leaving nest fell

out of nest

2 1 7 4 2 1 7 4 2 1  
 110 109 108 107 106 105 104 103 102 101

UNISORT ANALYSIS CARD  
 BURROUGHS CORPORATION - TODD DIVISION - 1

# ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer  
**GILBERT F. STAENDER**  
**13900 S. W. Sundeleaf Dr.**  
**Oswego, Oregon**

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
30	6		2	alive	
4	7		1	fledged	

REMARKS: e.g. Birds banded, pertinent weather information, etc.  
 2 young alive in nest  
 and 1 young dead  
 under nest - sent  
 dead in for analysis  
 (Sample # 8)

309 308 307 306 305 304 303 302 301  
 1 7 4 2 1 7 4 2 1

27 4  
 26 2  
 25 1  
 24 7  
 23 4  
 22 2  
 21 1  
 20 7  
 19 4  
 18 2  
 17 1  
 16 7  
 15 4  
 14 2  
 13 1  
 12 7  
 11 4  
 10 2  
 9 1  
 8 7  
 7 4  
 6 2  
 5 1  
 4 7  
 3 4  
 2 2  
 1 1

UNISORT

Name  
of  
Bird

Robin

Year

1964

Locality  
of  
Nest

Loon Lake

Latitude. 67°55'N Longitude. 152°30'W

Altitude. 2300' Direction slope faces. West

Nest. 15' ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other .....

List abundant plants:

tall willows

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST

No. of eggs hatched ..... 3

No. of unhatched eggs... none

Cause of non-hatching of eggs.....

No. of chicks that left nest..... 3

Cause of death of chicks not leaving nest.....

2 1 7 4 2 1 7 4 2 1  
 110 109 108 107 106 105 104 103 102 101

4  
27 26 25 24 23 22 21 20 19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1

UNISORT ANALYSIS CARD

# ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer **GILBERT F. STAENDER**  
**13900 S. W. Sundeleaf Dr.**  
**Oswego, Oregon**

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
1	7		3	(feeding)	
7	7		fledged		

REMARKS: e.g. Birds banded, pertinent weather information, etc.

309 308 307 306 305 304 303 302 301  
 1 7 4 2 1 7 4 2 1

UNISORT

Name of Bird Robin Year 1964

Locality of Nest Loon Lake

Latitude 67°55'N Longitude 153°30'W

Altitude 3300' Direction slope faces.....

Nest 2 1/2 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other .....

List abundant plants:

tall willows

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat
- On building

FATE OF NEST

No. of eggs hatched 3 .....

No. of unhatched eggs none .....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest 3 .....

Cause of death of chicks not leaving nest.....

.....

2 1 7 4 2 1 7 4 2 1  
110 109 108 107 106 105 104 103 102 101

27 4  
26 2  
25 1  
24 7  
23 4  
22 2  
21 1  
20 7  
19 4  
18 2  
17 1  
16 7  
15 4  
14 2  
13 1  
12 7  
11 4  
10 2  
9 1  
8 7  
7 4  
6 2  
5 1  
4 7  
3 4  
2 2  
1 1

UNISORT ANALYSIS CARD

# ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer **GILBERT F. STAENDER**  
**13900 S. W Sundeleaf Dr.**  
**Oswego, Oregon**

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
29	6		3	feeding	
30	6		3	" "	
7	7			fledged	

REMARKS: e.g. Birds banded, pertinent weather information, etc.

309 308 307 306 305 304 303 302 301  
1 7 4 2 1 7 4 2 1

UNISORT

Name  
of  
Bird

Robin

Year

1964

Locality  
of  
Nest

Loon Lake

Latitude ~~67° 55' N~~ 67° 55' N Longitude 152° 30' W

Altitude 5300' Direction slope faces South

Nest 2 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other .....

List abundant plants:

in a lone tall willow  
by lake

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST

No. of eggs hatched 3

No. of unhatched eggs none

Cause of non-hatching of eggs

No. of chicks that left nest 3

Cause of death of chicks not leaving nest





Name  
of  
Bird

ROBIN

Year

1966

Locality  
of  
Nest

Loon Lake, Brooks Range

Latitude. 67° 55' N ... Longitude. 152° 30' W ..

Altitude. 2400' ... Direction slope faces level ..

Nest ..... 7 ..... ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other willow patch on valley floor

List abundant plants:

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST

No. of eggs hatched ..... 1 .....

No. of unhatched eggs .. unknown .....

Cause of non-hatching of eggs .....

No. of chicks that left nest ..... 1 .....

Cause of death of chicks not leaving nest .. unknown .....

but family of shrikes near



Name  
of  
Bird

ROBIN

Year

1966

Locality  
of  
Nest

Loon Lake, Brooks Range

Latitude... 67° 57' N ... Longitude... 152° 30' W ...

Altitude... 2350' ... Direction slope faces... W ...

Nest... 6 ... ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other .....

List abundant plants:

Felt leaf willow

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST

No. of eggs hatched .....

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

.....



Name of Bird Robin Year 1967

Locality of Nest inct. Solomon River and Big Harrah Creek, Seward Peninsula

Latitude 64° 39' N Longitude 164° 20' W

Altitude 100 Direction slope faces —

Nest 2 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other Moss - brush tundra

List abundant plants: and riparian shrubs

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building  (frame holding gasoline tank)

FATE OF NEST

No. of eggs hatched .....

No. of unhatched eggs .....

Cause of non-hatching of eggs .....

No. of chicks that left nest .....

Cause of death of chicks not leaving nest .....



Name  
of  
Bird

Robin

Year

1968

Locality  
of  
Nest

in home between fuel  
tanks of dwelling

Latitude..... Longitude.....

Altitude..... Direction slope faces.....

Nest..... 3 1/2 .....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other ..... NONE .....

List abundant plants:

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST

No. of eggs hatched ..... Two .....

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....





Name of Bird American Robin | Year 1982

Locality of Nest Alaska Dept. Fish & Game office  
Bethel, Alaska

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude \_\_\_\_\_ Direction slope faces 0 no slope

Nest ~9 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other \_\_\_\_\_

List abundant plants:

willow  
grass

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building  - built on top of swallow  
nest box

FATE OF NEST

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving nest \_\_\_\_\_



Name of Bird	Robin <u>Turdus migratorius</u>	Year	1964
Locality of Nest	abandoned house 3rd Ave + West E Nome, Alaska		

Latitude 64° 30' 05" N Longitude 169° 24' 50" W

Altitude 40' Direction slope faces NW

Nest 9 ft. above floor ~~ground or base of cliff~~

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other barren streets, houses, + mudflat

List abundant plants:

grass } all at some distance  
willow }  
bog birch }  
mosses }

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat
- On building

FATE OF NEST

No. of eggs hatched 0

No. of unhatched eggs at least 3

Cause of non-hatching of eggs destroyed by eskimo children

No. of chicks that left nest —

Cause of death of chicks not leaving nest —



Name  
of  
Bird

ROBIN

Year

1969

Locality TWO MILES WEST OF  
of SERPENTINE HOT SPRINGS

Nest SEWARD PENINSULA

Latitude..... Longitude.....

Altitude..... Direction slope faces.....

Nest..... 8..... ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other .....

List abundant plants:

#### POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

#### FATE OF NEST

No. of eggs hatched ... 4 .....

No. of unhatched eggs... ? .....

Cause of non-hatching of eggs.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

2 1 7 4 2 1 7 4 2 1  
110 109 108 107 106 105 104 103 102 101

UNISORT  
ALASKA  
BIRDS  
RECORD  
CARD  
FORM  
Y 12  
BURROUGHS  
CORPORATION  
TODD DIV.  
L

# ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer P. WRIGHT AND D. ROSENEAU  
ADF+G  
NOME, ALASKA

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
1	JUNE	-	4	YES / ?	
2					
3					
4					
5					
6					
7					
8					
9					
10					
11					
12					
13					
14					
15					
16					
17					
18					
19					
20					
21					
22					
23					
24					
25					
26					
27					

REMARKS: e.g. Birds banded, pertinent weather information, etc.  
NEST IN A CRACK IN A LARGE ROCK. ONE OF THE CHICKS MUCH SMALLER THAN OTHER THREE.

227 226 225 224 223 222 221 220 219 218 217 216 215 214 213 212 211 210 209 208 207 206 205 204 203 202 201  
309 308 307 306 305 304 303 302 301  
1 2 4 7 1 2 4 7 1 2 4 7 1 2 4 7 1 2 4 7 1 2 4 7 1

UNISORT

27 4  
26 2  
25 1  
24 7  
23 4  
22 2  
21 1  
20 7  
19 4  
18 2  
17 1  
16 7  
15 4  
14 2  
13 1  
12 7  
11 4  
10 2  
9 1  
8 7  
7 4  
6 2  
5 1  
4 7  
3 4  
2 2  
1 1

Name of Bird ROBIN Year 1969

Locality of Nest 1/2 MI WEST OF MI 18 ON KOUGAROK Rd.

Latitude..... Longitude.....

Altitude 300 FT. Direction slope faces.....

Nest 8.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other .....

List abundant plants:

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat
- On building  IN CABIN

FATE OF NEST

- No. of eggs hatched .....
- No. of unhatched eggs.....
- Cause of non-hatching of eggs.....
- .....
- No. of chicks that left nest.....
- Cause of death of chicks not leaving nest.....
- .....

2 1 7 4 2 1 7 4 2 1  
 110 109 108 107 106 105 104 103 102 101

27 4  
 26 2  
 25 1  
 24 7  
 23 4  
 22 2  
 21 1  
 20 7  
 19 4  
 18 2  
 17 1  
 16 7  
 15 4  
 14 2  
 13 1  
 12 7  
 11 4  
 10 2  
 9 1  
 8 7  
 7 4  
 6 2  
 5 1  
 4 7  
 3 4  
 2 2  
 1 1

UNISORT  
 ALASKA  
 BIRDS  
 STATION  
 BURROUGHS CORP  
 TODD DIV. - L

# ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer PAT WRIGHT  
1651 TAMARACK APT. 2  
FAIRBANKS, ALASKA

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
1	JUNE		4	YES	
2					
3					
4					
5					
6					
7					
8					
9					
10					
11					
12					
13					
14					
15					
16					
17					
18					
19					
20					
21					
22					
23					
24					
25					
26					
27					

REMARKS: e.g. Birds banded, pertinent weather information, etc.

NEST ON BEAM IN  
 A CABIN. (4-1-69) ONE  
 YOUNG MUCH SMALLER  
 THAN OTHERS. ADULT VERY  
 AGGRESSIVE.

309 308 307 306 305 304 303 302 301  
 1 2 4 7 1 2 4 7 1

UNISORT



Name of Bird Robin Turdus migratorius Year 1966

Locality of Nest Snake River bridge  
Nome, Alaska

Latitude 64°34' Longitude 165°30'

Altitude 10' Direction slope faces level

Nest 10' ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other steel bridge

List abundant plants:

None

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat
- On building  bridge

FATE OF NEST

- No. of eggs hatched 4?
- No. of unhatched eggs 0?
- Cause of non-hatching of eggs.....
- .....
- No. of chicks that left nest 4
- Cause of death of chicks not leaving nest.....
- .....



Name of Bird Robin Year 1968

Locality of Nest 46 1/2 mile Kouganok Rd.

Latitude..... Longitude.....

Altitude..... Direction slope faces S.....

Nest 8.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other .....

List abundant plants:

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST

No. of eggs hatched .....

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

.....



Name  
of  
Bird

Robin

Year

1968

Locality  
of  
Nest

MILE 16, TELLEN RD.  
SEWARD PENINSULA

Latitude... 64° 36' ..... Longitude... 165° 40' .....

Altitude... 800' ..... Direction slope faces... N .....

Nest... 1 1/2 ..... ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other .....

List abundant plants:

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building  OTHER - ON CAR -

FATE OF NEST

No. of eggs hatched .....

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

.....



Name of Bird	Robin	Year	1968
--------------------	-------	------	------

Locality BLUESTONE R.  
of  
Nest SEWARD PENINSULA

Latitude 65°00'30" Longitude 166°13'

Altitude 200' Direction slope faces South

Nest 7' ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other .....

List abundant plants:

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat
- On building

FATE OF NEST

- No. of eggs hatched .....
- No. of unhatched eggs.....
- Cause of non-hatching of eggs.....
- .....
- No. of chicks that left nest.....
- Cause of death of chicks not leaving nest.....
- .....





Name of Bird Robin Year 1968

Locality of Nest SUNSET Ct. TELLER Rd.  
NOME, ALASKA

Latitude 64° 34' Longitude 165° 32'

Altitude 50' Direction slope faces S

Nest 8' ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other .....

List abundant plants:

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat
- On building

FATE OF NEST

- No. of eggs hatched .....
- No. of unhatched eggs.....
- Cause of non-hatching of eggs.....
- .....
- No. of chicks that left nest.....
- Cause of death of chicks not leaving nest.....
- .....



Name of Bird Robin Year 1968

Locality of Nest 3 mi. JENSENS CAMP Rd.  
NOME - 18 mi NE Nome

Latitude 64°34' Longitude 165°20'

Altitude 400' Direction slope faces S

Nest 7' ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other .....

List abundant plants:

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat
- On building

FATE OF NEST

No. of eggs hatched .....

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

.....



Name of Bird Robin Year 1968

Locality 3 mi JENSENS Camp Rd.  
of Nest HOME

Latitude 64°34' Longitude 165°20'

Altitude 400' Direction slope faces S

Nest 6' ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other .....

List abundant plants:

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat
- On building

FATE OF NEST

- No. of eggs hatched .....
- No. of unhatched eggs .....
- Cause of non-hatching of eggs .....
- .....
- No. of chicks that left nest .....
- Cause of death of chicks not leaving nest .....
- .....



Name  
of  
Bird

Robin

Year

1968

Locality  
of  
Nest

Salmon Lake, <sup>outlet</sup> ~~mouth~~ of  
KRUZGAMENI RIVER, SEWARD PENN.

Latitude... 64°55'30" Longitude... 164°57'

Altitude... 400' Direction slope faces... SE

Nest... 6...ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other .....

List abundant plants:

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building  (in building on Telephone box)

FATE OF NEST

No. of eggs hatched .....

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

.....





Name  
of  
Bird

Robin

Year

1968

Locality  
of  
Nest

3 mi. JENSENS Camp Rd

NONE

Latitude. 64°34'..... Longitude. 165°20'

Altitude. 400'..... Direction slope faces. S.....

Nest. 10'.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other .....

List abundant plants:

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST

No. of eggs hatched .....

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....



Name of Bird Robin Year 1968

Locality of Nest 3 mi. JENSEN'S CAMP RD.  
NOME

Latitude 64°34' Longitude 165°20'

Altitude 400' Direction slope faces S

Nest 7' ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')   
Moist Tundra  Rocky Tundra  Field  Marsh

Other .....

List abundant plants:

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat
- On building

FATE OF NEST

No. of eggs hatched .....

No. of unhatched eggs .....

Cause of non-hatching of eggs .....

.....

No. of chicks that left nest .....

Cause of death of chicks not leaving nest .....

.....



Name of Bird Robin Year 1968

Locality of Nest Sunset Cr., Teller Rd, Nome, ALASKA

Latitude 64° 34' Longitude 165° 32'

Altitude 50' Direction slope faces S

Nest 7' ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other .....

List abundant plants:

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat
- On building

FATE OF NEST

No. of eggs hatched .....

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

.....



Name of Bird Robin Year 1968

Locality of Nest SUNSET CR., TOLLER RD.  
NOME, ALASKA

Latitude 64° 34' Longitude 165° 32'

Altitude 50' Direction slope faces S

Nest 20' ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other .....

List abundant plants:

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat
- On building

FATE OF NEST

- No. of eggs hatched .....
- No. of unhatched eggs.....
- Cause of non-hatching of eggs.....
- .....
- No. of chicks that left nest.....
- Cause of death of chicks not leaving nest.....
- .....





Name of Bird ROBIN Year 1962

Locality of Nest MC NEIL CANYON  
HOMER, ALASKA

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude 650 Direction slope faces S

Nest 15 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')   
Moist tundra  Rocky Tundra  Field  Marsh

Other Near farm bldgs, rd.

List abundant plants:

SPRUCE  
Fern  
Elderberry

POSITION OF NEST

In tree, brush or shrub   
On ground, under tree, brush or shrub   
On ground, not under tree, brush or shrub   
On ground, in open on sand or rocks   
On cliff or bank  On floating mat   
On building

FATE OF NEST

No. of eggs hatched 3

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest 3

Cause of death of chicks not leaving nest \_\_\_\_\_



Name of Bird American Robin | Year 1960  
Turdus migratorius

Locality of Nest Miller's Landing  
Homer Area Alaska

Latitude 59° 40½' N Longitude 151° 25'

Altitude 100' Direction slope faces South-west

Nest 35 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky tundra  Marsh

Other Nest in gully, with pastures above.

List abundant plants:

Nest in Birch tree

tame pasture on sides of gully

POSITION OF NEST

In tree, brush, or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

FATE OF NEST

No. of eggs hatched 1 maybe more

No. of unhatched eggs 2 or less

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest 1

Cause of death of chicks not leaving

Nest ? did not visit

the nest enough.

2 1 7 4 2 1 7 4  
110 109 108 107 106 105 104 103 102 101

# ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer **Bruce H. Anderson**  
**Star Rt. Homer, Alaska**

## FOR OBSERVATIONS ON ONE NEST

DAY	MONTH	No. of Eggs	No. of Young	ADULT ON NEST? SEX?	TIME
12	May	B 3/4			4:30 pm.
14	"	BF			4:30 pm
15	"	1			5:30 pm
16	"	1			4:30 pm
17	"			F. on	5:00 am
18	"	3W			4:45 pm
20	"			on	5:00 am
20-25	"			F. + M. on	
5	June		1		1:00 P. M.

REMARKS: e.g. Birds banded, pertinent weather information, etc.

309 308 307 306 305 304 303 302 301  
1 7 4 2 1 7 4 2 1

UNISORT  
27 4  
26 2  
25 1  
24 7  
23 4  
22 2  
21 1  
20 7  
19 4  
18 2  
17 1  
16 7  
15 4  
14 2  
13 1  
12 7  
11 4  
10 2  
9 1  
8 7  
7 4  
6 2  
5 1  
4 7  
3 4  
2 2  
1 1

UNISORT

Name of Bird ROBIN Year 1967

Locality of Nest COHOE, ALASKA

Latitude 60 Longitude 151

Altitude 85 Direction slope faces

Nest 15 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other ROADSIDE NEAR RESIDENCE

List abundant plants:

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST

No. of eggs hatched 3

No. of unhatched eggs

Cause of non-hatching of eggs

No. of chicks that left nest 3?

Cause of death of chicks not leaving nest

2 1 7 4 2 1 7 4 2 1  
 110 109 108 107 106 105 104 103 102 101

# ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer **MARY A. SMITH  
 COHOG. ALASKA.**

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
30	MAY	NEST		cop.	1:00 p.m.
3	JUNE	3			9:00 a.m.
10	✓	3		F	11:00 a.m.
17	✓		3.		4:30 p.m.
21	✓			F	3:45 p.m.
24	✓		3		5:00 p.m.
26			3		9 a.m.
30			<del>3</del>		

REMARKS: e.g. Birds banded, pertinent weather information, etc.

**NOT CERTAIN IF YOUNG SAFELY LEFT NEST**

309 308 307 306 305 304 303 302 301  
 1 2 4 7 1 2 4 7 1

UNISORT  
 27 4  
 26 2  
 25 1  
 24 7  
 23 4  
 22 2  
 21 1  
 20 7  
 19 4  
 18 2  
 17 1  
 16 7  
 15 4  
 14 2  
 13 1  
 12 7  
 11 4  
 10 2  
 9 1  
 8 7  
 7 4  
 6 2  
 5 1  
 4 7  
 3 4  
 2 2  
 1 1

Name of Bird ROBIN Year 1965

Locality of Nest COHOE

Latitude 60 Longitude 151

Altitude 80 Direction slope faces \_\_\_\_\_

Nest 10 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky Tundra  Field  Marsh

Other beside inhabited

List abundant plants: house

white spruce  
COTTONWOOD

POSITION OF NEST ON BOUGH. of  
In tree, brush or shrub  SPRUCE

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST

No. of eggs hatched 3.

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest 3

Cause of death of chicks not leaving nest \_\_\_\_\_





Name of Bird ROBIN | Year 1962

Locality of Nest COHOE.

Latitude 61° Longitude 157°

Altitude 80 Direction slope faces \_\_\_\_\_

Nest 5 1/2 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')   
Moist tundra  Rocky tundra  Marsh

Other \_\_\_\_\_

List abundant plants:

POSITION OF NEST  
In tree, brush, or shrub

On ground, under tree, brush or shrub   
On ground, not under tree, brush or shrub   
On ground, in open on sand or rocks   
On cliff or bank  On floating mat

FATE OF NEST  
No. of eggs hatched 4

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest 4

Cause of death of chicks not leaving \_\_\_\_\_

Nest \_\_\_\_\_

2 1 7 4 2 1 7 4 2 1  
110 109 108 107 106 105 104 103 102 101

# ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer: **MARY A. SMITH**  
**COHOE, ALASKA**

## FOR OBSERVATIONS ON ONE NEST

DAY	MONTH	No. of Eggs	No. of Young	ADULT ON NEST? SEX?	TIME
16	MAY	NEST CUP			8:55 A.M.
22	"	2			5:20 P.M.
23	"			F	10:00 A.M.
23	"	3			5:30 P.M.
24	"			F	8:15 A.M.
2	JUNE			F	1:30 P.M.
4	"	2	2		8:15 A.M.
6	"	X	3 <sup>eggs</sup>		9:40 P.M.
14	"		4		3:15 P.M.
20	"	<hr/>			

REMARKS: e.g. Birds banded, pertinent weather information, etc.

309 308 307 306 305 304 303 302 301  
1 7 4 2 1 7 4 2 1

27 4  
26 2  
25 1  
24 7  
23 4  
22 2  
21 1  
20 7  
19 4  
18 2  
17 1  
16 7  
15 4  
14 2  
13 1  
12 7  
11 4  
10 2  
9 1  
8 7  
7 4  
6 2  
5 1  
4 7  
3 4  
2 2  
1 1

UNISORT

Name  
of  
Bird

ROBIN

Year

1966

Locality  
of  
Nest

COHOE, ALASKA

Latitude... 60 ..... Longitude... 151 .....

Altitude..... Direction slope faces.....

Nest... 14 .....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other .....

List abundant plants:

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat
- On building

FATE OF NEST

No. of eggs hatched ..... 2 .....

No. of unhatched eggs..... 1 .....

Cause of non-hatching of eggs. UNKNOWN - .....

No. of chicks that left nest..... 2 .....

Cause of death of chicks not leaving nest.....



Name of Bird ROBIN Year 1966

Locality of Nest COHOG, ALASKA

Latitude... 60 ..... Longitude... 157 .....

Altitude... 80 ..... Direction slope faces.....

Nest... 5 1/2 .....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other <sup>SPRUCE</sup> TREES (SCATTERED) - 15-20' .....

List abundant plants:

### POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat
- On building

### FATE OF NEST

No. of eggs hatched ..... 3 .....

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest..... 3 .....

Cause of death of chicks not leaving nest.....

.....



Name of Bird

ROBIN

Year

1964

Locality of Nest

COHOE

Latitude . . . . . 60 . . . . . Longitude . . . . . 152 . . . . .

Altitude . . . . . 80 . . . . . Direction slope faces . . . . .

Nest . . . . . 8 . . . . . ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other . . . . . 10 Feet from occupied house, beside

List abundant plants:

dogs chained within 100 ft.

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat
- On building

FATE OF NEST

No. of eggs hatched . . . . . 4 . . . . .

No. of unhatched eggs . . . . . - . . . . .

Cause of non-hatching of eggs . . . . .

No. of chicks that left nest . . . . . 4 . . . . .

Cause of death of chicks not leaving nest . . . . .





Name of Bird **ROBIN**

Year **1966**  
~~COHOE~~

Locality of Nest **COHOE, ALASKA.**

Latitude... **60** ..... Longitude... **151** .....

Altitude..... Direction slope faces.....

Nest..... **3** .....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other **TREES 20-30'** .....

List abundant plants:

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST

No. of eggs hatched ..... **3** .....

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest..... **3** .....

Cause of death of chicks not leaving nest.....

.....



Name of Bird ROBIN Year 1964

Locality of Nest COHOE.

Latitude... 60 ..... Longitude... 152 .....

Altitude... 80 ..... Direction slope faces.....

Nest... 10 ..... ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other .....

List abundant plants:

WHITE SPRUCE  
B. MENAICA

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST

No. of eggs hatched ..... 3 .....

No. of unhatched eggs..... 1 .....

Cause of non-hatching of eggs. INFERTILE

.....

No. of chicks that left nest..... 3 .....

Cause of death of chicks not leaving nest.....

.....



Name  
of  
Bird

ROBIN

Year

1961

Locality  
of  
Nest

COHOE.

Latitude

60°

Longitude

151°

Altitude

80°

Direction slope faces

Nest

8½-9

ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest

Tall brush (4-10')

Shrub (1-4')

Moist tundra

Rocky Tundra

Field

Marsh

Other

List abundant plants:

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank

On floating mat

On building

FATE OF NEST

No. of eggs hatched

4

No. of unhatched eggs

NONE

Cause of non-hatching of eggs

No. of chicks that left nest

4

Cause of death of chicks not leaving nest



Name of Bird ROBIN Year 1963

Locality of Nest COHOE

Latitude 60° Longitude 157°

Altitude 80 Direction slope faces \_\_\_\_\_

Nest 5 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky Tundra  Field  Marsh

Other \_\_\_\_\_

List abundant plants:

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST

No. of eggs hatched 2

No. of unhatched eggs NONE

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest 1

Cause of death of chicks not leaving nest \_\_\_\_\_

UNKNOWN





Name of Bird ROBIN | Year 1962

Locality of Nest COHOE.

Latitude 61° Longitude 157°

Altitude 80 Direction slope faces \_\_\_\_\_

Nest 15 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky Tundra  Field  Marsh

Other \_\_\_\_\_

List abundant plants: THIS NEST ABOVE ROAD LEADING INTO COHOE POST OFFICE

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST

No. of eggs hatched 4

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest 4

Cause of death of chicks not leaving nest \_\_\_\_\_



Name  
of  
Bird

ROBIN

Year

1960

Locality  
of  
Nest

COHOE

Latitude

60° 20'

Longitude

151° 20'

Altitude

80

Direction slope faces

Nest

5 1/2

ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest

Tall brush (4-10')

Shrub (1-4')

Moist tundra

Rocky tundra

Marsh

Other

List abundant plants:

POSITION OF NEST

In tree, brush, or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank

On floating mat

FATE OF NEST

No. of eggs hatched

3

No. of unhatched eggs

Cause of non-hatching of eggs

No. of chicks that left nest

3

Cause of death of chicks not leaving

Nest



Name of Bird ROBIN | Year 1962

Locality of Nest COHOE.

Latitude 61° Longitude 157°

Altitude 80 Direction slope faces \_\_\_\_\_

Nest 6. ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky Tundra  Field  Marsh

Other LAKE SHORE

List abundant plants:

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving nest \_\_\_\_\_



Name  
of  
Bird

ROBIN

Year

1963

Locality  
of  
Nest

COHOE

Latitude... 60°..... Longitude... 151°.....

Altitude... 80..... Direction slope faces.....

Nest... 4 1/2.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other .....

List abundant plants:

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST

No. of eggs hatched ..... 3 .....

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest..... 3 .....

Cause of death of chicks not leaving nest.....

.....





Name of Bird **ROBIN** | Year **1962**

Locality of Nest **COHOE**

Latitude **61°** Longitude **157°**

Altitude **80** Direction slope faces \_\_\_\_\_

Nest **3** ft. above ground or base of cliff.

**TYPE OF VEGETATION IN AREA** (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')   
Moist tundra  Rocky Tundra  Field  Marsh

Other \_\_\_\_\_

List abundant plants:

**POSITION OF NEST**

In tree, brush or shrub   
On ground, under tree, brush or shrub   
On ground, not under tree, brush or shrub   
On ground, in open on sand or rocks   
On cliff or bank  On floating mat   
On building

**FATE OF NEST**

No. of eggs hatched **4**

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest **4**

Cause of death of chicks not leaving nest \_\_\_\_\_



Name  
of  
Bird

ROBIN

Year

1961

Locality  
of  
Nest

COHOE

Latitude

60°

Longitude

151°

Altitude

80

Direction slope faces

Nest

1

ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest

Tall brush (4-10')

Shrub (1-4')

Moist tundra

Rocky Tundra

Field

Marsh

Other

List abundant plants:

LUPINE  
DWARF POPLAR.

#### POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank

On floating mat

On building

#### FATE OF NEST

No. of eggs hatched

NONE

No. of unhatched eggs

3

Cause of non-hatching of eggs

ABANDONMENT

No. of chicks that left nest

Cause of death of chicks not leaving nest



Name of Bird ROBIN Year 1962

Locality of Nest COHOE

Latitude 61° Longitude 157°

Altitude 80 Direction slope faces \_\_\_\_\_

Nest 3 1/2 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')   
Moist tundra  Rocky tundra  Marsh

Other CULTIVATED (CLEARED) FIELD

List abundant plants:

POSITION OF NEST  
In tree, brush, or shrub

On ground, under tree, brush or shrub   
On ground, not under tree, brush or shrub   
On ground, in open on sand or rocks   
On cliff or bank  On floating mat

FATE OF NEST  
No. of eggs hatched UNKNOWN

No. of unhatched eggs "

Cause of non-hatching of eggs nest robbed

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving \_\_\_\_\_

Nest \_\_\_\_\_



Name of Bird ROBIN Year 1960

Locality of Nest COHOE

Latitude 60° 20' Longitude 151° 20'

Altitude 80 Direction slope faces \_\_\_\_\_

Nest 4 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky tundra  Marsh

Other by shore of small lake

List abundant plants:

mossberry

cranberry

heather

tundra rose

POSITION OF NEST

In tree, brush, or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

FATE OF NEST

No. of eggs hatched 4

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest 4

Cause of death of chicks not leaving \_\_\_\_\_

Nest \_\_\_\_\_





Name of Bird **ROBIN**

Year **1965**

Locality of Nest **COHOE**

Latitude **60** Longitude **127**

Altitude **80** Direction slope faces

Nest **8** ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other

List abundant plants:

**PICAE MARIANA.**

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat
- On building

FATE OF NEST

No. of eggs hatched **3**

No. of unhatched eggs **1**

Cause of non-hatching of eggs **no**

**embryonic development**

No. of chicks that left nest **3**

Cause of death of chicks not leaving nest



46

Name of Bird	ROBIN	Year	1968
--------------	-------	------	------

Locality of Nest KASLOF ALASKA

Latitude... 151..... Longitude... 61.....

Altitude... 120..... Direction slope faces.....

Nest... 1.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other KASLOF ROAD.....

List abundant plants:

BIRCH (SCRUB)

POPLAR

SPRUCE

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST

No. of eggs hatched ..... 2.....

No. of unhatched eggs..... 1.....

Cause of non-hatching of eggs.. NO. DEVELOPMENT

No. of chicks that left nest..... 2.....

Cause of death of chicks not leaving nest.....



Name of Bird eastern robin Year 1961  
Turdus migratorius

Locality of Nest woodlot between Whitney Sta. and the Federal Prison Camp

Latitude 61° 14' 45" Longitude 149° 47' 00"

Altitude 185 Direction slope faces level

Nest 6 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky Tundra  Field  Marsh

Other \_\_\_\_\_

List abundant plants:

white spruce, Picea glauca  
paper birch, Betula papyrifera  
quaking aspen, P. tremuloides  
willow, Salix

Labrador tea, Ledum groenlandicum  
prickly rose, Rosa aciculata  
grasses, mosses, lichens

POSITION OF NEST

In tree, ~~brush or shrub~~

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST

No. of eggs hatched 2

No. of unhatched eggs 2

Cause of non-hatching of eggs infertile(?)

maybe second nest attempt

No. of chicks that left nest presumably 2

Cause of death of chicks not leaving nest ---



Name of Bird eastern robin | Year 1963  
T. m. migratorius

Locality of Nest woods east of Chester Flats  
Anchorage, Alaska

Latitude 61°12' Longitude 149°54'

Altitude 25 Direction slope faces S

Nest 12 ft. above ground or ~~base of cliff.~~

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky Tundra  Field  Marsh

Other residential area fairly near

List abundant plants: white spruce, paper birch, black spruce, labrador tea, crowberry, fireweed, lichens & mosses, Calamagrostis, willows.

POSITION OF NEST

In tree, ~~brush or shrub~~  20 ft. white spruce

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST

No. of eggs hatched 4

No. of unhatched eggs 0

Cause of non-hatching of eggs --

No. of chicks that left nest probably 4

Cause of death of chicks not leaving nest --





Name of eastern robin | Year  
Bird Turdus m. migratorius 1963  
Locality of edge of brushy woods at the  
Nest north edge of Potter Marsh

Latitude 61° 05' 08" N Longitude 149° 49' 50" W

Altitude 100' Direction slope faces SSW

Nest 10 ft. above ground ~~or base of cliff~~

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky Tundra  Field  Marsh

Other tideflats  $\frac{1}{2}$  mile distant

List abundant plants: thinleaf alder,  
willow, quaking aspen, black  
cottonwood, Equisetum, prickly  
rose

POSITION OF NEST

In tree, ~~brush or shrub~~

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST

No. of eggs hatched 3

No. of unhatched eggs 0

Cause of non-hatching of eggs --

No. of chicks that left nest prob. 3

Cause of death of chicks not leaving nest --



Name of Bird eastern robin | Year 1963  
T.m. migratorius

Locality of Nest brushpatch nw of heating plant, Fort Richardson

Latitude 61°14'45"N Longitude 149°42'40"W

Altitude 275 Direction slope faces level

Nest 9 ft. above ground ~~or base of cliff.~~

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky Tundra  Field  Marsh

Other road, rails, & heat plant near

List abundant plants: white spruce, aspen, willow, rose, Mertensia, Labrador tea, cranberry

POSITION OF NEST

In tree, brush or shrub  15' white spruce

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST

No. of eggs hatched 4

No. of unhatched eggs 0

Cause of non-hatching of eggs ---

No. of chicks that left nest ?

Cause of death of chicks not leaving nest ---



Name of Bird eastern robin | Year 1961  
Turdus migratorius

Locality of Nest Alaska R.R. grade at tressel over Chester Cr., Anchorage

Latitude 61° 12' 30" Longitude 149° 55' 15"

Altitude 20 Direction slope faces south

Nest 3 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky Tundra  Field  Marsh

Other tideflats

List abundant plants:

black cottonwood, Populus tricarpa  
quaking aspen, Populus tremuloides  
prickly rose, Rosa aciculata  
horsetail, Equisetum palustre  
cow parsnip, Heracleum lanatum  
wild pea, Lathyrus palustris  
beach pea, Lathyrus maritimus  
sedges, grasses

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat
- On building

FATE OF NEST

No. of eggs hatched 0

No. of unhatched eggs 4

Cause of non-hatching of eggs nest abandoned

No. of chicks that left nest --

Cause of death of chicks not leaving nest --



Name of Bird eastern robin | Year 1963  
T. m. migratorius

Locality of Nest woods north of old Fed. Prison Farm, Elmendorf Air Force Base

Latitude 61°14' Longitude 149°47'

Altitude 185 Direction slope faces level

Nest 4 ft. above ground ~~or base of cliff.~~

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky Tundra  Field  Marsh

Other \_\_\_\_\_

List abundant plants: white spruce, paper birch, aspen, willow, labrador tea, crowberry, highbush cranberry, Calamagrostis, fireweed, Pyrola, lichens & mosses.

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST

No. of eggs hatched at least 3

No. of unhatched eggs ?

Cause of non-hatching of eggs nest tipped at angle on 2nd visit, other 2 eggs could have rolled out

No. of chicks that left nest probably 3

Cause of death of chicks not leaving nest \_\_\_\_\_





Name of Bird eastern robin | Year 1961  
Turdus migratorius

Locality of Nest n. edge of post cemetery  
Fort Richardson, Alaska

Latitude 61° 16' 30" Longitude 149° 39' 30"

Altitude 375 Direction slope faces level

Nest 6 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')   
Moist tundra  Rocky Tundra  Field  Marsh

Other \_\_\_\_\_

List abundant plants:  
white spruce, Picea glauca  
paper birch, Betula papyrifera  
quaking aspen, P. tremuloides  
Kentucky bluegrass, Poa pratensis  
Labrador tea, Ledum groenlandicum  
willow, Salix

mosses

POSITION OF NEST

In tree, brush or shrub   
On ground, under tree, brush or shrub   
On ground, not under tree, brush or shrub   
On ground, in open on sand or rocks   
On cliff or bank  On floating mat   
On building

FATE OF NEST

No. of eggs hatched 3

No. of unhatched eggs 1

Cause of non-hatching of eggs infertile ?

No. of chicks that left nest presumably 3

Cause of death of chicks not leaving nest --



Name of Bird Eastern robin | Year 1961  
Turdus migratorius

Locality of Nest Woodlot in city of Anchorage at 15th Ave. & C Street

Latitude 61°12' 30" Longitude 149°53'15"

Altitude 100 Direction slope faces south

Nest 10 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')   
Moist tundra  Rocky Tundra  Field  Marsh

Other \_\_\_\_\_

List abundant plants:

white spruce, Picea glauca  
black spruce, Picea mariana  
paper birch, Betula papyrifera  
quak. aspen, Populus tremuloides  
Labrador tea, Ledum groenlandicum  
crowberry, Epetrum nigrum  
mosses and lichens

POSITION OF NEST

In tree, ~~brush or shrub~~   
On ground, under tree, brush or shrub   
On ground, not under tree, brush or shrub   
On ground, in open on sand or rocks   
On cliff or bank  On floating mat   
On building

FATE OF NEST

No. of eggs hatched presumably 3

No. of unhatched eggs 1

Cause of non-hatching of eggs infertile ?

No. of chicks that left nest presumably 3

Cause of death of chicks not leaving nest --



Name of Bird ROBIN Year 1961

Locality of Nest COHOE

Latitude 60° Longitude 157°

Altitude 80 Direction slope faces \_\_\_\_\_

Nest 5 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky tundra  Marsh

Other \_\_\_\_\_

List abundant plants:

POSITION OF NEST

- In tree, brush, or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat

FATE OF NEST

No. of eggs hatched 3

No. of unhatched eggs ?

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest 3

Cause of death of chicks not leaving \_\_\_\_\_

Nest \_\_\_\_\_



Name of Bird American Robin Year 1960  
Turdus migratorius

Locality of Nest Miller's Landing  
Homer Area Alaska

Latitude 59°40½ N Longitude 151°25'

Altitude 150' Direction slope faces bottom of gully  
Nest 4½' ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')   
Moist tundra  Rocky tundra  Marsh

Other Nest in gully with pastures above

List abundant plants:

Nest in Alder  
Birch trees  
Pussy Willow  
tame pastures on sides of gully

POSITION OF NEST

In tree, brush, or shrub   
On ground, under tree, brush or shrub   
On ground, not under tree, brush or shrub   
On ground, in open on sand or rocks   
On cliff or bank  On floating mat

FATE OF NEST

No. of eggs hatched 4

No. of unhatched eggs 0

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest 4

Cause of death of chicks not leaving \_\_\_\_\_

Nest \_\_\_\_\_





Name of Bird ROBIN Year 1960

Locality of Nest COHOE.

Latitude 60° 20' Longitude 151° 20'

Altitude 80 Direction slope faces \_\_\_\_\_

Nest 12 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')   
Moist tundra  Rocky tundra  Marsh

Other \_\_\_\_\_

List abundant plants:

POSITION OF NEST

In tree, brush, or shrub   
On ground, under tree, brush or shrub   
On ground, not under tree, brush or shrub   
On ground, in open on sand or rocks   
On cliff or bank  On floating mat

FATE OF NEST

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest 4

Cause of death of chicks not leaving \_\_\_\_\_

Nest \_\_\_\_\_



Name of Bird ROBIN Year 1960

Locality of Nest COHOE

Latitude 60° 20' Longitude 154° 20'

Altitude 80 Direction slope faces \_\_\_\_\_

Nest 4 1/2 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky tundra  Marsh

Other \_\_\_\_\_

List abundant plants:

POSITION OF NEST

In tree, brush, or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

FATE OF NEST

No. of eggs hatched 3

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest 3

Cause of death of chicks not leaving \_\_\_\_\_

Nest \_\_\_\_\_



Name of Bird Robin | Year 1963

Locality of Nest COOPER LANDING

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude \_\_\_\_\_ Direction slope faces South

Nest 6 ft. above ground or base of cliff.

**TYPE OF VEGETATION IN AREA** (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')   
Moist tundra  Rocky Tundra  Field  Marsh

Other \_\_\_\_\_

**List abundant plants:**

Cranberry  
LUPIN  
Aspen + Spruce -

**POSITION OF NEST**

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat
- On building

**FATE OF NEST**

No. of eggs hatched 3

No. of unhatched eggs None

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving nest \_\_\_\_\_

CAT or Squirrels - both around locality



Name of Bird ROBIN Year 1960

Locality of Nest HONER, ALASKA

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude 150' Direction slope faces S

Nest 3 1/2 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky tundra  Marsh

Other birch groves - near road

List abundant plants:

spruce  
birch

native grass  
moss  
alders  
fireweed

POSITION OF NEST

In tree, brush, or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

FATE OF NEST

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs NEST DESTROYED BY LAND-CLEARING

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving

Nest \_\_\_\_\_





Name  
of  
Bird

Robin

Year

1960

Locality  
of  
Nest

Homer, Alaska

Latitude

Longitude

Altitude

150

Direction slope faces

S

Nest

$3\frac{1}{2}$

ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest

Tall brush (4-10')

Shrub (1-4')

Moist tundra

Rocky Tundra

Field

Marsh

Other

List abundant plants:

Rolling, dry land, outskirts of town. Young birch groves, spruce.

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank

On floating mat

On building

FATE OF NEST

No. of eggs hatched

No. of unhatched eggs

Cause of non-hatching of eggs

No. of chicks that left nest

Cause of death of chicks not leaving nest



Name of Bird ROBIN | Year 1960

Locality of Nest 14 MI. East of HONER, AAA

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude 650 Direction slope faces S

Nest 20 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')   
Moist tundra  Rocky tundra  Marsh

Other Clearings

List abundant plants:

Spruce FOREST  
Meadows & Clearings  
near by

POSITION OF NEST

In tree, brush, or shrub   
On ground, under tree, brush or shrub   
On ground, not under tree, brush or shrub   
On ground, in open on sand or rocks   
On cliff or bank  On floating mat

FATE OF NEST NO. OF EGGS OR YOUNG

No. of eggs hatched NOT CERTAIN

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving \_\_\_\_\_

Nest \_\_\_\_\_



Name of Bird robin Year 1962  
Bird Turdus migratorius

Locality of Nest Kilcher homestead at McNeil Canyon on nw side Kachemak Bay

Latitude 59°4 N. Longitude 151° W.

Altitude 650 Direction slope faces

Nest 10 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky Tundra  Field  Marsh

Other 100' to vegetable garden

List abundant plants: sitka(?) spruce, white spruce, paper birch, fireweed, cow parsnip, elderberry, bunchberry, Calamagrostis and other grasses, green alder, Rubus dandelion, cabbage, tomatoes, carrots, leaf lettuce, beets, potatoes

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat
- On building

FATE OF NEST

No. of eggs hatched at least 3

No. of unhatched eggs probably 0

Cause of non-hatching of eggs ---

No. of chicks that left nest probably 3

Cause of death of chicks not leaving nest ---



Name of Bird Robin | Year 1961

Locality of Nest Beluga Lake, Hornes

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude 100 Direction slope faces S?

Nest 12' ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky Tundra  Field  Marsh

Other Lakeshore,

List abundant plants:

spruce labrador tea  
cinquefoil  
(marshy vegetation?)

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST

No. of eggs hatched 3

No. of unhatched eggs none

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest 3

Cause of death of chicks not leaving nest \_\_\_\_\_

