

Name of Bird AMERICAN MAGPIE | Year 1962  
Pica Pica

Locality of Nest FT. OF MT. BAROMETER  
U.S. NAVAL BASE, KODIAK

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude 200' Direction slope faces NE

Nest 18 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky Tundra  Field  Marsh

Other MOUNTAIN FOOTHILLS  
JET AIRFIELD

List abundant plants:

SPRUCE  
ALDER  
WILLOW  
ELDERBERRY  
FIRSWOOD  
SALMONBERRY  
COTTONWOOD

POSITION OF NEST

- In tree, brush or shrub   
On ground, under tree, brush or shrub   
On ground, not under tree, brush or shrub   
On ground, in open on sand or rocks   
On cliff or bank  On floating mat   
On building

FATE OF NEST NOT KNOWN

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving nest \_\_\_\_\_



Name of Bird PICA PICA Year 1962  
MABPIE

Locality of Nest 1/4 MI. S.W. OF  
KODIAK, ALASKA

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude 100' Direction slope faces SE

Nest ~~10~~ 12 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky Tundra  Field  Marsh

Other ROCKY COAST, HIGHWAY

List abundant plants:

ALDER  
COTTONWOOD  
SALMON BERRY  
ELDER BERRY  
"PUSKY"  
DANDELION

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST ABANDONED

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving nest \_\_\_\_\_



Name of Bird AMERICAN MAGPIE | Year 1962  
PICA PICA

Locality of Nest 150' FROM AMERICAN R.  
ON HIGHWAYSIDE, MIDDLE BAY,  
KODIAK

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude 50' Direction slope faces FLAT

Nest 10' ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky Tundra  Field  Marsh

Other TIDE FLATS, HIGHWAY,

List abundant plants: 20 FT. AWAY

COTTONWOOD  
WILLOW (SEV. VARIETIES)  
ALDER  
SALMONBERRY

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST NOT KNOWN

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving nest \_\_\_\_\_



Name of Bird AMERICAN MAGPIE Year 1962  
Pica, Pica

Locality of Nest N. SIDE OF MIDDLE BAY  
KODIAK

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude 100' Direction slope faces SE.

Nest 18 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky Tundra  Field  Marsh

Other BEACH FLATS, MARSH,

List abundant plants: HIGHWAY, 75 FT.

SALMONBERRY

COTTONWOOD

ALDER

ELDERBERRY

PUSKY

WILLOW

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST NOT KNOWN

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving nest \_\_\_\_\_





Name of Bird AMERICAN MAGPIE | Year 1962  
PICA PICA

Locality of Nest ~~PBS~~ WESTERN INLET CREEK, NEAR L. ROSE TEAD  
KODIAK

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude ? Direction VALLEY ~~slope~~ faces S

Nest 14' ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky Tundra  Field  Marsh

Other BRUSHY MT. VALLEY, WET GULLETS, OPEN SLOPES

List abundant plants:

COTTONWOOD  
ALDER  
WILLOW (NEST)

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat
- On building

FATE OF NEST NOT KNOWN

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving nest \_\_\_\_\_



Name of Bird AMERICAN MAGPIE | Year 1962  
PICA PICA

Locality of Nest 1 1/2 MI. SW OF KODIAK  
NEAR GIBON COVE ON PILLAR MOUNTAIN

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude 300' Direction slope faces S

Nest 8 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')   
Moist tundra  Rocky Tundra  Field  Marsh

Other OPEN SLOPE

List abundant plants:

SPRUCE FERN  
ALDER WILD  
SALTBERRY GERANIUM  
ELDERBERRY  
ROSE  
FALSE HELLEBORE  
PUSKY

POSITION OF NEST

In tree, brush or shrub   
On ground, under tree, brush or shrub   
On ground, not under tree, brush or shrub   
On ground, in open on sand or rocks   
On cliff or bank  On floating mat   
On building

FATE OF NEST NOT KNOWN

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving nest \_\_\_\_\_



Name of Bird Pica pica | Year 1962  
MAGPIE

Locality of Nest 1/4 MI. SW OF  
KODIAK, ALASKA

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude 100' Direction slope faces SE

Nest 10 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')   
Moist tundra  Rocky Tundra  Field  Marsh

Other ROCKY COAST, HIGHWAY

List abundant plants:

ALDER  
COTTONWOOD  
ELDERBERRY  
SALTBERRY  
"PUSKY"  
DANDELION  
FOX TAIL

POSITION OF NEST

In tree, brush or shrub   
On ground, under tree, brush or shrub   
On ground, not under tree, brush or shrub   
On ground, in open on sand or rocks   
On cliff or bank  On floating mat   
On building

FATE OF NEST ABANDONED

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs 2 +

Cause of non-hatching of eggs PROBABLY

DESTROYED BY NARRAUDER  
(RAVEN OR CROW?)

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving nest \_\_\_\_\_



Name of Bird American magpie | Year 1962  
Pica pica hudsonia

Locality of Nest forest on north edge of Ptarmigan Lk., Kenai Peninsula

Latitude 60°24'15"N. Longitude 149°17'30"W.

Altitude 800 Direction slope faces SW

Nest 30 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')   
Moist tundra  Rocky Tundra  Field  Marsh

Other open lake

List abundant plants: white spruce,

POSITION OF NEST

In tree, ~~brush or shrub~~  35' white spruce  
On ground, under tree, brush or shrub   
On ground, not under tree, brush or shrub   
On ground, in open on sand or rocks   
On cliff or bank  On floating mat   
On building

FATE OF NEST

No. of eggs hatched ?  
No. of unhatched eggs ?  
Cause of non-hatching of eggs ---  
No. of chicks that left nest ---  
Cause of death of chicks not leaving nest ---





Name of Bird American magpie | Year 1962  
Pica pica hudsonia

Locality of Nest forest on north edge of Ptarmigan Lake, Kenai Peninsula

Latitude 60°24' N. Longitude 149°17' W.

Altitude 775 Direction slope faces SW

Nest 8 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')   
Moist tundra  Rocky Tundra  Field  Marsh

Other open lake 30' distant (ice)

List abundant plants: white spruce, green alder, grasses

POSITION OF NEST

In tree, ~~brush or shrub~~  25' white spruce  
On ground, under tree, brush or shrub   
On ground, not under tree, brush or shrub   
On ground, in open on sand or rocks   
On cliff or bank  On floating mat   
On building

FATE OF NEST

No. of eggs hatched ?

No. of unhatched eggs ?

Cause of non-hatching of eggs ---

No. of chicks that left nest ---

Cause of death of chicks not leaving nest ---



Name of Bird American magpie | Year 1962  
Pica pica hudsonia

Locality of Nest hillside behind hospital  
Seward, Alaska

Latitude 60°06'45"N. Longitude 149°27' W.

Altitude 250 Direction slope faces east

Nest 15 ft. above ground or ~~base of cliff.~~

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')   
Moist tundra  Rocky Tundra  Field  Marsh

Other town quite close by

List abundant plants: sitka spruce, mtn. hemlock, devils club, green alder, moss, ferns, grass, elderberry, black cottonwood

POSITION OF NEST

- In tree, ~~brush or shrub~~
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat
- On building

FATE OF NEST

No. of eggs hatched At least 3

No. of unhatched eggs ?

Cause of non-hatching of eggs --

No. of chicks that left nest At least 3

Cause of death of chicks not leaving nest --



Name of Bird AMERICAN Magpie | Year 1962  
Pica pica hudsonia

Locality West of Sterling Hwy 100 yds  
of Nest s of n junct with Seward Hwy

Latitude 60°31'45"N. Longitude 149°33'30"W.

Altitude 750 Direction slope faces se

Nest \_\_\_\_\_ ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky Tundra  Field  Marsh

Other Mud Lake 200 yds. distant

List abundant plants: white spruce,  
paper birch, willows

#### POSITION OF NEST

In tree, ~~brush or shrub~~

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

#### FATE OF NEST

No. of eggs hatched At least 5

No. of unhatched eggs ?

Cause of non-hatching of eggs --

No. of chicks that left nest At least 5

Cause of death of chicks not leaving nest --



Name of Bird American magpie | Year 1962  
Pica pica hudsonia

Locality of Nest Lowell Cr. Canyon  $\frac{1}{4}$  mi west of edge of Seward, Alaska

Latitude 60°06'30"N. Longitude 149°27'30"W

Altitude 350 Direction slope faces sse

Nest 45 ft. above ground or ~~base of cliff~~.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')   
Moist tundra  Rocky Tundra  Field  Marsh

Other  $\frac{1}{4}$  mi to town

List abundant plants: sitka spruce, green alder, elderberry, hemlock, devils club, fireweed, ferns, mosses, grasses

POSITION OF NEST

In tree, ~~brush or shrub~~  55' sitka spruce  
On ground, under tree, brush or shrub   
On ground, not under tree, brush or shrub   
On ground, in open on sand or rocks   
On cliff or bank  On floating mat   
On building

FATE OF NEST

No. of eggs hatched 0  
No. of unhatched eggs 8

Cause of non-hatching of eggs eggs collected

No. of chicks that left nest 0

Cause of death of chicks not leaving nest \_\_\_\_\_





Name of Bird MAGPIE Year 1960

Locality of Nest 25 E. OF HONOR

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude 60' Direction slope faces S

Nest 20 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky tundra  Marsh

Other Pasture

List abundant plants:

BIRCH  
SPRUCE

POSITION OF NEST

In tree, brush, or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

FATE OF NEST NOT RE-VISITED

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving \_\_\_\_\_

Nest \_\_\_\_\_



Name of Bird MAGPIE Year 1960

Locality of Nest 25 MI. EAST OF HONER

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude ~~60~~ 40' Direction slope faces S

Nest 20' ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')   
Moist tundra  Rocky tundra  Marsh

Other Open-meadow hills

List abundant plants: and birch groves

Birch  
Spruce

POSITION OF NEST

in tree, brush, or shrub   
On ground, under tree, brush or shrub   
On ground, not under tree, brush or shrub   
On ground, in open on sand or rocks   
On cliff or bank  On floating mat

FATE OF NEST NOT RE-VISITED

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving

Nest \_\_\_\_\_



Name of Bird RAGPIE | Year 1960

Locality of Nest HEAD OF KACHERAK BAY  
NEAR HODER (25 NW)

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude 15 Direction slope faces 0

Nest ~~15~~ 8 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky tundra  Marsh

Other tide flats

List abundant plants:

Cottonwoods - (mainly)  
alders  
creek

POSITION OF NEST

In tree, brush, or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

FATE OF NEST NOT RE-VISITED

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving \_\_\_\_\_

Nest \_\_\_\_\_



Name of Bird MAGPIE Year 1960

Locality of Nest HEAD OF KACHENAK BAY NEAR HONER (25 MI)

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude 10 Direction slope faces S

Nest 10 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky tundra  Marsh

Other Bluffs and tide flats

List abundant plants:

Alders

Flat, or beach grass

Elderberries

ro Hem woods

POSITION OF NEST

In tree, brush, or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

FATE OF NEST NOT RE-VISITED

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving \_\_\_\_\_

Nest \_\_\_\_\_





Name of Bird NAGPICE | Year 1960

Locality of Nest 25 Miles E. of HONDA

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude 100 Direction slope faces NE

Nest 15 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')   
Moist tundra  Rocky tundra  Marsh

Other \_\_\_\_\_

List abundant plants:

Birches,  
meadow, pasture, alpine  
grass + flowers

POSITION OF NEST

In tree, brush, or shrub   
On ground, under tree, brush or shrub   
On ground, not under tree, brush or shrub   
On ground, in open on sand or rocks   
On cliff or bank  On floating mat

FATE OF NEST NOT RE-VISITED

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving \_\_\_\_\_

Nest \_\_\_\_\_



Name of Bird AMERICAN MAGPIE | Year 1960

Locality of Nest 20 MI. EAST OF HONER

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude 50' Direction slope faces S

Nest 6 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky tundra  Marsh

Other Cliffs + Bluff covered w. vegetation

List abundant plants:

Alders

Undergrowth - fern

Berry-bushes

Wetlies

Elderberries bushes

POSITION OF NEST

In tree, brush, or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

FATE OF NEST NOT RE-VISITED

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving \_\_\_\_\_

Nest \_\_\_\_\_



Name of Bird NAGPIE | Year 1960

Locality of Nest 20 MI. E. OF HONER

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude 30 Direction slope faces S

Nest 10 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky tundra  Marsh

Other Bluff on beach

List abundant plants:

Alder  
Elderberry bushes  
Current  
Cottonwood

POSITION OF NEST

In tree, brush, or shrub  ON BLUFF

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

FATE OF NEST NOT RE-VISITED

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving \_\_\_\_\_

Nest \_\_\_\_\_



Name of Bird AMERICAN NAGPIE | Year 1961

Locality of Nest about 22 mi. Ea. of Homer on Kachemak Bay beach (Eastland cr.)

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude 200' Direction slope faces S

Nest approx. 15' ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')   
Moist tundra  Rocky tundra  Marsh

Other Beach, bluff

List abundant plants:

alder  
cottonwood

elderberry  
foxtail  
punky, wild currant

POSITION OF NEST in tree, brush, or shrub  (alder)

On ground, under tree, brush or shrub   
On ground, not under tree, brush or shrub   
On ground, in open on sand or rocks   
On cliff or bank  On floating mat

FATE OF NEST not re-visited

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving

Nest \_\_\_\_\_





Name of Bird American magpie | Year 1962  
Pica pica hudsonia

Locality of Nest Lewis ranch on Fox Creek  
near head of Kachemak Bay

Latitude 59°4 N. Longitude 151° W.

Altitude 1 Direction slope faces se

Nest 30 ft. above ground ~~or base of cliff.~~

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')   
Moist tundra  Rocky Tundra  Field  Marsh

Other \_\_\_\_\_

List abundant plants: sitka(?) spruce,  
wheat (cultivated), paper birch,  
black cottonwood, elderberry,  
grasses, fireweed, raspberry,  
Ribes

POSITION OF NEST

In tree, ~~brush or shrub~~  50' sitka spruce  
On ground, under tree, brush or shrub   
On ground, not under tree, brush or shrub   
On ground, in open on sand or rocks   
On cliff or bank  On floating mat   
On building

FATE OF NEST

No. of eggs hatched at least 3  
No. of unhatched eggs probably 0  
Cause of non-hatching of eggs ---

No. of chicks that left nest 3

Cause of death of chicks not leaving nest ---



Name of Bird American magpie | Year 1962  
Pica pica hudsonia

Locality of Nest 1/4 mi w of Cottonwood creek  
along n shore of Kachemak Bay

Latitude 59°4 N. Longitude 151° W.

Altitude 40 Direction slope faces sse

Nest 15 ft. above ground ~~or base of cliff.~~

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky Tundra  Field  Marsh

Other clay banks, sandy beach, bay

List abundant plants: green alder, black cottonwood, elderberry, beach grass (Rye),

#### POSITION OF NEST

In tree, brush ~~or shrub~~

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

#### FATE OF NEST

No. of eggs hatched ?

No. of unhatched eggs probably 0

Cause of non-hatching of eggs --

No. of chicks that left nest ?

Cause of death of chicks not leaving nest predator

may have raided nest (chick on gd. partly eaten) but chick in nest seems to have died trying to get out.



Name of Bird AMERICAN MAGPIE | Year 1961

Locality of Nest approx 18 mi. ea. of Homer, Alaska (COTTONWOOD CR.)

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude 150 Direction slope faces S

Nest approx 40 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky tundra  Marsh

Other Beach, bluff

List abundant plants:

alder cottonwoods  
elderberry  
foxtail  
punky  
nettle  
wild currant

POSITION OF NEST

In tree, brush, or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

FATE OF NEST

not revisited

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving \_\_\_\_\_

Nest \_\_\_\_\_



Name of Bird HABPIE Year 1961

Locality of Nest HONER, ALASKA, (14 MI. EAST OF)

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude 50' Direction slope faces S

Nest 10 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky tundra  Marsh

Other Brush-covered bluff, Beach

List abundant plants:

Alder  
Elderberry  
Beach grass  
Fox tail  
(Undergrowth)

POSITION OF NEST  
In tree, brush, or shrub  (alder)

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

FATE OF NEST not re-visited

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving \_\_\_\_\_

Nest \_\_\_\_\_

# ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address  
 THAIRIS KILCHER  
 212 FAITH ANCHORAGE, ALA

FOR OBSERVATIONS ON ONE NEST

DAY	MONTH	No. of Eggs	No. of Young	ADULT ON NEST SEX	TIME
23	APRIL	B $\frac{1}{2}$			8:30 AM
14	MAY	6		"OFF"	NOON
24	MAY		6		7:35 PM
28	MAY	3	3		7:45 PM

REMARKS: e.g. Birds banded, pertinent weather information, etc.

(B = Building a nest)  
 313  
 1 Mag A

UNISORT

110 109 108 107 106 105 104 103 102 101

227 226 225 224 223 222 221 220 219 218 217 216 215 214 213 212 211 210 209 208 207 206 205 204 203 202 201

309 308 307 306 305 304 303 302 301

1 7 4 2 1 7 4 2 1



Name of Bird AMERICAN MAGPIE | Year 1961

Locality of Nest approx 18 mi. ea. of Homer on beach @ Cottonwood Creek

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude 200' Direction slope faces S

Nest approx 20' ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky tundra  Marsh

Other Beach, bluff

List abundant plants:

Alder  
Elderberry

Cottonwood  
foxtail, pusky,  
nettles, wild currant

POSITION OF NEST

In tree, brush, or shrub  (alder)

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

FATE OF NEST not re-visited

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving \_\_\_\_\_

Nest \_\_\_\_\_



Name  
of  
Bird

NAEPIS

Year

1961

Locality  
of  
Nest

about 20 miles ea. of Homer  
on Kachemak Bay beach (Eastland)

Latitude

Longitude

Altitude

20'

Direction slope faces

S

Nest

7'

ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest

Tall brush (4-10')

Shrub (1-4')

Moist tundra

Rocky Tundra

Field

Marsh

Other

Beach, Bluff, creek

List abundant plants:

alder

cottonwoods

elderberry

fireweed

nettle, jostail, punky, currant

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank

On floating mat

On building

FATE OF NEST

not re-visited

No. of eggs hatched

No. of unhatched eggs

Cause of non-hatching of eggs

No. of chicks that left nest

Cause of death of chicks not leaving nest



Name American magpie Year \_\_\_\_\_  
of \_\_\_\_\_  
Bird Pica pica hudsonia 1962

Locality Eklutna Marsh just se of  
of \_\_\_\_\_  
Nest FAA Range Relay Sta. towers

Latitude 61°28' N. Longitude 149°20'W.

Altitude 30 Direction slope faces level

Nest 10 ft. above ground or ~~base of cliff.~~

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky Tundra  Field  Marsh

Other tideflat of Knik Arm close

List abundant plants: willows, green alder  
black lily, grasses, sedges,  
shooting star, marsh plants

#### POSITION OF NEST

In tree, brush or ~~shrub~~

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

#### FATE OF NEST

No. of eggs hatched 6

No. of unhatched eggs 0

Cause of non-hatching of eggs ---

No. of chicks that left nest 6

Cause of death of chicks not leaving nest one may  
have left too early when I dis-  
turbed the nest by banding young



Name of Bird American magpie | Year 1962  
Pica pica hudsonia

Locality of Nest Little Susitna River Valley  
in the Talkeetna Mountains

Latitude 61°46' N. Longitude 149°12'30"W

Altitude 1625 Direction slope faces se

Nest 35 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky Tundra  Field  Marsh

Other tree 10' from rocky river

List abundant plants: black cottonwood,  
Calamagrostis & other grasses,  
prickly rose, bunchberry,  
willows, green alder, sedges

#### POSITION OF NEST

In tree, ~~brush or shrub~~

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

#### FATE OF NEST

No. of eggs hatched 5

No. of unhatched eggs probably 0

Cause of non-hatching of eggs ---

No. of chicks that left nest probably 4

Cause of death of chicks not leaving nest 1 young  
disappeared, reason unknown





Name of Bird American magpie | Year 1963  
Pica p. hudsonia

Locality of Nest last tree on slope W. of Ski Bowl up Ship Cr.-Chugach.

Latitude 61° 14' 45" N Longitude 149° 32' 15" W

Altitude 2500 Direction slope faces sse

Nest 8 ft. above ground or ~~base of cliff.~~

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')   
Moist tundra  Rocky Tundra  Field  Marsh

Other ski resort (closed) near

List abundant plants: white spruce, aspen, willows, cottonwood, ground juniper, Mertensia,

POSITION OF NEST

In tree, ~~brush or shrub~~   
On ground, under tree, brush or shrub   
On ground, not under tree, brush or shrub   
On ground, in open on sand or rocks   
On cliff or bank  On floating mat   
On building

FATE OF NEST

No. of eggs hatched 5 at least

No. of unhatched eggs 1

Cause of non-hatching of eggs infertile ?

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving nest \_\_\_\_\_



Name of Bird American magpie | Year 1962  
Pica pica hudsonica  
Locality of Nest Little Susitna River Valley  
in the Talkeetna Mountains

Latitude 61°46' N. Longitude 149°12'30"W

Altitude 1625 Direction slope faces se

Nest 18 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky Tundra  Field  Marsh

Other \_\_\_\_\_

List abundant plants: black cottonwood,  
Calamagrostis & other grasses,  
green alder, Veratrum, Heracleum  
Rubus, Ribes, Carex, buffaloberry

#### POSITION OF NEST

In tree, ~~brush~~ or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

#### FATE OF NEST

No. of eggs hatched 3

No. of unhatched eggs 0

Cause of non-hatching of eggs --

No. of chicks that left nest probably 3

Cause of death of chicks not leaving nest --



Name of Bird American magpie | Year 1962  
Pica pica hudsonia

Locality By NIKE Site Rd. not far  
Nest above junct. w Ski Bowl Rd.

Latitude 61°14'45"N Longitude 149°33'15"W

Altitude 2425 Direction slope faces SW

Nest 7 ft. above ground ~~or base of cliff.~~

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky Tundra  Field  Marsh

Other scattered timberline clumps

List abundant plants: white spruce, mtn. hemlock, dwarf willows, mosses, lichens, Saxifrage, grasses, Cinquefoil, Geranium, sedge

#### POSITION OF NEST

In tree, brush ~~or shrub~~

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

#### FATE OF NEST

No. of eggs hatched at least 4

No. of unhatched eggs presumably 0

Cause of non-hatching of eggs --

No. of chicks that left nest probably 3

Cause of death of chicks not leaving nest 1 chick

seemed to have starved failing to compete with the others.



Name of Bird American magpie | Year 1963  
Pica pica hudsonia

Locality Crow Cr. Valley above Gla-  
Nest of crier Gulch - Chugach Mtns.

Latitude 61°01'20"N Longitude 149°05'30"

Altitude 1225 Direction slope faces SW

Nest 12 ft. above ground ~~or base of cliff.~~

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky Tundra  Field  Marsh

Other snowfields near

List abundant plants: mountain hemlock,  
white spruce, fireweed, green  
alder, grasses

#### POSITION OF NEST

In tree, ~~brush or shrub~~

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

#### FATE OF NEST

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving nest \_\_\_\_\_





Name of Bird American magpie | Year 1962  
Pica pica hudsonia

Locality of Nest near Ski Bowl & NIKE Site Rd  
junct. in Ship Creek Valley

Latitude 61°14'30"N. Longitude 149°33'W

Altitude 2400 Direction slope faces south

Nest 10 ft. above ground ~~or base of cliff.~~

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')   
Moist tundra  Rocky Tundra  Field  Marsh

Other \_\_\_\_\_

List abundant plants: white spruce,  
black cottonwood, grasses,  
lichens, sedge, buffaloberry,  
spirea, fireweed, willows,  
ground juniper

POSITION OF NEST

- In tree, ~~brush or shrub~~
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat
- On building

FATE OF NEST

No. of eggs hatched 1

No. of unhatched eggs 2

Cause of non-hatching of eggs infertile  
probably (queer shaped)

No. of chicks that left nest 0

Cause of death of chicks not leaving nest starved,  
probably after female parent  
shot by soldiers.



Name of Bird American magpie | Year 1962  
Pica pica hudsonia

Locality of Nest just below Arctic Valley  
Ski Bowl in Ship Cr. Valley

Latitude 61°14'30"N Longitude 149°32'45"W

Altitude 2375 Direction slope faces south

Nest 8 ft. above ground ~~or base of cliff.~~

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky Tundra  Field  Marsh

Other \_\_\_\_\_

List abundant plants: willow, aspen,  
white spruce, bluegrass, green  
alder, black cottonwood, ground  
juniper, fireweed

#### POSITION OF NEST

In tree, brush ~~or shrub~~

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

#### FATE OF NEST

No. of eggs hatched 4

No. of unhatched eggs 0

Cause of non-hatching of eggs --

No. of chicks that left nest possibly-1 0

Cause of death of chicks not leaving nest starvation  
probably due to male parent being  
killed (shot) by soldiers.



Name of Bird American magpie | Year 1962  
Pica pica hudsonia

Locality of Nest Little Susitna River Valley  
in the Talkeetna Mountains

Latitude 61°47' N. Longitude 149°11' W.

Altitude 1850 Direction slope faces east

Nest 16 ft. above ground ~~or base of cliff.~~

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky Tundra  Field  Marsh

Other 20' from river overflow pool

List abundant plants: willows, green alder, grasses, fireweed,

POSITION OF NEST

In tree, brush ~~or shrub~~  22' tall willow

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST

No. of eggs hatched \$ 0

No. of unhatched eggs ?

Cause of non-hatching of eggs man, probably the rancher, destroyed the nest

No. of chicks that left nest 0

Cause of death of chicks not leaving nest --



Name of Bird MAGPIE | Year 1960

Locality of Nest 25 MI. EAST OF HONER

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude 100 Direction slope faces S

Nest 40 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky tundra  Marsh

Other Meadow - pasture - creek

List abundant plants:

Spruce  
Alders  
Birch  
Pasture Grass

POSITION OF NEST

In tree, brush, or shrub  IN SPRUCE

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

FATE OF NEST NOT RE-VISITED

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving \_\_\_\_\_

Nest \_\_\_\_\_





Name American magpie Year \_\_\_\_\_  
of \_\_\_\_\_  
Bird Pica pica hudsonia 1962

Locality Little Susitna Riv. Valley  
of \_\_\_\_\_  
Nest in the Talkeetna Mountains

Latitude 61°46' N. Longitude 149°13' W.

Altitude 1687 Direction slope faces se

Nest 7 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')   
Moist tundra  Rocky Tundra  Field  Marsh

Other \_\_\_\_\_

List abundant plants: black cottonwood,  
willows, green alder, white  
spruce, grasses, fireweed

POSITION OF NEST

In tree, ~~brush or shrub~~   
On ground, under tree, brush or shrub   
On ground, not under tree, brush or shrub   
On ground, in open on sand or rocks   
On cliff or bank  On floating mat   
On building

FATE OF NEST

No. of eggs hatched 0

No. of unhatched eggs 4

Cause of non-hatching of eggs nest abandoned  
too close to much-traveled road.

No. of chicks that left nest 0

Cause of death of chicks not leaving nest --



Name of Bird Maggie, Black-billed (Pica pica hudsonii) | Year 1960

Locality of Nest Bear River, Alaska Peninsula (nr. Port Moller)

Latitude 160° 20' W Longitude 56° 04' N

Altitude 200' Direction slope faces No slope to speak of.

Nest Nine (9) ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')   
Moist tundra  Rocky tundra  Marsh

Other Rather thin density,

List abundant plants:

Willow (Stream-bed type)  
Grass (habitat)

POSITION OF NEST

In tree, brush, or shrub   
On ground, under tree, brush or shrub   
On ground, not under tree, brush or shrub   
On ground, in open on sand or rocks   
On cliff or bank  On floating mat

FATE OF NEST

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving \_\_\_\_\_

Nest \_\_\_\_\_



Name of Bird	BLACK-BILLED MAGPIE	Year	1971
--------------	---------------------	------	------

Locality of Nest "TEACUP HARBOR" NEAR RUSSELL ID. - GLACIER BAY

Latitude..... Longitude.....

Altitude <sup>-100'</sup>..... Direction slope faces <sup>NW</sup>.....

Nest <sup>20'</sup>.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other .....

List abundant plants:

SOAPBERRY & WILLOW LOW BRUSH  
 BROKEN BY OCCASIONAL SPRUCE,  
 COTTONWOOD, A FEW LODGEPOLES.

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat
- On building

FATE OF NEST

No. of eggs hatched .....

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

.....



Name of Bird Maggie Year 1967

Locality of Nest N / Moody

Latitude 63° 48' N Longitude 148° 56' W

Altitude 2000 Direction slope faces -

Nest 11 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other .....

List abundant plants:

*at foot of Mt. Healy in a small dense spruce stand in a draw surrounded by moist alpine tundra*

POSITION OF NEST

In tree, brush or shrub  *spruce*

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST

No. of eggs hatched .....

No. of unhatched eggs .....

Cause of non-hatching of eggs .....

.....

No. of chicks that left nest .....

Cause of death of chicks not leaving nest .....

.....





Name of Bird *maggie* Year *1967*

Locality of Nest *4/ Moody*

Latitude *63°48'N* Longitude *148°56'W*

Altitude *2000'* Direction slope faces.....

Nest *12* ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other .....

List abundant plants:

*in a cotton wood - stand with a few spruce in a depression surrounded by moist alpine tundra.*

POSITION OF NEST

In tree, brush or shrub  *Spruce*

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST

No. of eggs hatched .....

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....



Name of Bird	maggie	Year	1967
--------------------	--------	------	------

Locality  
of  
Nest

"/Moody

Latitude. 63° 48' N Longitude. 148° 56' W

Altitude. 2000' Direction slope faces.....

Nest..... 9..... ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other .....

List abundant plants:

in a dense spruce stand  
with some cottonwood in  
a gully surrounded by  
moist alpine tundra.

POSITION OF NEST

In tree, brush or shrub  Spruce

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST

No. of eggs hatched .....

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

No. of chicks that left nest..... 3.....

Cause of death of chicks not leaving nest.....



Name of Bird MAGPIE Year 1966

Locality of Nest Eastland Canyon, Kadwinak Bay, 20 Mi. East of HOMER

Latitude..... Longitude.....

Altitude...20..... Direction slope faces. S.....

Nest...13.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other .. O.V.P.B. CREEK, CANYON, ROUTE,

List abundant plants: 40' from Beach.

- Alder
- Elderberry
- Fireweed
- Nettles
- Birch
- Cottonwood

POSITION OF NEST

- In tree, brush or shrub  Alder
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat
- On building

FATE OF NEST

- No. of eggs hatched ... not re-visited ...
- No. of unhatched eggs.....
- Cause of non-hatching of eggs.....
- .....
- No. of chicks that left nest.....
- Cause of death of chicks not leaving nest.....
- .....



Name of Bird Magpie | Year 1962

Locality of Nest Upper Dry Creek, Alaska Range

Latitude 63° 55' Longitude 147° 28'

Altitude 3500 Direction slope faces east

Nest 8 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky Tundra  Field  Marsh

Other Timberline near creek bottom

List abundant plants:

Picea glauca

Salix spp.

Betula glandulosa

Vaccinium spp.

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving nest \_\_\_\_\_





Name of Bird Maggie | Year 1962

Locality of Nest West Fork of Dry Creek

Latitude 63° 56' Longitude 147° 29'

Altitude 3600 Direction slope faces Creek bottom

Nest 15 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')   
Moist tundra  Rocky Tundra  Field  Marsh

Other Timberline in creek bottom

List abundant plants:

Spruce  
Willow

POSITION OF NEST

In tree, brush or shrub   
On ground, under tree, brush or shrub   
On ground, not under tree, brush or shrub   
On ground, in open on sand or rocks   
On cliff or bank  On floating mat   
On building

FATE OF NEST

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving nest \_\_\_\_\_



Name of Bird AMERICAN MAGPIE | Year 1962  
Pica Pica

Locality of Nest N. SIDE OF KALSIN BAY  
KODIAK

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude 150 Direction slope faces S

Nest 13' ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky Tundra  Field  Marsh

Other ROCKY COAST-CLIFF & HILL  
CREEK, HIGHWAY 50 FT.

List abundant plants:

COTTONWOOD  
ALDER  
WILLOW  
ELDERBERRY  
SALMON BERRY

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST NOT KNOWN

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving nest \_\_\_\_\_



Name of Bird AMERICAN MAGPIE | Year 1962  
PICA PICA

Locality of Nest NEAR L. ROSE TEAD AND WESTERN INLET CREEK, KODIAK

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude 100' Direction slope faces S  
VALLET

Nest 9 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')   
Moist tundra  Rocky Tundra  Field  Marsh

Other NEAR HIGHWAY, 20 FT.

List abundant plants:

Alder  
Cottonwood  
WILLOW

POSITION OF NEST

In tree, brush or shrub   
On ground, under tree, brush or shrub   
On ground, not under tree, brush or shrub   
On ground, in open on sand or rocks   
On cliff or bank  On floating mat   
On building

FATE OF NEST NOT KNOWN

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving nest \_\_\_\_\_



Name of Bird AMERICAN MAGPIE | Year 1961

Locality of Nest approx 19 mi. ea. of Homer along Kachemak Bay beach

Latitude ? Longitude ?

Altitude 150' Direction slope faces S

Nest about 25 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tail brush (4-10')  Shrub (1-4')

Moist tundra  Rocky tundra  Marsh

Other Beach, bluff, ..

List abundant plants:

alder  
cottonwood  
elderberry  
wild currant  
fox tail, pussy, nettle

POSITION OF NEST

In tree, brush, or shrub  (alder)

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

FATE OF NEST

not re-visited

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving \_\_\_\_\_

Nest \_\_\_\_\_





Name of Bird American magpie | Year 1961  
Pica pica hudsonia

Locality of Nest mtn. hemlock krumholst between swithbacks on Nike Site Rd.

Latitude 61° 15' 00" Longitude 149° 33' 30"

Altitude 2850 Direction slope faces SW

Nest 4 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')   
Moist tundra  Rocky Tundra  Field  Marsh

Other \_\_\_\_\_

List abundant plants:

mtn. hemlock, Tsuga mertensiana  
mtn. ash, Sorbus sitchensis  
crowberry, Empetrum nigrum  
early blueberry, V. ovalifolium  
white spruce, Picea glauca  
alpine birch, Betula nana exilis  
alpine willows, Salix  
mosses, lichens, grasses

POSITION OF NEST

In tree, brush or shrub   
On ground, under tree, brush or shrub   
On ground, not under tree, brush or shrub   
On ground, in open on sand or rocks   
On cliff or bank  On floating mat   
On building

FATE OF NEST

No. of eggs hatched at least 3

No. of unhatched eggs ?

Cause of non-hatching of eggs --

No. of chicks that left nest presumably 3

Cause of death of chicks not leaving nest ?



Name of Bird MAGPIE | Year 1961

Locality of Nest (30 MI. EA. OF ANCHORAGE)  
DC HUGH CREEK, TURNAGAIN ARM

Latitude 61° 01' 15" Longitude 149° 44' 15"

Altitude 150 Direction slope faces S

Nest 5 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky tundra  Marsh

Other Rocky slope, overgrown

List abundant plants:

~~Willow~~  
Spruce  
Alder  
Elderberries  
Aspen  
(Underbrush)

POSITION OF NEST

In tree, brush, or shrub  (Cottonwood)

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

FATE OF NEST abandoned

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving \_\_\_\_\_

Nest \_\_\_\_\_



Name of Bird American magpie | Year 1961  
Pica p. hudsonia

Locality of Nest Ship Creek Valley near Arctic Valley Ski Area

Latitude 61°14'30" Longitude 149° 31'

Altitude 2250' Direction slope faces South

Nest 15 ft. above ground ~~or base of cliff.~~

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')   
Moist tundra  Rocky tundra  Marsh

Other scrubby cottonwood grove near timberline.

List abundant plants:  
cottonwood  
alder  
willow

white spruce, Picea glauca  
fireweed, Epilobium angustifolium  
grd. juniper, Juniperus communis  
grass

POSITION OF NEST

In tree, brush, or shrub   
On ground, under tree, brush or shrub   
On ground, not under tree, brush or shrub   
On ground, in open on sand or rocks   
On cliff or bank  On floating mat

FATE OF NEST

No. of eggs hatched 6

No. of unhatched eggs 0

Cause of non-hatching of eggs -

No. of chicks that left nest presumably 3

Cause of death of chicks not leaving

Nest maybe removed as nest only 10'  
from active road.

