

Name of Bird Black Brant | Year 1960

Locality of Nest Woods Camp, mouth of Colville River

Latitude _____ Longitude _____

Altitude 3' Direction slope faces flat

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')
Moist tundra Rocky tundra Marsh

Other _____

List abundant plants:

Sedge, grass

POSITION OF NEST

- In tree, brush, or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat

FATE OF NEST

No. of eggs hatched _____

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving _____

Nest _____

Name of Bird Black Brant | Year 1960

Locality of Nest Woods camp, mouth of Colville River

Latitude _____ Longitude _____

Altitude 3' Direction slope faces flat

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')
Moist tundra Rocky tundra Marsh

Other _____

List abundant plants:

Sedge,
Grass

POSITION OF NEST

- In tree, brush, or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat

FATE OF NEST

No. of eggs hatched _____

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving _____

Nest _____

Black Brant

ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer:

Howard Kantner
Box 18

FOR ONE VISIT TO A COLONY OF BIRDS

Date of visit: June 24, July 6-9

Locality:

Woods Camp
Coleville River Delta

Description of habitat:

moist tundra
small, shallow ponds
dwarf willow, grasses, dwarf birch
tussocks - grass
adjacent to Coleville River Delta

Description of nests and nest sites:

Slight depression lined with down, ^{and grass} + grass + down. Nests usually near ponds in wet grass - willow.

FILL IN NUMBER OF NESTS CONTAINING:

Empty	1 Young	2 Young	3 Young	4 Young	5 Young
15	1	2	2	1	1
1 Egg	1E - 1Y	1E - 2Y	1E - 3Y	1E - 4Y	
4	1		1		
2 Eggs	2E - 1Y	2E - 2Y	2E - 3Y		
			1		
3 Eggs	3E - 1Y	3E - 2Y			
4					
4 Eggs	4E - 1Y				
6					
5 Eggs					
13					

NO. IN COLONY

Occupied nests 51

Pairs of birds approx 44 seen

Use back for remarks

6 Eggs

3

2	1	7	4	2	1	7	4	2	1
110	109	108	107	106	105	104	103	102	101

27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1
2				4	2	1	7	4	2	1	7	4	2	1	7	4	2	1	7	4	2	1	7	4	2	1

UNISORT ANALYSIS CARD STD. FORM Y 12

1	2	4	7	1	2	4	7	1	2	4	7	1	2	4	7	1	2	4	7	1	2	4	7	1	2	4	7	1	2	4	7
201	202	203	204	205	206	207	208	209	210	211	212	213	214	215	216	217	218	219	220	221	222	223	224	225	226	227					

UNISORT	309	308	307	306	305	304	303	302	301
	1	7	4	2	1	7	4	2	1

Name of Bird Black Brant | Year 1960

Locality of Nest Woods Camp, mouth of Colville River

Latitude _____ Longitude _____

Altitude 3' Direction slope faces flat

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky tundra Marsh

Other _____

List abundant plants:

Sedge, grass

POSITION OF NEST

In tree, brush, or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

FATE OF NEST

No. of eggs hatched _____

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving _____

Nest _____

Name of Bird Black Brant Year 1963

Locality of Nest Igiak Bay

Latitude 61°44' Longitude 165°43'

Altitude..... Direction slope faces.....

Nest....0.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

On tiny island in fair-sided pond. Nest 1 1/2' from H₂O

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

- No. of eggs hatched
- No. of unhatched eggs.....
- Cause of non-hatching of eggs.....
-
- No. of chicks that left nest.....
- Cause of death of chicks not leaving nest.....
-

ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer:

FOR ONE VISIT TO A COLONY OF BIRDS

Date of visit: *June 8, 1961*

Locality: *Lower Kashunuk*

Description of habitat:

*Sedge - Grass
Tidal flat*

SPECIES: *Black Brant*

Description of nests and nest sites:

*Along shallow tidal pools
in short sedge*

FILL IN NUMBER OF NESTS CONTAINING:

Empty	1 Young	2 Young	3 Young	4 Young	5 Young
1 Egg <i>1</i>	1E - 1Y	1E - 2Y	1E - 3Y	1E - 4Y	
2 Eggs <i>6</i>	2E - 1Y	2E - 2Y	2E - 3Y		
3 Eggs <i>23</i>	3E - 1Y	3E - 2Y			
4 Eggs <i>40</i>	4E - 1Y				
5 Eggs <i>15</i>					

NO. IN COLONY

Occupied nests *85*

Pairs of birds _____

Use back for remarks

6 eggs
1

15

ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer:

ADFG Field Crew
Box 1027 - College

FOR ONE VISIT TO A COLONY OF BIRDS

Date of visit: June 5, 1961

Locality: LOWER KASHUNAK RIVER

Description of habitat:

Sedge

SPECIES: Black Brant

Description of nests and nest sites:

Nests situated near water (Tidal pools) in short sedge

FILL IN NUMBER OF NESTS CONTAINING:

Empty	1 Young	2 Young	3 Young	4 Young	5 Young
2					
1 Egg	1E - 1Y	1E - 2Y	1E - 3Y	1E - 4Y	
3					
2 Eggs	2E - 1Y	2E - 2Y	2E - 3Y		
3					
3 Eggs	3E - 1Y	3E - 2Y			
5					
4 Eggs	4E - 1Y				
13					
5 Eggs					
7					

NO. IN COLONY 35

Occupied nests 21

Pairs of birds

Use back for remarks

6-2

4	2	1	7	4	2	1	7	4	2	1	7	4	2	1	7	4	2	1	7	4	2	1	7	4	2	1
227	226	225	224	223	222	221	220	219	218	217	216	215	214	213	212	211	210	209	208	207	206	205	204	203	202	201

2	1	7	4	2	1	7	1	105	7	4	2	1
110	109	108	107	106	105	104	103	102	101			

UNISORT ANALYSIS CARD STD. FORM Y 12

[Empty central area for data entry]

309	7	4	2	1	7	4	304	303	302	301
-----	---	---	---	---	---	---	-----	-----	-----	-----

27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1
1	2	1	4	4	2	1	7	4	2	1	4	4	2	1	7	4	2	1	4	4	2	1	7	4	2	1

UNISORT

ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer:

Jim King
Box 257, Bethel

FOR ONE VISIT TO A COLONY OF BIRDS

Date of visit: June 12, 1963

Locality: Aphroon Peninsula
Lat 61° long 165°

Description of habitat:

Low flat coastal marsh within a mile of shore covered with grass + sedge.

SPECIES: Black Brant

Description of nests and nest sites:

Nests in grass with a good deal of dark down

FILL IN NUMBER OF NESTS CONTAINING:

Empty	1 Young	2 Young	3 Young	4 Young	5 Young
5					
1 Egg 5	1E - 1Y	1E - 2Y	1E - 3Y	1E - 4Y	
2 Eggs 3	2E - 1Y	2E - 2Y	2E - 3Y		
3 Eggs 5	3E - 1Y	3E - 2Y			
4 Eggs 10	4E - 1Y				
5 Eggs 2					
6 eggs 1					

NO. IN COLONY

Occupied nests Many

Pairs of birds Many

Use back for remarks

4	2	1	7	4	2	1	7	4	2	1	7	4	2	1	7	4	2	1	7	4	2	1				
27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1

UNISORT

5 nests marked as empty are this years nests that were destroyed.

1	309
7	308
4	307
2	306
1	305
7	304
4	303
2	302
1	301

UNISORT ANALYSIS CARD STD. FORM Y 12

1	101
2	102
4	103
7	104
1	105
2	106
4	107
7	108
1	109
2	110

4	227	2	226	1	225	7	224	4	223	2	222	1	221	7	220	4	219	2	218	1	217	7	216	4	215	2	214	1	213	7	212	4	211	2	210	1	209	7	208	4	207	2	206	1	205	7	204	4	203	2	202	1	201
---	-----	---	-----	---	-----	---	-----	---	-----	---	-----	---	-----	---	-----	---	-----	---	-----	---	-----	---	-----	---	-----	---	-----	---	-----	---	-----	---	-----	---	-----	---	-----	---	-----	---	-----	---	-----	---	-----	---	-----	---	-----	---	-----	---	-----

ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer:

James G. King
Box 257
Bethel Alaska

FOR ONE VISIT TO A COLONY OF BIRDS

Date of visit: May 30, 1963

Locality: Clarence Rhode Range just north of Hazen Bay
Lat. 61° Long. 165°

Description of habitat:

Lake 300 yds long 100 yds from sea coast. Water not over 2 feet deep. Associated with 12 Glaucous Gull nests

SPECIES; Black Brant

Description of nests and nest sites:

All but one nest on muddy islets. 8 nests built by scratching up moss + debris from a 3 ft radius. 4 nests of dead grass that appeared to have been used in previous years. Nests with

FILL IN NUMBER OF NESTS CONTAINING:

3 + 4 eggs had down others little or none

Empty	1 Young	2 Young	3 Young	4 Young	5 Young
1 Egg 6	1E - 1Y	1E - 2Y	1E - 3Y	1E - 4Y	
2 Eggs 4	2E - 1Y	2E - 2Y	2E - 3Y		
3 Eggs 1	3E - 1Y	3E - 2Y			
4 Eggs 1	4E - 1Y				
5 Eggs					

NO. IN COLONY

Occupied nests 12

Pairs of birds

Use back for remarks

ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer:

FOR ONE VISIT TO A COLONY OF BIRDS

Date of visit: *June 12, 1961*

Locality: *Lower Kachunuk River*

Description of habitat: *Grass-Sedge*

SPECIES: *Black Brant*

Description of nests and nest sites: *Nests on tidal flats, in sedge-grass.*

FILL IN NUMBER OF NESTS CONTAINING:

Empty	1 Young	2 Young	3 Young	4 Young	5 Young
1 Egg <i>3</i>	1E - 1Y	1E - 2Y	1E - 3Y	1E - 4Y	
2 Eggs <i>7</i>	2E - 1Y	2E - 2Y	2E - 3Y		
3 Eggs <i>8</i>	3E - 1Y	3E - 2Y			
4 Eggs <i>19</i>	4E - 1Y				
5 Eggs <i>11</i>					
6 eggs <i>3</i>					

NO. IN COLONY *51*

Occupied nests *22*

Pairs of birds _____

Use back for remarks

4 2 1 7 4 2 1 7 4 2 1 7 4 2 1 7 4 2 1 7 4 2 1

27 26 25 24 23 22 21 20 19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1

UNISORT

1

2

4

7

1

2

4

7

1

2

101

102

103

104

105

106

107

108

109

110

1

7

4

2

1

7

4

2

1

4

309

308

307

306

305

304

303

302

301

UNISORT ANALYSIS CARD STD. FORM Y 12

227 226 225 224 223 222 221 220 219 218 217 216 215 214 213 212 211 210 209 208 207 206 205 204 203 202 201

4 2 1 7 4 2 1 7 4 2 1 7 4 2 1 7 4 2 1 7 4 2 1 7 4 2 1

ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer:

P. Shepherd

FOR ONE VISIT TO A COLONY OF BIRDS

Date of visit: *June 29, 1964*

Locality: *Yukon - Kuskokwim Delta*

Description of habitat:

Sedge Flats near salt water

SPECIES; *Black brant*

Description of nests and nest sites:

Shallow depressions in short sedge cover.

FILL IN NUMBER OF NESTS CONTAINING:

Empty	1 Young	2 Young	3 Young	4 Young	5 Young
1 Egg	1E - 1Y	1E - 2Y	1E - 3Y	1E - 4Y	
2 Eggs <i>6</i>	2E - 1Y	2E - 2Y	2E - 3Y		
3 Eggs <i>8</i>	3E - 1Y <i>1</i>	3E - 2Y			
4 Eggs <i>11</i>	4E - 1Y				
5 Eggs <i>4</i>					

NO. IN COLONY

Occupied nests _____

Pairs of birds _____

Use back for remarks

ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer:

ADFG
Black Brant Crew
 Harris, Hengler, Panigra

FOR ONE VISIT TO A COLONY OF BIRDS

Date of visit: June 15 to July 8, 1962

Locality: Lower Kashunuk River

Description of habitat:

~~Beach~~
 Intertidal zone on coastal mud flats. Grassy areas barely above high tide level, and below storm tide driftlines

Description of nests and nest sites:

Nest shallow scrape lined with copious quantities of down, some sedge and ~~sedge~~ grass stems. Located in short sedge or sedge rye grass cover, often close to H₂O

FILL IN NUMBER OF NESTS CONTAINING:

Empty	1 Young	2 Young	3 Young	4 Young	5 Young
1 Egg	1E - 1Y	1E - 2Y	1E - 3Y	1E - 4Y	
2 Eggs	2E - 1Y	2E - 2Y	2E - 3Y		
3 Eggs	3E - 1Y	3E - 2Y			
4 Eggs	4E - 1Y				
5 Eggs					

Black Brant

NO. IN COLONY

Occupied nests

Pairs of birds

Use back for remarks see

for summary of 100 nests

Name of Bird Black Brant Year 1963

Locality of Nest Clarence Rhode Range just north of Hazen Bay

Latitude 61° Longitude 165°

Altitude 6 ft. Direction slope faces none.

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other on a niggerhead

List abundant plants:

sedge

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

No. of eggs hatched

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....
No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

.....

Name of Bird Black Brant Year 1963

Locality of Nest Clarence Rhode Range north of Hazen Bay

Latitude 61° Longitude 165°

Altitude 6 ft. Direction slope faces none

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other On a small islet in shallow pond

List abundant plants:

sedge

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

.....

