

Name of Bird FOX SPARROW Year 1971

Locality of Nest "SUNDEW COVE" GLACIER BAY

Latitude..... Longitude.....

Altitude ~50' Direction slope faces.....

Nest.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest [ ] Tall brush (4-10') [X] Shrub (1-4') [ ]

Moist Tundra [ ] Rocky Tundra [ ] Field [ ] Marsh [ ]

Other .....

List abundant plants:

WILLOW/ ALDER THicket. IN HOLLOW OF FEW OLD STEMS

POSITION OF NEST

- In tree, brush or shrub [ ]
On ground, under tree, brush or shrub [X]
On ground, not under tree, brush or shrub [ ]
On ground, in open on sand or rocks [ ]
On cliff or bank [ ] On floating mat [ ]
On building [ ]

FATE OF NEST

No. of eggs hatched .....
No. of unhatched eggs.....
Cause of non-hatching of eggs.....
No. of chicks that left nest.....
Cause of death of chicks not leaving nest.....



Name of Bird Fox sparrow Year 1968

Locality E. side of Pbarmigan Creek  
of creek mouth, Glacier Bay  
Nest

Latitude..... Longitude.....

Altitude ~10' Direction slope faces ~N.....

Nest.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other .....

List abundant plants:

*Shepherdia canadensis*  
*Dryas drummondii*

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat
- On building

FATE OF NEST

No. of eggs hatched .....

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

110 109 108 107 106 105 104 103 102 101

# ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer *C.L. Estabrook  
Glacier Bay N.M.  
Gustavus, Ak. 99826*

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
6	6		3		

REMARKS: e.g. Birds banded, pertinent weather information, etc. *Nest a twig-lined cup woven into a low overhanging Shepherdia shrub at the top of a gravel bank.*

309 308 307 306 305 304 303 302 301

1 2 4 7 1 2 4 7 1

27 4 26 2 25 1 24 7 23 4 22 2 21 1 20 7 19 4 18 2 17 1 16 7 15 4 14 2 13 1 12 7 11 4 10 2 9 1 8 7 7 4 6 2 5 1 4 7 3 4 2 2 1

UNISSST  
N.A.I.S.  
C.R.D.  
S.E.D.  
FORM Y 12  
BURROUGHS CORPORATION  
TODD DIV.  
L

UNISORT

Name of Bird FOX SPARROW Year 1971

Locality of Nest SEALER'S ISLAND  
GLACIER BAY

Latitude..... Longitude.....

Altitude... 35'..... Direction slope faces... S.....

Nest... 3 1/2.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other .....

List abundant plants:

WILLOWS


POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

 On cliff or bank  On floating mat

On building

FATE OF NEST

No. of eggs hatched .....

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

.....



Name of Bird	FOX SPARROW	Year	1971
--------------	-------------	------	------

Locality of Nest	NEAR GOOSE COVE GLACIER BAY
------------------	--------------------------------

Latitude..... Longitude.....

Altitude..... ~100'..... Direction slope faces.....

Nest A FEW INCHES above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other .....

List abundant plants:

ALDER THICKET

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat
- On building

FATE OF NEST

No. of eggs hatched .....

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

.....

110 109 108 107 106 105 104 103 102 101

# ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer DENNIS (OLE) WIK  
GLACIER BAY

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
31	MAY	1	0	NO	

REMARKS: e.g. Birds banded, pertinent weather information, etc.

IN SMALL SNOW - FREE AREA

UNISORT  
309 308 307 306 305 304 303 302 301  
1 2 4 7 1 2 4 7 1

1 201  
2 202  
4 203  
7 204  
1 205  
2 206  
4 207  
7 208  
1 209  
2 210  
4 211  
7 212  
1 213  
2 214  
4 215  
7 216  
1 217  
2 218  
4 219  
7 220  
1 221  
2 222  
4 223  
7 224  
1 225  
2 226  
4 227

27  
4  
26 2  
25 1  
24 7  
23 4  
22 2  
21 1  
20 7  
19 4  
18 2  
17 1  
16 7  
15 4  
14 2  
13 1  
12 7  
11 4  
10 2  
9 1  
8 7  
7 4  
6 2  
5 1  
4 7  
3 4  
2 2  
1 1



Name of Bird FOX SPARROW Year 1971

Locality of Nest GOOSE COVE  
GLACIER BAY

Latitude..... Longitude.....

Altitude...50'..... Direction slope faces...S.....

Nest.....0.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other .....

List abundant plants: DRYAS DRUMMONDII,  
SALIX SP., ALNUS SP., POPULUS SP.

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat
- On building

FATE OF NEST

- No. of eggs hatched .....
- No. of unhatched eggs.....
- Cause of non-hatching of eggs.....
- .....
- No. of chicks that left nest.....
- Cause of death of chicks not leaving nest.....
- .....



Name of Bird	Year
FOX SPARROW	1971

Locality of Nest GOOSE COVE - WATER CREEK  
GLACIER BAY

Latitude..... Longitude.....

Altitude ~50..... Direction slope faces.....

Nest 0.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other .....

List abundant plants:

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat
- On building

FATE OF NEST

No. of eggs hatched .....

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

.....

2 1 7 4 2 1 7 4 2 1  
110 109 108 107 106 105 104 103 102 101

UNISORT  
ALASKA  
BIRD  
STANDARD  
FORM  
NO. 12  
BURROUGHS CORPORATION  
- TODD DIV. - L

# ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer DENNIS (OLE) WIK  
GLACIER BAY

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest?	Sex?	Time
31	MAY	4				

REMARKS: e.g. Birds banded, pertinent weather information, etc.  
2' FROM CREEK AT BASE OF WILLOW.

27 4  
26 2  
25 1  
24 7  
23 4  
22 2  
21 1  
20 7  
19 4  
18 2  
17 1  
16 7  
15 4  
14 2  
13 1  
12 7  
11 4  
10 2  
9 1  
8 7  
7 4  
6 2  
5 1  
4 7  
3 4  
2 2  
1 1

UNISORT  
309 1  
308 7  
307 4  
306 2  
305 1  
304 7  
303 4  
302 2  
301 1

201  
202  
203  
204  
205  
206  
207  
208  
209  
210  
211  
212  
213  
214  
215  
216  
217  
218  
219  
220  
221  
222  
223  
224  
225  
226  
227

1  
2  
4  
7  
1  
2  
4  
7  
1  
2  
4  
7  
1  
2  
4  
7  
1  
2  
4  
7  
1  
2  
4

Name of Bird	Year
FOX SPARROW	1971

Locality of Nest NEAR GOOSE COVE  
GLACIER BAY

Latitude..... Longitude.....

Altitude ~100' ..... Direction slope faces E.....

Nest O ..... ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other .....

List abundant plants:

ALDER THICKET

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

- On cliff or bank  On floating mat
- On building

FATE OF NEST

No. of eggs hatched .....

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

.....



Name of Bird	FOX SPARROW	Year	1971
--------------	-------------	------	------

Locality of Nest NEAR GOOSE COVE  
GLACIER BAY

Latitude..... Longitude.....

Altitude...~100'... Direction slope faces.....

Nest...O.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other .....

List abundant plants:

ALDER THICKET

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat
- On building

FATE OF NEST

- No. of eggs hatched .....
- No. of unhatched eggs.....
- Cause of non-hatching of eggs.....
- .....
- No. of chicks that left nest.....
- Cause of death of chicks not leaving nest.....
- .....





Name of Bird

Fox Sparrow

Year

1963

Locality of Nest

Camp Island  
KARLUK LAKE

Latitude

Longitude

Altitude

255'

Direction slope faces

SE

Nest

0

ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest

Tall brush (4-10')

Shrub (1-4')

Moist tundra

Rocky Tundra

Field

Marsh

Other

List abundant plants:

willow  
bluejoint grass

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank

On floating mat

On building

FATE OF NEST

No. of eggs hatched

4  
0

No. of unhatched eggs

Cause of non-hatching of eggs

No. of chicks that left nest

4

Cause of death of chicks not leaving nest

2 1 7 4 2 1 7 4 2 1  
110 109 108 107 106 105 104 103 102 101

27 4  
26 2  
25 1  
24 7  
23 4  
22 2  
21 1  
20 7  
19 4  
18 2  
17 1  
16 7  
15 4  
14 2  
13 1  
12 7  
11 4  
10 2  
9 1  
8 7  
7 4  
6 2  
5 1  
4 7  
3 4  
2 2  
1 1

UNISORT ANALYSIS CARD  
STD. FORM Y 12

# ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer

*Richard J. Hensel*  
*Box 825*  
*RODIAK, ALASKA*

## FOR OBSERVATIONS ON ONE NEST

DAY	MONTH	NO. OF EGGS	NO. OF YOUNG	ADULT ON NEST? SEX?	TIME
1	6	4	4		
2	7				
3					
4					
5					
6					
7					
8					
9					
10					
11					
12					
13					
14					
15					
16					
17					
18					
19					
20					
21					
22					
23					
24					
25					
26					
27					

REMARKS: e.g. Birds banded, pertinent weather information, etc.

UNISORT  
309 1  
308 7  
307 4  
306 2  
305 1  
304 7  
303 4  
302 2  
301 1

Name of Bird FOX SPARROW | Year 1962  
Passerella Iliaca

Locality of Nest 1/4 MI. SW. OF KODIAK  
NEAR HIGHWAY, MT. PILLAR

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude 250' Direction slope faces S

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky Tundra  Field  Marsh

Other Open slope (HILL)

List abundant plants:

Alder fireweed  
Elderberry nettles  
Salmonberry  
False Hellebore  
Pussy  
Fern

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat
- On building

FATE OF NEST NOT KNOWN

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving nest \_\_\_\_\_

2	1	7	4	2	1	7	4	2	1
110	109	108	107	106	105	104	103	102	101

# ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer: **NAIRIS KILCHER**  
**BOX 353, HOMER**

**FOR OBSERVATIONS ON ONE NEST**

DAY	MONTH	NO. OF EGGS	NO. OF YOUNG	ADULT ON NEST? SEX?	TIME
<del>15</del>	<del>JE.</del>				<del>0830</del>
15	JE.		4	FEEDING YOUNG	0830

REMARKS: e.g. Birds banded, pertinent weather information, etc.

YOUNG 1/2 GROWN ON 15 JUNE.

FOX 1

UNISORT ANALYSIS CARD STD. FORM Y 12

27 4 2 1 7 4 2 2 1 7 4 2 2 1 7 4 2 2 1 7 4 2 2 1

1 2 4 7 1 2 4 7 1 2 4 7 1 2 4 7 1 2 4 7 1 2 4 7 1 2 4 7 1 2 4 7 1 2 4 7

309	308	307	306	305	304	303	302	301
1	7	4	2	1	7	4	2	1

UNISORT

Name of Bird FOX SPARROW | Year 1962  
Passerella iliaca

Locality of Nest 1 1/4 mi. from KODIAK (S.W.)  
PILLAR MOUNTAIN

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude 250' Direction slope faces S

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')   
Moist tundra  Rocky Tundra  Field  Marsh

Other open hillside [paved road 50' dist.]

List abundant plants:

elderberry  
alder  
salmonberry  
pusky  
fox tail  
fern

POSITION OF NEST

In tree, brush or shrub   
On ground, under tree, brush or shrub   
On ground, not under tree, brush or shrub   
On ground, in open on sand or rocks   
On cliff or bank  On floating mat   
On building

FATE OF NEST ~~NO~~ KNOWN

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest 3

Cause of death of chicks not leaving nest \_\_\_\_\_



Name of Bird FOX SPARROW | Year 1962  
Passerella Iliaca

Locality of Nest 1 1/2 MI. SW OF KODIAK  
ON PILLAR MT.

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude 210' Direction slope faces SE

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')   
Moist tundra  Rocky Tundra  Field  Marsh

Other open hillside - 25' S.

List abundant plants: of highway (paved)

salmonberry pusky fern  
alder  
elderberry willow  
fox tail wild rose  
false hellebore  
fireweed

POSITION OF NEST

In tree, brush or shrub   
On ground, under tree, brush or shrub   
On ground, not under tree, brush or shrub   
On ground, in open on sand or rocks   
On cliff or bank  On floating mat   
On building

FATE OF NEST NOT KNOWN

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving nest \_\_\_\_\_





Name of Bird FOX SPARROW Year 1962  
Passerella iliaca

Locality of Nest 1 1/2 MI. S.W. OF KODIAK  
ON PILLAR MOUNTAIN

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude 250' Direction slope faces S.

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')   
Moist tundra  Rocky Tundra  Field  Marsh

Other open hillside. Paved rd.

List abundant plants: 80' ft. distant

salmonberry  
posky  
wild rose  
fern  
false hellebore  
fireweed  
alder  
elderberry

POSITION OF NEST

In tree, brush or shrub   
On ground, under tree, brush or shrub   
On ground, not under tree, brush or shrub   
On ground, in open on sand or rocks   
On cliff or bank  On floating mat   
On building

FATE OF NEST

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest 3

Cause of death of chicks not leaving nest \_\_\_\_\_



Name of Bird FOX SPARROW | Year 1962  
PASSERELLA ILLIACA

Locality of Nest NEAR QUARRY ON MT. PILLAR  
1 mi. SW OF KODIAK, ALA.

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude 300' Direction slope faces S

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')   
Moist tundra  Rocky Tundra  Field  Marsh

Other open hillside - 100' N. of  
highway

List abundant plants:

pusky fern rose salmonberry fireweed false hellebore  
alder elderberry wild-geranium

POSITION OF NEST

In tree, brush or shrub   
On ground, under tree, brush or shrub   
On ground, not under tree, brush or shrub   
On ground, in open on sand or rocks   
On cliff or bank  On floating mat   
On building

FATE OF NEST NOT KNOWN

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving nest \_\_\_\_\_

2 1 7 4 2 1 7 4 2 1  
110 109 108 107 106 105 104 103 102 101

27 4  
26 2  
25 1  
24 7  
23 4  
22 2  
21 1  
20 7  
19 4  
18 2  
17 1  
16 7  
15 4  
14 2  
13 1  
12 7  
11 4  
10 2  
9 1  
8 7  
7 4  
6 2  
5 1  
4 7  
3 4  
2 2  
1 1

5 FOX - <sup>well</sup>quarry  
**ALASKA NEST RECORD CARD**


UNISORT  
University of Alaska, College, Alaska

Name and address of observer  
MARIUS KILCHER  
BOX 353, HOMER

ANALYSIS CARD  
FOR OBSERVATIONS ON ONE NEST

DAY	MONTH	NO. OF EGGS	NO. OF YOUNG	ADULT ON NEST? SEX?	TIME
17	JE.		5	ON: (feeding young)	1200

REMARKS: e.g. Birds banded, pertinent weather information, etc.

JUNE 17: YOUNG  BROWN  
3/4

309 308 307 306 305 304 303 302 301  
1 7 4 2 1 7 4 2 1

UNISORT

Name of Bird FOX SPARROW | Year 1962  
Passerella Iliaca

Locality of Nest 1 1/8 mi. SW. OF KODIAK

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude 260' Direction slope faces S

Nest 1/2 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')   
Moist tundra  Rocky Tundra  Field  Marsh

Other open hillside - 50' N.

List abundant plants: of paved highway

Alder salmonberry  
Elderberry  
wild rose  
fern  
pusky

POSITION OF NEST

In tree, brush or shrub   
On ground, under tree, brush or shrub   
On ground, not under tree, brush or shrub   
On ground, in open on sand or rocks   
On cliff or bank  On floating mat   
On building

FATE OF NEST NOT KNOWN

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving nest \_\_\_\_\_

2 1 7 4 2 1 7 4 2 1  
 110 109 108 107 106 105 104 103 102 101

# ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer

*6* ~~IV~~ Fox address roll  
 MAIRUS KILCHER  
 BOX 353, HOMER

FOR OBSERVATIONS ON ONE NEST

ANALYSIS CARD: STD. FORM Y 12

DAY	MONTH	NO. OF EGGS	NO. OF YOUNG	ADULT ON NEST? SEX?	TIME
17	JE.		4	OFF	1330

REMARKS: e.g. Birds banded, pertinent weather information, etc.

JUNE 17:  
 YOUNG 1/2 GROWN

309 308 307 306 305 304 303 302 301  
 1 7 4 2 1 7 4 2 1

UNISORT  
 27 4  
 26 2  
 25 1  
 24 7  
 23 4  
 22 2  
 21 1  
 20 7  
 19 4  
 18 2  
 17 1  
 16 7  
 15 4  
 14 2  
 13 1  
 12 7  
 11 4  
 10 2  
 9 1  
 8 7  
 7 4  
 6 2  
 5 1  
 4 7  
 3 4  
 2 2  
 1 1

Name of Bird FOX SPARROW Year 1966

Locality of Nest KODIAK, ALASKA  
(PILLAR MT.)

Latitude..... Longitude.....

Altitude... 200'... Direction slope faces... S....

Nest..... 1'.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other... Within 5' of highway.

List abundant plants:

Spruce  
Aspen  
Salmonberry  
Fern  
Fireweed

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST

No. of eggs hatched .....

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest..... 5

Cause of death of chicks not leaving nest.....

.....





Name of Bird FOX SPARROW Year 1963

Locality of Nest SELDOVIA, ALASKA

Latitude..... Longitude.....

Altitude..... Direction slope faces... E.....

Nest... 3.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other ... road (dirt) within 10'.....

List abundant plants:

Dwarf birch willow  
Spruce alder  
fireweed  
Faxtail

POSITION OF NEST

In tree, brush or shrub  small spruce

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST NOT RE-VISITED

No. of eggs hatched .....

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

2 1 7 4 2 1 7 4 2 1  
 110 109 108 107 106 105 104 103 102 101

4  
27  
2  
26  
1  
25  
7  
24  
4  
23  
2  
22  
1  
21  
7  
20  
4  
19  
2  
18  
1  
17  
7  
16  
4  
15  
2  
14  
1  
13  
7  
12  
4  
11  
2  
10  
1  
9  
7  
8  
4  
7  
2  
6  
1  
5  
7  
4  
3  
2  
2  
1

UNISORT  
ANALYSIS CARD

## ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer: **PAIRUS KILCHER**  
**BOX 353, HOMER**

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
9	JUNE	3		♀ ON	2000

REMARKS: e.g. Birds banded, pertinent weather information, etc.

UNISORT  
 309 308 307 306 305 304 303 302 301  
 1 7 4 2 1 7 4 2 1

1 201  
2 202  
4 203  
7 204  
1 205  
2 206  
4 207  
7 208  
1 209  
2 210  
4 211  
7 212  
1 213  
2 214  
4 215  
7 216  
1 217  
2 218  
4 219  
7 220  
1 221  
2 222  
4 223  
7 224  
1 225  
2 226  
4 227

Name of Bird	FOX SPARROW	Year	1963
Locality of Nest	SELDovia, ALASKA (mt near airport)		

Latitude..... Longitude.....

Altitude..... Direction slope faces.....

Nest.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other ...MAR... OCEAN LAGOON.....

List abundant plants:

<u>Elderberry</u>	alder
spruce	fern
salmonberry	netles
fireweed	
rose	

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat
- On building

FATE OF NEST

No. of eggs hatched ..... unknown.....

No. of unhatched eggs..... none.....

Cause of non-hatching of eggs.....

No. of chicks that left nest..... unknown.....

Cause of death of chicks not leaving nest.....



Name of Bird FOX SPARROW | Year 1962

Locality of Nest MCCNEIL CANYON  
HONER, ALASKA

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude 200 Direction slope faces \_\_\_\_\_

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky Tundra  Field  Marsh

Other RIDGE OF BLUFF, WILD -  
meadow

List abundant plants:

"Pussy"  
Birch  
Alder  
Elderberry  
Epilobium  
Fern

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat
- On building

FATE OF NEST NOT RE-VISITED

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving nest \_\_\_\_\_



Name of Bird FOX SPARROW | Year 1961

Locality of Nest approx 14 mi. east of Homer, McNeil canyon area

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude 200 Direction slope faces S-

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky tundra  Marsh

Other Bluff overlooking Kachemak

List abundant plants: bay beach, + open meadow

punky birch alder elderberry fireweed

nettles raspberry jacob's ladder fox tail

POSITION OF NEST

- In tree, brush, or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat

FATE OF NEST

No. of eggs hatched 2

No. of unhatched eggs none

Cause of non-hatching of eggs young flown, or nest destroyed by squirrel ? ?

No. of chicks that left nest 2

Cause of death of chicks not leaving

Nest \_\_\_\_\_

2 1 7 4 2 1 7 4 2 1  
 110 109 108 107 106 105 104 103 102 101

# ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer: *M. Wilchen  
 Box 353, Homer*

FOR OBSERVATIONS ON ONE NEST

DAY	MONTH	No. of Eggs	No. of Young	ADULT ON NEST? SEX?	TIME
<i>29</i>	<i>MAY</i>	<i>4</i>		<i>"ON"</i>	<i>4:30 PM</i>
<del><i>June nest destroyed</i></del>					
<i>30</i>	<i>MAY</i>	<i>4</i>			<i>9:00 AM</i>
<i>19</i>	<i>JUNE</i>		<i>nest empty</i>		
			<i>no nest</i>		

REMARKS: e.g. Birds banded, pertinent weather information, etc.

*Fox V  
 Bent*

309 308 307 306 305 304 303 302 301

UNISORT CARD STD. FORM Y 12  
 201 202 203 204 205 206 207 208 209 210 211 212 213 214 215 216 217 218 219 220 221 222 223 224 225 226 227

27 4  
 26 2  
 25 1  
 24 7  
 23 4  
 22 2  
 21 1  
 20 7  
 19 4  
 18 2  
 17 1  
 16 7  
 15 4  
 14 2  
 13 1  
 12 7  
 11 4  
 10 2  
 9 1  
 8 7  
 7 4  
 6 2  
 5 1  
 4 7  
 3 4  
 2 2  
 1 1

UNISORT



Name of Bird FOX SPARROW | Year 1961

Locality 13 mi. East of Homer, Alaska  
of on Kachemak Bay (McNeil canyon area)  
Nest

Latitude 59° 43' 45" Longitude 151° 15' 15"

Altitude 600 Direction slope faces S

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')   
Moist tundra  Rocky tundra  Marsh

Other pasture, open meadow

List abundant plants:

Spruce  
birch  
alders  
elderberry  
fireweed

POSITION OF NEST

In tree, brush, or shrub   
On ground, under tree, brush or shrub   
On ground, not under tree, brush or shrub   
On ground, in open on sand or rocks   
On cliff or bank  On floating mat

FATE OF NEST

No. of eggs hatched 4

No. of unhatched eggs none

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest 4

Cause of death of chicks not leaving \_\_\_\_\_

Nest \_\_\_\_\_

2 1 7 4 2 1 7 4 2 1  
110 109 108 107 106 105 104 103 102 101

# ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer: **M. Kilcher**  
**Box 353, Homer**

FOR OBSERVATIONS ON ONE NEST

DAY	MONTH	No. of Eggs	No. of Young	ADULT ON NEST? SEX?	TIME	
10	JUNE	4			9:30 AM	
16	JUNE		4		5:00 PM	
19	JUNE	LEAVING NEST			4	5:30 PM
22	JUNE		GONE		6:00 PM	

REMARKS: e.g. Birds banded, pertinent weather information, etc.

*FOX F House med*

309 308 307 306 305 304 303 302 301  
1 7 4 2 1 7 4 2 1

UNISORT

Name of Bird **FOX SPARROW** Year **1963**

Locality of Nest **Seldovia, Alaska**  
**("Swim Lake Rd.")**

Latitude..... Longitude.....

Altitude..... Direction slope faces..... **W**

Nest.... **5**.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other .. **lagoon, beach, dunes**....

List abundant plants:

**Spruce**  
**Salmonberry**  
**alder**  
**elderberry**  
**rose**

POSITION OF NEST

- In tree, brush or shrub  (**spruce**)
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat
- On building

FATE OF NEST

No. of eggs hatched .....

No. of unhatched eggs..... **none**.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest..... **4**.....

Cause of death of chicks not leaving nest.....

.....

2 1 7 4 2 1 7 4 2 1  
 110 109 108 107 106 105 104 103 102 101

27 4  
 26 2  
 25 1  
 24 7  
 23 4  
 22 2  
 21 1  
 20 7  
 19 4  
 18 2  
 17 1  
 16 7  
 15 4  
 14 2  
 13 1  
 12 7  
 11 4  
 10 2  
 9 1  
 8 7  
 7 4  
 6 2  
 5 1  
 4 7  
 3 4  
 2 2  
 1 1

UNISORT  
 ANA  
 L  
 S  
 C  
 R  
 D  
 I  
 D  
 E  
 N  
 T  
 I  
 F  
 I  
 C  
 A  
 T  
 I  
 O  
 N  
 S  
 C  
 O  
 R  
 P  
 O  
 R  
 A  
 T  
 I  
 O  
 N  
 -  
 T  
 O  
 R  
 D  
 D  
 I  
 V  
 I  
 S  
 I  
 O  
 N  
 -  
 L

# ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer: **Mairiis Kilcher**  
**Box 353, Homer**

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
14	JUN		4	♀+♂ feeding young	1400
18	Jun		4	"	1600
19	JUN		4	"	8:00
23	JUN			young hatched left nest	2200

REMARKS: e.g. Birds banded, pertinent weather information, etc.

1 1 2 7 7 1 2 7 1 2 4 7 1 2 4 7 1 2 4 7 1 2 1 2 4 7 1 2 2 4 1 2 4 7

309 308 307 306 305 304 303 302 301  
 1 7 4 2 1 7 4 2 1

UNISORT

Name of Bird FOXSPARROW | Year 1961

Locality of Nest 14 mi. ea. of Homer on beach at McNeil Canyon mouth

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude 10 Direction slope faces S

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')   
Moist tundra  Rocky Tundra  Field  Marsh

Other Beach, driftwood, brush

List abundant plants:

alder  
elderberry  
fox tail  
wild rose  
currant vines  
nettles

POSITION OF NEST

In tree, brush or shrub   
On ground, under tree, brush or shrub   
On ground, not under tree, brush or shrub   
On ground, in open on sand or rocks   
On cliff or bank  On floating mat   
On building

FATE OF NEST

No. of eggs hatched 5

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest 5

Cause of death of chicks not leaving nest \_\_\_\_\_

110 109 108 107 106 105 104 103 102 101

# ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer: *Mairi's Wilcher  
Box 353, Homer, AK*

UNISORT  
ANALYSIS CARD STD. FORM Y 12

## FOR OBSERVATIONS ON ONE NEST

DAY	MONTH	NO. OF EGGS	NO. OF YOUNG	ADULT ON NEST? SEX?	TIME
18	JUNE		5		1400
27	JUNE		5		3 PM
<i>LEAVE NEST IN BIG HOOPS</i>					

REMARKS: e.g. Birds banded, pertinent weather information, etc.

UNISORT  
309 308 307 306 305 304 303 302 301

27 4  
26 2  
25 1  
24 7  
23 4  
22 2  
21 1  
20 7  
19 4  
18 2  
17 1  
16 7  
15 4  
14 2  
13 1  
12 7  
11 4  
10 2  
9 1  
8 7  
7 4  
6 2  
5 1  
4 7  
3 4  
2 2  
1 1

UNISORT

Name of Bird FOX SPARROW | Year 1961

Locality on Kachemak Bay beach (10')  
Nest about 22 mi. ea. of Homer

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude sea level Direction slope faces S

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky tundra  Marsh

Other beach, bluffs -

List abundant plants:

alder  
fox tail  
elderberry  
beach grass

POSITION OF NEST

in tree, brush, or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

FATE OF NEST not re-visited

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving \_\_\_\_\_

Nest \_\_\_\_\_





Name FOX SPARROW | Year 1962  
of  
Bird Passerella Iliaca

Locality McNeil CANYON  
of  
Nest 14 mi. EAST, HOMER, ALASKA

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude 620 Direction slope faces S

Nest 1 1/2 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky Tundra  Field  Marsh

Other wet meadows - open clearings

List abundant plants:

alder native grass - 3-4'  
spruce fireweed  
elderberry currant (red, black)  
birch nettles  
ferns  
fox tail  
pusky

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank

On floating mat

On building

FATE OF NEST UNKNOWN -

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving nest \_\_\_\_\_

2 1 7 4 2 1 7 4 2 1  
110 109 108 107 106 105 104 103 102 101

# ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer **MARILEE MILCHER  
BOX 353, HONER, ALASKA**

## FOR OBSERVATIONS ON ONE NEST

DAY	MONTH	NO. OF EGGS	NO. OF YOUNG	ADULT ON NEST? SEX? (M + F)	TIME
7	JULY		3	FEEDING	0900

REMARKS: e.g. Birds banded, pertinent weather information, etc.

UNISORT ANALYSIS CARD STD. FORM Y 12

1 201  
2 202  
7 203  
7 204  
1 205  
2 206  
4 207  
7 208  
1 209  
2 210  
4 211  
7 212  
1 213  
2 214  
4 215  
7 216  
1 217  
2 218  
4 219  
7 220  
1 221  
2 222  
4 223  
7 224  
1 225  
2 226  
4 227

27 4  
26 2  
25 1  
24 7  
23 4  
22 2  
21 1  
20 7  
19 4  
18 2  
17 1  
16 7  
15 4  
14 2  
13 1  
12 7  
11 4  
10 2  
9 1  
8 7  
7 4  
6 2  
5 1  
4 7  
3 4  
2 2  
1 1

309 308 307 306 305 304 303 302 301  
1 7 4 2 1 7 4 2 1

UNISORT

Name of Bird FOX SPARROW | Year 1960

Locality of Nest 14 MI. EA. OF HOMER

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude 650' Direction slope faces S

Nest 2 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky tundra  Marsh

Other HAY MEADOW

List abundant plants:

Alders  
Elderberry  
Fern - Grass - Fireweed  
Nettles, Raspberry  
and Currant

POSITION OF NEST

In tree, brush, or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

FATE OF NEST

No. of eggs hatched 4

No. of unhatched eggs 0

Cause of non-hatching of eggs —

No. of chicks that left nest 4

Cause of death of chicks not leaving

Nest —

2 1 7 4 2 1 7 2  
110 109 108 107 106 105 104 103 102 101

27 4  
26 2  
25 1  
24 7  
23 4  
22 2  
21 1  
20 7  
19 4  
18 2  
17 1  
16 7  
15 4  
14 2  
13 1  
12 7  
11 4  
10 2  
9 1  
8 7  
7 4  
6 2  
5 1  
4 7  
3 4  
2 2  
1 1

# ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer MAIRIUS KILCHER BOX 353, HONER

FOR OBSERVATIONS ON ONE NEST

DAY	MONTH	No. of Eggs	No. of Young	ADULT ON NEST? SEX!	TIME
JAY	19	B 1/2		F ON	6:00 AM
JAY	25	4 w		F ON	
JUN	18	EMPTY			

REMARKS: e.g. Birds banded, pertinent weather information, etc.

FIRST BIRDS -  
SPRING ARRIVAL:

APRIL 27

309 308 307 306 305 304 303 302 301  
1 7 4 2 1 7 4 2 1

UNISORT

1 201  
2 202  
4 203  
7 204  
1 205  
2 206  
4 207  
7 208  
1 209  
2 210  
4 211  
7 212  
1 213  
2 214  
4 215  
7 216  
1 217  
2 218  
4 219  
7 220  
1 221  
2 222  
4 223  
7 224  
1 225  
2 226  
4 227

Fox Island

Name of Bird FOXSPARROW	Year 1960
----------------------------	--------------

Locality of Nest  
20 MI. EAST OF MONER

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude 10 Direction slope faces S

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky tundra  Marsh

Other Open hillside near Beach

List abundant plants:

Nettles  
Elderberry bushes  
Cottonwoods

POSITION OF NEST

In tree, brush, or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

FATE OF NEST NOT RE-VISITED

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving

Nest \_\_\_\_\_

2 1 7 4 2 1 7 4 2 1  
110 109 108 107 106 105 104 103 102 101

# ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer **DAVIDS KILCHER  
BOX 353, HOMER**

FOR OBSERVATIONS ON ONE NEST

DAY	MONTH	No. of Eggs	No. of Young	ADULT ON NEST! SEX!	TIME
14	MAY	B $\frac{1}{4}$			11:00 AM

REMARKS: e.g. Birds banded, pertinent weather information, etc.

**FIRST SPRING ARRIVAL:  
APRIL 27**

309 308 307 306 305 304 303 302 301

1 7 4 2 1 7 4 2 1

27 4  
26 2  
25 1  
24 7  
23 4  
22 2  
21 1  
20 7  
19 4  
18 2  
17 1  
16 7  
15 4  
14 2  
13 1  
12 7  
11 4  
10 2  
9 1  
8 7  
7 4  
6 2  
5 1  
4 7  
3 4  
2 2  
1 1

1 201  
2 202  
4 203  
7 204  
1 205  
2 206  
7 207  
7 208  
1 209  
2 210  
4 211  
7 212  
1 213  
2 214  
4 215  
7 216  
1 217  
2 218  
4 219  
7 220  
1 221  
2 222  
4 223  
7 224  
1 225  
2 226  
4 227

UNISORT  
ANALYSIS  
CARD  
STD. FORM  
Y 12

UNISORT

Name of Bird FOX SPARROW | Year 1960

Locality of Nest 25 MI. EAST OF HONER, AAA

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude 20 Direction slope faces S

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky tundra  Marsh

Other Stumprow & logs in meadow

List abundant plants:  
Elderberries  
Cottonwoods  
Young Alder  
Meadow veg.

POSITION OF NEST

- In tree, brush, or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub  under log
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat

FATE OF NEST NOT RE-VISITED

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving \_\_\_\_\_

Nest \_\_\_\_\_





Name of Bird FOX SPARROW Year 1960

Locality of Nest 14 MI. EAST OF HODER

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude 400 Direction slope faces S

Nest 1 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky tundra  Marsh

Other Meadow with Brush piles

List abundant plants:

Meadow  
Brush piles w.  
elderberries bushes  
raspberries  
currant

POSITION OF NEST

In tree, brush, or shrub

On ground, under tree, brush or shrub  UNDER LOG

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

FATE OF NEST NOT RE-VISITED

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving \_\_\_\_\_

Nest \_\_\_\_\_



Name of Bird FOX SPARROW | Year 1960

Locality of Nest 14 MI. EAST OF HONER

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude 50' Direction slope faces S

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky tundra  Marsh

Other ROCKY BLUFF ON BEACH

List abundant plants:

Alder  
Undergrowth plants

POSITION OF NEST

- In tree, brush, or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat

FATE OF NEST

No. of eggs hatched 4

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest 0

Cause of death of chicks not leaving

Nest PREDATOR DESTROYED

NEST (PORCUPINE W AREA)

2 1 7 4 2 1 7 4 2 1

110 109 108 107 106 105 104 103 102 101

# ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer: DAIRIS KILCHER  
BOX 353, HODER

FOR OBSERVATIONS ON ONE NEST.

DAY	MONTH	No. of Eggs	No. of Young	ADULT ON NEST? SEX?	TIME
8	JUNE		4		7:30 PM
12	JUNE	NEST DESTROYED			6:00 PM

**REMARKS: e.g. Birds banded, pertinent weather information, etc.**

FIRST BIRDS ARRIVED:  
APRIL 27

UNISORT 309 1, 308 7, 307 4, 306 2, 305 1, 304 7, 303 4, 302 2, 301 1

UNISORT CARD STD. FORM Y 12

UNISORT 27 4, 26 2, 25 1, 24 7, 23 4, 22 2, 21 1, 20 7, 19 4, 18 2, 17 1, 16 7, 15 4, 14 2, 13 1, 12 7, 11 4, 10 2, 9 1, 8 7, 7 4, 6 2, 5 1, 4 7, 3 4, 2 2, 1 1

Name of Bird fox sparrow | Year 1962  
Passerella iliaca

Locality of Nest Ship Cr. margin near Moose Run Golf Course, Ft. Richardson

Latitude 61°13'30"N. Longitude 149°39'W.

Altitude 425 Direction slope faces level

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')   
Moist tundra  Rocky Tundra  Field  Marsh

Other \_\_\_\_\_

List abundant plants: green alder,  
fireweed, Equisetum, Mertensia,  
Calamagrostis, elderberry,  
paper birch, black cottonwood

POSITION OF NEST

In tree, brush or shrub   
On ground, under ~~tree~~, brush ~~or shrub~~   
On ground, not under tree, brush or shrub   
On ground, in open on sand or rocks   
On cliff or bank  On floating mat   
On building

FATE OF NEST

No. of eggs hatched ?

No. of unhatched eggs ?

Cause of non-hatching of eggs ---

No. of chicks that left nest ---

Cause of death of chicks not leaving nest ---

27 4  
26 2  
25 1  
24 7  
23 4  
22 2  
21 1  
20 7  
19 4  
18 2  
17 1  
16 7  
15 4  
14 2  
13 1  
12 7  
11 4  
10 2  
9 1  
8 7  
7 4  
6 2  
5 1  
4 7  
3 4  
2 2  
1 1

2 1 7 4 2 1 7 4 2 1  
110 109 108 107 106 105 104 103 102 101

# ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer: **J. Vincent Hoeman  
Anchorage, Alaska**

**FOR OBSERVATIONS ON ONE NEST**

DAY	MONTH	NO. OF EGGS	NO. OF YOUNG	ADULT ON NEST? SEX?	TIME
23	June	4	0	yes	2000

REMARKS: e.g. Birds banded, pertinent weather information, etc.

1  
2  
4  
7  
1  
2  
4  
7  
1  
2  
4  
7  
1  
2  
4  
7  
1  
2  
4  
7  
1  
2  
4  
7  
1  
2  
4  
7  
1  
2  
4  
7  
1  
2  
4  
7  
1  
2  
4  
7  
1  
2  
4  
7

309 308 307 306 305 304 303 302 301  
1 7 4 2 1 7 4 2 1

Name of Bird Fox Sparrow Year 1966

Locality of Nest 1 mile upstream main creek  
Hagemeister Island

Latitude 58°43' Longitude 160°55'

Altitude 170' Direction slope faces level

Nest 4' ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other .....

List abundant plants:

Willow

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat
- On building

FATE OF NEST

- No. of eggs hatched .....
- No. of unhatched eggs.....
- Cause of non-hatching of eggs.....
- .....
- No. of chicks that left nest.....
- Cause of death of chicks not leaving nest.....
- .....





Name of Bird Fox Sparrow | Year 1965

Locality of Nest Umanat, Alaska

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude \_\_\_\_\_ Direction slope faces \_\_\_\_\_

Nest ○ ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky Tundra  Field  Marsh

Other \_\_\_\_\_

List abundant plants: Alnus crispa

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat
- On building

FATE OF NEST

No. of eggs hatched 4

No. of unhatched eggs 1

Cause of non-hatching of eggs development

arrested at early stage

No. of chicks that left nest perhaps 4

Cause of death of chicks not leaving nest \_\_\_\_\_

2 1 7 4 2 1 7 4 2 1  
110 109 108 107 106 105 104 103 102 101

**ALASKA NEST RECORD CARD**

University of Alaska, College, Alaska

Name and address of observer DR GEORGE C. WEST  
LAB 2008 PHYSIOLOGY  
U. ALASKA, COLLEGE

FOR OBSERVATIONS ON ONE NEST

DAY	MONTH	NO. OF EGGS	NO. OF YOUNG	ADULT ON NEST? SEX?	TIME
25	June	1	4	yes	1300
28	June	1	1	no	
	banded 1 young.				
6	July	1	0	-	-

REMARKS: e.g. Birds banded, pertinent weather information, etc.

Sanded yg 63-155982

309 308 307 306 305 304 303 302 301  
1 7 4 2 1 7 4 2 1

UNISORT

Name of Bird Fox Sparrow Year 1964

Locality of Nest Alknagik

Latitude 59° Longitude 158° 30'

Altitude 200 Direction slope faces 0

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other .....

List abundant plants:

vaccinium ovalifolium

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST

No. of eggs hatched 1

No. of unhatched eggs 1

Cause of non-hatching of eggs ?

No. of chicks that left nest ?

Cause of death of chicks not leaving nest ?

Fate of 3rd egg unknown



Name of Bird Passerella iliaca | Year 1971

Locality of Nest College

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude \_\_\_\_\_ Direction slope faces \_\_\_\_\_

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other \_\_\_\_\_

List abundant plants:

grass cup deep in  
tussock-willow ditch

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat
- On building

FATE OF NEST

- No. of eggs hatched \_\_\_\_\_
- No. of unhatched eggs \_\_\_\_\_
- Cause of non-hatching of eggs \_\_\_\_\_
- \_\_\_\_\_
- No. of chicks that left nest \_\_\_\_\_
- Cause of death of chicks not leaving nest \_\_\_\_\_
- \_\_\_\_\_

2 1 7 4 2 1 7 4 2 1  
 110 109 108 107 106 105 104 103 102 101

UNISORT  
ALASKA NEST RECORD CARD

**ALASKA NEST RECORD CARD**  
 University of Alaska, College, Alaska

Name and address of observer **J. W. Willetts**

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
16	JN	5	-	♀	-
17	JN	5	-	♀	1500
18	JN	5	-	♀	1800
20	JN	5	-	♀	1600
24	JN	4	1	♀	1400
25	JN	1	4	♀	1400
26	JN	-	5	♀	1300
27	JN	-	5	-	1300
28	JN	-	4*	-	1200
29	JN	-	4	-	1300
30	JN	-	4	♀	1700
2	JL	-	4	-	2010

REMARKS: e.g. Birds banded, pertinent weather information, etc.

\* 1 smothered.

309 308 307 306 305 304 303 302 301  
 1 7 4 2 1 7 4 2 1

27 4  
 26 2  
 25 1  
 24 7  
 23 4  
 22 2  
 21 1  
 20 7  
 19 4  
 18 2  
 17 1  
 16 7  
 15 4  
 14 2  
 13 1  
 12 7  
 11 4  
 10 2  
 9 1  
 8 7  
 7 4  
 6 2  
 5 1  
 4 7  
 3 4  
 2 2  
 1 1

Name of Bird Passerella iliaca | Year 1971

Locality of Nest College

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude \_\_\_\_\_ Direction slope faces \_\_\_\_\_

Nest 6. ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other \_\_\_\_\_

List abundant plants:

in alders

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat
- On building

FATE OF NEST

- No. of eggs hatched \_\_\_\_\_
- No. of unhatched eggs \_\_\_\_\_
- Cause of non-hatching of eggs \_\_\_\_\_
- \_\_\_\_\_
- No. of chicks that left nest \_\_\_\_\_
- Cause of death of chicks not leaving nest \_\_\_\_\_
- \_\_\_\_\_

2 1 7 4 2 1 7 4 2 1  
110 109 108 107 106 105 104 103 102 101

27 4  
26 2  
25 1  
24 7  
23 4  
22 2  
21 1  
20 7  
19 4  
18 2  
17 1  
16 7  
15 4  
14 2  
13 1  
12 7  
11 4  
10 2  
9 1  
8 7  
7 4  
6 2  
5 1  
4 7  
3 4  
2 2  
1 1

# ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer

*J. W. Willetts*

## FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
-----	-------	-------------	--------------	---------------------	------

28	MY	-	4	♀	1430
----	----	---	---	---	------

29	MY	-	4	PR	PM
----	----	---	---	----	----

30	MY	-	4	-	1800
----	----	---	---	---	------

31	MY	-	4	-	2130
----	----	---	---	---	------

3	JN	-	0	-	2330
---	----	---	---	---	------

REMARKS: e.g. Birds banded, pertinent weather information, etc.

308 307 306 305 304 303 302 301  
1 7 4 2 1 7 4 1

1

2

4

7

1

2

4

7

1

2

4

7

1

2

4

7

1

2

4

7

1

2

4

7

1

2

4

7

1



Name of Bird *Fox sparrow* Year *1968*

Locality of Nest *Otto Lake n/Healy*

Latitude *64* Longitude *149*

Altitude ..... Direction slope faces .....

Nest ..... *0* ..... ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other .....

List abundant plants:

*willow, alder, poplar*

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat
- On building

FATE OF NEST

No. of eggs hatched .....

No. of unhatched eggs .....

Cause of non-hatching of eggs .....

No. of chicks that left nest .....

Cause of death of chicks not leaving nest .....



Name of Bird Passerella iliaca | Year 1971

Locality of Nest Smith Lake

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude \_\_\_\_\_ Direction slope faces \_\_\_\_\_

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other \_\_\_\_\_

List abundant plants:

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving nest \_\_\_\_\_

## ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer **J. W. Willetts**

### FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
13	JN	3	-	ad.	-
14	JN	3	-	"	-
17	JN	1	-	0	1400

REMARKS: e.g. Birds banded, pertinent weather information, etc.

**17 JN: nest apparently destroyed**

UNISORT ANALYSIS CARD FORM 12

Barron's Business Forms

PRINTED IN U.S.A.

Name Fox Sparrow Year \_\_\_\_\_  
of \_\_\_\_\_  
Bird Passerella iliaca 1964

Locality slope south of cemetery,  
of \_\_\_\_\_  
Nest Dry Creek, Nome, Alaska

Latitude 64° 30' 30" N Longitude 165° 25' W

Altitude 20' Direction slope faces S

Nest 1/2 ft. above ground or ~~base of cliff.~~

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other tidal mudflat along creek

List abundant plants: willow  
grass  
Angelica lucida  
Betula

POSITION OF NEST

In tree, ~~brush or shrub~~  willow

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

.....

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving nest \_\_\_\_\_

.....



Name of Bird Passerella iliaca | Year 1960

Locality of Nest 1/2 mile south of Eagle Cr. camp, mile 105 Steese

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude 3000 Direction slope faces north

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky tundra  Marsh

Other \_\_\_\_\_

List abundant plants:

Alder  
dwarf willow & birch  
Empetrum  
Cassiope  
Grass & moss

POSITION OF NEST

In tree, brush, or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

FATE OF NEST

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving \_\_\_\_\_

Nest \_\_\_\_\_

2 1 7 4 2 1 7 4 2 1  
110 109 108 107 106 105 104 103 102 101

# ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer: *R. Weeden*  
*Box 425 College*

### FOR OBSERVATIONS ON ONE NEST

DAY	MONTH	No. of Eggs	No. of Young	ADULT ON NEST(S) SEX	TIME
<i>9</i>	<i>6</i>	<i>4</i>	<i>0</i>	<i>OH</i>	<i>8:50 P.M.</i>

REMARKS: e.g. Birds banded, pertinent weather information, etc.

309 1  
308 7  
307 4  
306 2  
305 1  
304 7  
303 4  
302 2  
301 1

- 27 4  
26 2  
25 1  
24 7  
23 4  
22 2  
21 1  
20 7  
19 4  
18 2  
17 1  
16 7  
15 4  
14 2  
13 1  
12 7  
11 4  
10 2  
9 1  
8 1  
7 4  
6 2  
5 1  
4 7  
3 4  
2 2  
1 1

- 1 1  
2 2  
4 4  
7 7  
1 1  
2 2  
4 4  
7 7  
1 1  
2 2  
4 4  
7 7  
1 1  
2 2  
4 4  
7 7  
1 1  
2 2  
4 4  
7 7  
1 1  
2 2  
4 4  
7 7  
1 1  
2 2  
4 4  
7 7  
1 1  
2 2  
4 4  
7 7  
1 1  
2 2  
4 4  
7 7  
1 1  
2 2  
4 4  
7 7

UNISORT



Name of Bird **Fox Sparrow** Year **1964**

Locality **Wiseman village, beside trail through brush**  
Nest

Latitude **67° 24' 1" N** Longitude **near 150°**

Altitude ..... Direction slope faces **flat**

Nest **0** ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other **Tall poplar trees**

List abundant plants: **Willows, all size poplars, alders, grasses, fireweed, spruce (young trees).**

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat
- On building

FATE OF NEST

No. of eggs hatched **4**

No. of unhatched eggs **1**

Cause of non-hatching of eggs.....

No. of chicks that left nest **1**

Cause of death of chicks not leaving nest.....

**Apparently predator - weasel?**

# ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer: **Ross Brockman**  
**Wiseman, Alaska**

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
4	June	4		on	
5	June	5		on	3:30 p.m
10	June	5		off	10 A M
16	June	1	4	off	9:45 A M
17	June	0	2	on	11: A M
18	June		2	off	10 A M
19	June		2	on	9 A M
19	June		2	on	6 P M
24	June		1	off	9 A M

REMARKS: e.g. Birds banded, pertinent weather information, etc.  
 Too young to fly - left nest in fright. Parent near. Late spring; weather mostly sunny.

27 4  
 26 2  
 25 1  
 24 7  
 23 4  
 22 2  
 21 1  
 20 7  
 19 4  
 18 2  
 17 1  
 16 7  
 15 4  
 14 2  
 13 1  
 12 7  
 11 4  
 10 2  
 9 1  
 8 7  
 7 4  
 6 2  
 5 1  
 4 7  
 3 4  
 2 2  
 1 1

1 201  
 2 202  
 4 203  
 7 204  
 1 205  
 2 206  
 4 207  
 7 208  
 1 209  
 2 210  
 4 211  
 7 212  
 1 213  
 2 214  
 4 215  
 7 216  
 1 217  
 2 218  
 4 219  
 7 220  
 1 221  
 2 222  
 4 223  
 7 224  
 1 225  
 2 226  
 4 227

Name of Bird Fox Sparrow

Year 1963

Locality of Nest Wiseman

Latitude 67° 25' Longitude

Altitude Direction slope faces

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other

List abundant plants: Fireweed, willows, grasses, nearby.

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST

No. of eggs hatched predator (wild)

No. of unhatched eggs

Cause of non-hatching of eggs

No. of chicks that left nest

Cause of death of chicks not leaving nest Suspect predator (wild)

2 1 7 4 2 1 7 4 2 1  
110 109 108 107 106 105 104 103 102 101

4  
27 26 25 24 23 22 21 20 19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1

UNISORT AND LINES CARD  
BUREAUX CORPORATION - TODD DIVISION - 1

# ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer R. C. Brockman  
Wiseman (P.O. Bettles)

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
1	June	4		on	9:AM
2	June	4			
5	June	4			
6	June	2		off	9:AM
6	June	0		gone	eve.

REMARKS: e.g. Birds banded, pertinent weather information, etc. Cool spring, some frost, little rain

UNISORT  
309 308 307 306 305 304 303 302 301  
1 7 4 2 1 7 4 2 1

Name of Bird Fox Sparrow Year 1958

Locality of Nest U. of A. campus near Nerland Hall, College, Alaska

Latitude..... Longitude.....

Altitude..... Direction slope faces... S....

Nest. ~~10-15'~~<sup>one</sup> ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

10-15' spruce  
Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other .....

List abundant plants:

POSITION OF NEST

In tree, brush or shrub  - Dead willow

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST

No. of eggs hatched .....

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

.....



Name of Bird Fox sparrow Year 1960

Locality of Nest Eagle Creek, Alaska  
Heese Highway mile 105

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude \_\_\_\_\_ Direction slope faces \_\_\_\_\_

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky tundra  Marsh

Other \_\_\_\_\_

List abundant plants:

willow shrub  
grass  
wild rhubarb (?)

POSITION OF NEST

- In tree, brush, or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat

FATE OF NEST

No. of eggs hatched 4

No. of unhatched eggs ~~1~~ 0

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving \_\_\_\_\_

Nest \_\_\_\_\_

2 1 7 4 2 1 7 4 2 1  
 110 109 108 107 106 105 104 103 102 101

# ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer *Nancy Lange*  
*U. of Alaska, College*

## FOR OBSERVATIONS ON ONE NEST

DAY	MONTH	No. of Eggs	No. of Young	ADULT ON NEST? SEX?	TIME
<i>22</i>	<i>6</i>	<i>0</i>	<i>4</i>	<i>no</i>	<i>AM 8.50</i>
<i>23</i>	<i>6</i>	<i>0</i>	<i>4</i>	<i>no</i>	<i>PM 4.40</i>

REMARKS: e.g. Birds banded, pertinent weather information, etc.

*M4*

1 201  
 2 202  
 4 203  
 7 204  
 7 205  
 1 206  
 2 207  
 4 208  
 7 209  
 1 210  
 2 211  
 4 212  
 7 213  
 1 214  
 2 215  
 4 216  
 7 217  
 1 218  
 2 219  
 4 220  
 7 221  
 1 222  
 2 223  
 4 224  
 7 225  
 1 226  
 2 227  
 4 228

27 4  
 26 2  
 25 1  
 24 7  
 23 4  
 22 2  
 21 1  
 20 7  
 19 4  
 18 2  
 17 1  
 16 7  
 15 4  
 14 2  
 13 1  
 12 7  
 11 4  
 10 2  
 9 1  
 8 7  
 7 4  
 6 2  
 5 1  
 4 7  
 3 4  
 2 2  
 1 1

309 308 307 306 305 304 303 302 301

1 7 4 2 1 7 4 2 1

UNISORT





Name of Bird Fox Sparrow Year 1964

Locality of Nest Tetlin, Alaska  
NE shore Tetlin lake

Latitude..... Longitude.....

Altitude. 1653... Direction slope faces.....

Nest....0.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other .....

List abundant plants:

Salix

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST

No. of eggs hatched .....

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

.....



Name of Bird Fox Sparrow | Year 1960

Locality of Nest West shore Island Lake, Alaska

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude 1700 Direction slope faces None

Nest 1 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky tundra  Marsh

Other \_\_\_\_\_

List abundant plants:

Young spruce  
Labrador Tea  
Arctostaphylos uva-ursi  
Rosa sp.

POSITION OF NEST

in tree, brush, or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

FATE OF NEST

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving \_\_\_\_\_

Nest \_\_\_\_\_



Name of Bird Fox Sparrow | Year 1960

Locality of Nest Eagle Creek  
Mile 105 Steese Hiway.

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude 2700 Direction slope faces west

Nest 0 ft. above ground or base of cliff.

**TYPE OF VEGETATION IN AREA (check one or more)**

Forest  Tall brush (4-10')  Shrub (1-4')

Moist fundra  Rocky fundra  Marsh

Other \_\_\_\_\_

**List abundant plants:**

Willow shrubs

**POSITION OF NEST**

- In tree, brush, or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat

**FATE OF NEST**

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving \_\_\_\_\_

Nest \_\_\_\_\_



At Tattler nest

Name of Bird Fox sparrow | Year 1962

Locality of Nest Eagle Creek, mile 105 Steese Highway

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude 2750 Direction slope faces SE

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

- Forest  Tall brush (4-10')  Shrub (1-4')
- Moist tundra  Rocky Tundra  Field  Marsh

Other \_\_\_\_\_

List abundant plants:

Alder, willow, dwarfed birch  
on tailing pile under alder

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat
- On building

FATE OF NEST

No. of eggs hatched 4

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving nest \_\_\_\_\_



2 1 7 4 2 1 7 4 2 1  
110 109 108 107 106 105 104 103 102 101

27 4  
26 2  
25 1  
24 7  
23 4  
22 2  
21 1  
20 7  
19 4  
18 2  
17 1  
16 7  
15 4  
14 2  
13 1  
12 7  
11 4  
10 2  
9 1  
8 7  
7 4  
6 2  
5 1  
4 7  
3 4  
2 2  
1 1

# ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer R. Weeden  
Box 425 College

FOR OBSERVATIONS ON ONE NEST

DAY	MONTH	NO. OF EGGS	NO. OF YOUNG	ADULT ON NEST? SEX?	TIME
10	6	-	4	NO	5:00 p.m.
14	6	-	4	Adult Feeding young	11:30 a.m.
16	6	-	-	-	10:30 a.m.
48. near nest, hidden					

REMARKS: e.g. Birds banded, pertinent weather information, etc.

Adult not at nest on 10/6/62. Young dark, downy; eyes closed

1 201  
2 202  
4 203  
7 204  
1 205  
2 206  
4 207  
7 208  
1 209  
2 210  
4 211  
7 212  
1 213  
2 214  
4 215  
7 216  
1 217  
2 218  
4 219  
7 220  
1 221  
2 222  
4 223  
7 224  
1 225  
2 226  
4 227

309 308 307 306 305 304 303 302 301  
1 7 4 2 1 7 4 2 1

Name of Bird Fox Sparrow | Year 1960

Locality of Nest Experimental Farm

Latitude 65°N Longitude 148°W

Altitude 500 Direction slope faces North

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky tundra  Marsh

Other \_\_\_\_\_

List abundant plants:

Willow  
Alder  
Aspen  
B. Poplar  
W. Birch

POSITION OF NEST

In tree, brush, or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

FATE OF NEST

No. of eggs hatched 4

No. of unhatched eggs —

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest 13

Cause of death of chicks not leaving

Nest Predation

2 1 7 4 2 1  
 110 109 108 107 106 105 104 103 102 101

UNISORT  
 ANALYSIS CARD STD. FORM Y 12

# ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer: *F.S. G.A. Vogelsang P.O. Box 243, College*

## FOR OBSERVATIONS ON ONE NEST

DAY	MONTH	No. of Eggs	No. of Young	ADULT ON NEST? SEX?	TIME
5/27		4	—	YES	0430
5/28		1	3	YES	0930
6/1		—	4	YES	0450
6/4			4	No	1600
6/5			1	No	1320
6/6			0	No	1955

**REMARKS:** e.g. Birds banded, pertinent weather information, etc.

309 308 307 306 305 304 303 302 301  
 1 7 4 2 1 7 4 2 1

UNISORT

27 4  
 26 2  
 25  
 24 7  
 23 4  
 22 2  
 21 1  
 20 7  
 19 4  
 18 2  
 17 1  
 16 7  
 15 4  
 14 2  
 13 1  
 12 7  
 11 4  
 10 2  
 9 1  
 8 7  
 7 4  
 6 2  
 5 1  
 4 7  
 3 4  
 2 2  
 1 1

Name of Bird Fox Sparrow | Year 1961

Locality of Nest Eagle Creek, Steese Highway

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude 3000 Direction slope faces west

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

- Forest  Tall brush (4-10')  Shrub (1-4')   
Moist tundra  Rocky tundra  Marsh

Other \_\_\_\_\_

List abundant plants:

Dwarf willow, birch,  
spruce

POSITION OF NEST

- In tree, brush, or shrub   
On ground, under tree, brush or shrub   
On ground, not under tree, brush or shrub   
On ground, in open on sand or rocks   
On cliff or bank  On floating mat

FATE OF NEST

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs 2

Cause of non-hatching of eggs eggs

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving \_\_\_\_\_

Nest \_\_\_\_\_



N side Eagle Cr. below Miller jct.

Name of Bird	Fox Sparrow	Year	1965
--------------	-------------	------	------

Locality of Nest Eagle Creek, mile 105  
Stese Highway

Latitude..... Longitude.....

Altitude... 2700 ... Direction slope faces... S .....

Nest... 0 ...ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other .....

List abundant plants:

Willow, dwarf birch  
grass, moss

· POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub  under large willow
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat
- On building

FATE OF NEST

- No. of eggs hatched .....
- No. of unhatched eggs.....
- Cause of non-hatching of eggs.....
- .....
- No. of chicks that left nest.....
- Cause of death of chicks not leaving nest.....
- .....



In spruces behind 2nd +  
3rd tailings

Name of Bird Fox Sparrow	Year 1966
-----------------------------	--------------

Locality of Nest  
Eagle Creek  
Mile 105 Steese Highway

Latitude..... Longitude.....

Altitude. 2800.... Direction slope faces... S.....

Nest..... 0..... ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other .....

List abundant plants:

Picea sp., Salix sp., Betula

sp., grass, Sphagnum sp.

and Spirea sp.

#### POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

under a small willow  
On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

#### FATE OF NEST

No. of eggs hatched .....

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....





Name of Bird Passerella iliaca Year 1960

Locality of Nest 1 mile east of Eagle Creek camp, mile 105 Steese H.

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude 3100 Direction slope faces North

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')   
Moist tundra  Rocky tundra  Marsh

Other \_\_\_\_\_

List abundant plants:

Alder, willow, dwarf birch  
Vaccinium, Empetrum,  
Cassiope, sedges, moss,  
Pyrola

POSITION OF NEST

In tree, brush, or shrub   
On ground, under tree, brush or shrub   
On ground, not under tree, brush or shrub   
On ground, in open on sand or rocks   
On cliff or bank  On floating mat

FATE OF NEST

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving

Nest \_\_\_\_\_



Name of Bird Fox Sparrow Year 1962

Locality of Nest Eagle Creek, mile 105 Steese H.

North-running Brook

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude 2700 Direction slope faces east

Nest 6 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky tundra  Marsh

Other \_\_\_\_\_

List abundant plants:

white spruce, dwarfed birch, willow, Labrador tea, moss.

Edge of timberline

POSITION OF NEST

In tree, brush, or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

FATE OF NEST

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving \_\_\_\_\_

Nest \_\_\_\_\_

UNISORT  
 101 102 103 104 105 106 107 108 109 110

27 4  
 26 2  
 25 1  
 24 7  
 23 4  
 22 2  
 21 1  
 20 7  
 19 4  
 18 2  
 17 1  
 16 7  
 15 4  
 14 2  
 13 1  
 12 7  
 11 4  
 10 2  
 9 1  
 8 7  
 7 4  
 6 2  
 5 1  
 4 7  
 3 4  
 2 2  
 1 1  
 UNISORT

**ALASKA NEST RECORD CARD**  
 University of Alaska, College, Alaska

Name and address of observer *R. Wearden*  
*Box 425 College*

FOR OBSERVATIONS ON ONE NEST

DAY	MONTH	No. of Eggs	No. of Young	ADULT ON NEST? SEX?	TIME
<i>30</i>	<i>5</i>	<i>4</i>	<i>0</i>	<i>ox</i>	<i>6:00 a.m.</i>

REMARKS: e.g. Birds banded, pertinent weather information, etc.

1 201  
 2 202  
 4 203  
 7 204  
 1 205  
 2 206  
 4 207  
 7 208  
 1 209  
 2 210  
 4 211  
 7 212  
 1 213  
 2 214  
 4 215  
 7 216  
 1 217  
 2 218  
 4 219  
 7 220  
 1 221  
 2 222  
 4 223  
 7 224  
 1 225  
 2 226  
 4 227

309 1  
 308 7  
 307 4  
 306 2  
 305 1  
 304 7  
 303 4  
 302 2  
 301 1

Name of Bird Fox sparrow | Year 1960

Locality of Nest 1/2 mi. N. of College on Farmer's Loop + 1/4 mi. E. in woods. in boggy, hummocky area.

Latitude 64° 51' N Longitude 147° 48' W

Altitude \_\_\_\_\_ Direction slope faces level

Nest ○ \_\_\_\_\_ ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')   
Moist tundra  Rocky tundra  Marsh

Other \_\_\_\_\_

List abundant plants: alder, willows,

POSITION OF NEST

In tree, brush, or shrub   
On ground, under tree, brush or shrub   
On ground, not under tree, brush or shrub   
On ground, in open on sand or rocks   
On cliff or bank  On floating mat

FATE OF NEST

No. of eggs hatched 4

No. of unhatched eggs 0

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest 0

Cause of death of chicks not leaving \_\_\_\_\_

Nest not known.

2 1 7 4 2 1 7 4 2 1  
 110 109 108 107 106 105 104 103 102 101

# ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer: Gene P. Trapp, Box 998, College, Alaska

## FOR OBSERVATIONS ON ONE NEST

DAY	MONTH	No. of Eggs	No. of Young	ADULT ON NEST? SEX?	TIME
22	June	4		yes ?	ca. 1500
26	"	4		yes	ca. 1530
27	"	4		yes	ca. 1545
28	"		4	yes ♀?	ca. 1500
30	"		4	yes ♀?	1440
1	July		4	NO	1505
3	"		4	NO	ca. 1430
4	"		4	NO	ca. 1530
5	"		1 Dead	NO	ca. 1615

REMARKS: e.g. Birds banded, pertinent weather information, etc.

Young almost naked except for slate-colored down sparsely covering back. (28 July 1960)

5 July - remaining dead juvenile nestling had a good start on juv. plumage.

309 308 307 306 305 304 303 302 301  
 1 7 4 2 1 7 4 2 1

27 4  
 26 2  
 25 1  
 24 7  
 23 4  
 22 2  
 21 1  
 20 7  
 19 4  
 18 2  
 17 1  
 16 7  
 15 4  
 14 2  
 13 1  
 12 7  
 11 4  
 10 2  
 9 1  
 8 7  
 7 4  
 6 2  
 5 1  
 4 7  
 3 4  
 2 2  
 1 1

UNISORT

Name of Bird Fox sparrow Year 1964

Locality of Nest Aleknagik

Latitude... 59°..... Longitude... 158°30'.....

Altitude... 200 ft. Direction slope faces... 0.....

Nest..... 0.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other .....

List abundant plants:

*white spruce  
paper birch  
sphagnum moss*

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat
- On building

FATE OF NEST

No. of eggs hatched ... 7.....

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

.....



