

Zonotrichia ALRICAPILLA

Name of Bird GOLDEN CRND. SPARROW Year 1962

Locality of Nest PILLAR MOUNTAIN 1 MI. SW. OF KODIAK

Latitude _____ Longitude _____

Altitude 250' Direction slope faces S

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest [] Tall brush (4-10') [] Shrub (1-4') [x]

Moist tundra [] Rocky Tundra [] Field [x] Marsh []

Other open hillside - within 25'

List abundant plants: of highway

- pusky, wildrose, "wild geranium", salmonberry, fern, false hellebore, alder, elderberry, fireweed

POSITION OF NEST

- In tree, brush or shrub []
On ground, under tree, brush or shrub [x] ? pusky
On ground, not under tree, brush or shrub [x]
On ground, in open on sand or rocks []
On cliff or bank [] On floating mat []
On building []

FATE OF NEST

NOT KNOWN

No. of eggs hatched _____

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving nest _____

2 1 7 4 2 1 7 4 2 1
 110 109 108 107 106 105 104 103 102 101

ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer **MARIIS KILCHER**
BOX 353, HOMER

FOR OBSERVATIONS ON ONE NEST

DAY	MONTH	NO. OF EGGS	NO. OF YOUNG	ADULT ON NEST? SEX?	TIME
17	JE.	5		F-ON	1100

REMARKS: e.g. Birds banded, pertinent weather information, etc.

1 201
2 202
4 203
7 204
1 205
2 206
4 207
7 208
1 209
2 210
4 211
7 212
1 213
2 214
4 215
7 216
1 217
2 218
4 219
7 220
1 221
2 222
4 223
7 224
1 225
2 226
4 227

27 4
26 2
25 1
24 7
23 4
22 2
21 1
20 7
19 4
18 2
17 1
16 7
15 4
14 2
13 1
12 7
11 4
10 2
9 1
8 7
7 4
6 2
5 1
4 7
3 4
2 2
1 1

309 1
308 7
307 4
306 2
305 1
304 7
303 4
302 2
301 1

UNISORT

Name of Bird GOLDEN CRNP. SPARROW Year 1962
Zonotrichia ATRICAPILLA

Locality of Nest PILLAR MT. ABOVE
KODIAK CITY

Latitude _____ Longitude _____

Altitude 600' Direction slope faces S

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')
Moist tundra Rocky Tundra Field Marsh

Other ALPINE VEGETATION

List abundant plants:

WILLOW	SALMONBERRY
ALDER	YARROW
FALSE HELLEBORE	WILD GERANIUM
ELDERBERRY	WILD ROSE
FERN	SPRUCE
PUSKY	SHOOTING STAR
LUPINE	

POSITION OF NEST

In tree, brush or shrub
On ground, under tree, brush or shrub
On ground, not under tree, brush or shrub
On ground, in open on sand or rocks
On cliff or bank On floating mat
On building

FATE OF NEST NOT KNOWN

No. of eggs hatched _____

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving nest _____

Name of Bird GOLDEN-CROWNED SPARROW | Year 1961

Locality of Nest 14 mi. east of Homer, Alaska
McNeil canyon area

Latitude 59° - - ? Longitude 151° - - ?

Altitude 650' Direction slope faces _____

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')
Moist tundra Rocky tundra Marsh

Other Hay meadow, roadside

List abundant plants:

spruce, birch
alder
raspberry
fireweed

POSITION OF NEST

In tree, brush, or shrub
On ground, under tree, brush or shrub
On ground, not under tree, brush or shrub
On ground, in open on sand or rocks
On cliff or bank On floating mat

FATE OF NEST

UNCERTAIN

No. of eggs hatched _____

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving _____

Nest _____

ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and
address
of observer

M. Kilcher
Box 353, Homer

UNISORT ANALYSIS CARD STD. FORM Y 12

FOR OBSERVATIONS ON ONE NEST

DAY	MONTH	No. of Eggs	No. of Young	ADULT ON NEST? SEX?	TIME
12	JUNE	4		" " ON	11:00 AM
20	JUNE	NEST EMPTY (DESERTED - DESTROYED?)			

REMARKS: e.g. Birds banded, pertinent weather information, etc.

G.C.S.P. B
PX. BAN
A?

#26

Name of Bird	Golden-crowned Sparrow	Year	1968
-----------------	------------------------	------	------

Locality of Nest BROOKS RANGE, Folly Lake, Head of Unakserak River

Latitude 67° 52' N Longitude 154° W

Altitude 3000' Direction slope faces east

Nest on ~~ft~~ above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other steep mt. slope

List abundant plants: short willows, grass

POSITION OF NEST cup on ground, in open near short willows

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched unknown

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

No. of chicks that left nest unknown

Cause of death of chicks not leaving nest.....

Name of Bird GOLDEN CRND. SPARROW Year 1961

Locality of Nest 14 mi. Ea. of Homer, near barnyard at Mc Neil Canyon

Latitude _____ Longitude _____

Altitude 600 Direction slope faces S

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')
Moist tundra Rocky tundra Marsh

Other brushy, cleared meadow

List abundant plants:

raspberry
alder
spruce forest
tall grass
wild currant
fireweed
pussy
birch (young)

POSITION OF NEST

In tree, brush, or shrub
On ground, under tree, brush or shrub
On ground, not under tree, brush or shrub
On ground, in open on sand or rocks
On cliff or bank On floating mat

FATE OF NEST not re-visited

No. of eggs hatched _____

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving _____

Nest _____

#30

Name of Bird Golden-crowned Sparrow Year 1968

Locality of Nest BROOKS RANGE, Folly Lake, Head of Unakserak River

Latitude 67° 52' N Longitude 154° W

Altitude 3000' Direction slope faces flat

Nest on ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest [] Tall brush (4-10') [x] Shrub (1-4') [x]

Moist Tundra [] Rocky Tundra [] Field [] Marsh []

Other

List abundant plants:

Felt-leaf willow and Salix glauca

POSITION OF NEST cup of grass

In tree, brush or shrub []

On ground, under tree, brush or shrub [x] very short willow under

On ground, not under tree, brush or shrub []

On ground, in open on sand or rocks []

On cliff or bank [] On floating mat []

On building []

FATE OF NEST

No. of eggs hatched 3

No. of unhatched eggs 2

Cause of non-hatching of eggs unknown

to be analyzed for DDT

No. of chicks that left nest 3

Cause of death of chicks not leaving nest

ALASKA NEST RECORD CARD
 University of Alaska, College, Alaska

Name and address of observer Mr. & Mrs. Gilbert Staender
13900 Southwest Sundeleaf Dr.
Lake Oswego, Oregon 97034

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
20	6	3		yes	
28	6	5			
3	7	2	3		
16	7	2	young out of nest		
both parents defending					

REMARKS: e.g. Birds banded, pertinent weather information, etc.

collected 2 abandoned eggs to be tested for DDT

309 308 307 306 305 304 303 302 301
 1 2 4 7 1 2 4 7 1

UNISORT
 4 27
 2 26
 1 25
 7 24
 4 23
 2 22
 1 21
 7 20
 4 19
 2 18
 1 17
 7 16
 4 15
 2 14
 1 13
 7 12
 4 11
 2 10
 1 9
 7 8
 4 7
 2 6
 1 5
 7 4
 4 3
 2 2
 1 1
 UNISORT

#43

Name	Golden-Crowned	Year
of Bird	Sparrow	1968

Locality BROOKS RANGE,
of Head of Kutuk River
Nest

Latitude 67° 52' N Longitude 154° W

Altitude 3400' Direction slope faces SW

Nest..... on ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

This species nesting in very rigorous habitat, on steep slopes usually with short willows nearby, but open terrain dominant.

POSITION OF NEST on steep slope,

In tree, brush or shrub cup of grass

On ground, under tree, brush or shrub 1' tall

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched unknown

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

..... unknown

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

Name of Bird Golden-crowned Sparrow Year 1967

Locality of Nest Nome River, Alaska

Latitude 64° 36' N Longitude 165° 18' W

Altitude 100 Direction slope faces —

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other Mesic tundra

List abundant plants:

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or Salix shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

No. of eggs hatched

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

.....

Name of Bird GOLDEN-CROWN SPARROW Year 1968

Locality 18 mi. Kougakok Rd.
of Nest None

Latitude 64°44' Longitude 165°18'

Altitude 500 Direction slope faces SE

Nest 1 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

No. of eggs hatched

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

.....

Name of Bird Zonotrichia coronata ^{YEAR} 1960
Golden-crowned Sparrow

Locality Miller's Landing
of Nest Homer Area, Alaska

Latitude 59°40½' Longitude 151°25'

Altitude 150' Direction slope faces _____

Nest _____ 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky tundra Marsh

Other Field

List abundant plants:

Alder - dead and alive

Native grass

POSITION OF NEST

In tree, brush, or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

FATE OF NEST

No. of eggs hatched 3

No. of unhatched eggs 1

Cause of non-hatching of eggs The unhatched egg disappeared from nest.

No. of chicks that left nest 3

Cause of death of chicks not leaving

Nest _____

Name of Bird GOLDEN CROWNED SPARROW Year 1963

Locality of Nest Seldovia, Alaska

Latitude..... Longitude.....

Altitude..... Direction slope faces... N.W.

Nest..... 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

dwarf Birch
Fir
young alders
fireweed

fern
blueberry
devil's club
mosses
Salmonberry

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST NOT RE-VISITED

No. of eggs hatched

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

.....

Name of Bird GOLDEN CREND. SPARROW Year 1963

Locality of Nest SELDOVIA, ALASKA

Latitude..... Longitude.....

Altitude..... Direction slope faces.....

Nest... 2 1/2 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other roads, buildings.....

List abundant plants:

Spruce fireweed
elderberry foxtail
alder cornflowers
nettles fern

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST not re-visited

No. of eggs hatched

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

.....

Name of Bird GOLDEN CROWNED SPARROW Year 1963

Locality of Nest Seldovia, Alaska

Latitude..... Longitude.....

Altitude..... Direction slope faces... S-SW

Nest.....0.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other ... Lake, buildings

List abundant plants:

Spruce
dwarf birch

(tundra plants)

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub Spruce

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST NOT RE-VISITED

No. of eggs hatched

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

.....

Name of Bird Golden crown Sparrow | Year 1971

Locality of Nest Hurricane

Latitude 62°58'N Longitude 149°37'W

Altitude 1800 Direction slope faces _____

Nest _____ ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other _____

List abundant plants:
grassy opening in alder-willow thicket

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub *grass over it*
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

No. of eggs hatched _____

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest 5

Cause of death of chicks not leaving nest _____

2 1 7 4 2 1 7 4 2 1
110 109 108 107 106 105 104 103 102 101

27 4
26 2
25 1
24 7
23 4
22 2
21 1
20 7
19 4
18 2
17 1
16 7
15 4
14 2
13 1
12 7
11 4
10 2
9 1
8 7
7 4
6 2
5 1
4 7
3 4
2 2
1 1

ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer *H. Springer*
Box 5-375, College, Ak

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
2	7	5		♀	10 AM
6	7		5	♀	-

REMARKS: e.g. Birds banded, pertinent weather information, etc.

309 308 307 306 305 304 303 302 301
1 7 4 2 1 7 4 2 1

UNISORT ANALYSIS CARD
SID FORM Y 12
Burdoughs
PRINTED IN U.S.A.

Name of Bird GOLDEN-CROWNED SPARROW Year 1969

Locality of Nest COHOE ALASKA

Latitude 61 Longitude 157

Altitude 85 Direction slope faces

Nest 2 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

DRY GRASSES
FIREWEED
MOSS
POPLAR
SPRUCE

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

No. of eggs hatched NONE

No. of unhatched eggs 4

Cause of non-hatching of eggs NEST
ABANDONED

No. of chicks that left nest

Cause of death of chicks not leaving nest

Name of Bird GOLDEN-CROWNED SPARROW Year 1961

Locality of Nest COHOE

Latitude 60° Longitude 151°

Altitude 55 Direction slope faces _____

Nest _____ ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')
Moist tundra Rocky Tundra Field Marsh

Other GRASS FLAT

List abundant plants:

NATIVE GRASSES
FIREWEED.
DWARF POPLAR.

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

No. of eggs hatched NONE
No. of unhatched eggs 4.
Cause of non-hatching of eggs ABANDONMENT

No. of chicks that left nest _____

Cause of death of chicks not leaving nest _____

Name of Bird Zonotrichia coronata Year 1960
Golden-crowned Sparrow

Locality Miller's Landing
Nest Homer Area, Alaska

Latitude 59°40½' Longitude 151°25'

Altitude 150' Direction slope faces _____

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky tundra Marsh

Other Field

List abundant plants:

Alder
Native grass

POSITION OF NEST

- In tree, brush, or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat

FATE OF NEST

No. of eggs hatched 4

No. of unhatched eggs 0

Cause of non-hatching of eggs _____

No. of chicks that left nest 4 ?

Cause of death of chicks not leaving _____

Nest _____

Name of Bird GOLDEN-CROWNED SPARROW Year 1967

Locality of Nest REID INLET GLACIER BAY

Latitude 58° 52' Longitude 136° 49'

Altitude 30' Direction slope faces Flet

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest [] Tall brush (4-10') [] Shrub (1-4') [x]

Moist Tundra [] Rocky Tundra [] Field [] Marsh []

Other

List abundant plants: Salix sp., Pyrola sp., Dryas drummondii, Equisetum elaskanum.

POSITION OF NEST

- In tree, brush or shrub []
On ground, under tree, brush or shrub [x]
On ground, not under tree, brush or shrub []
On ground, in open on sand or rocks []
On cliff or bank [] On floating mat []
On building []

FATE OF NEST

No. of eggs hatched 4
No. of unhatched eggs 0
Cause of non-hatching of eggs -
No. of chicks that left nest 4
Cause of death of chicks not leaving nest -

Name of Bird GOLDEN-CROWNED SPARROW Year 1971

Locality of Nest VIVID LAKE GLACIER BAY

Latitude..... Longitude.....

Altitude 75' Direction slope faces.....

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

PARTLY CONCEALED BY
ROCK AND SOAP BERRY
BUSH

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

No. of eggs hatched

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

.....

Name of Bird Golden-crowned Sparrow Year 1967

Locality of Nest Reid Inlet Glacier Bay

Latitude 58° 52' Longitude 136° 49'

Altitude 60' Direction slope faces E

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest [] Tall brush (4-10') [] Shrub (1-4') [x]

Moist Tundra [] Rocky Tundra [] Field [] Marsh []

Other

List abundant plants: Selix, Dryas drummondii.

POSITION OF NEST

- In tree, brush or shrub []
On ground, under tree, brush or shrub [x]
On ground, not under tree, brush or shrub []
On ground, in open on sand or rocks []
On cliff or bank [] On floating mat []
On building []

FATE OF NEST

No. of eggs hatched 3
No. of unhatched eggs 1
Cause of non-hatching of eggs ?
No. of chicks that left nest 3
Cause of death of chicks not leaving nest -

Name of Bird Golden-crowned Sparrow Year 1966

Locality of Nest 1 mile upstream main creek Northend Hagemester Isl.

Latitude 58° 43' Longitude 160° 55'

Altitude 200' Direction slope faces West

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

Willow
Alder
Crowberry

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

- No. of eggs hatched
- No. of unhatched eggs.....
- Cause of non-hatching of eggs.....
-
- No. of chicks that left nest.....
- Cause of death of chicks not leaving nest.....
-

Name of Bird golden-crowned sparrow Z. atricapilla Year 1962

Locality of Nest south side of Lazy Mtn. Chugach Range

Latitude 61° 3 N. Longitude 149° W.

Altitude 3200 Direction slope faces S

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky Tundra Field Marsh

Other

List abundant plants: alpine birch, alpine Labrador tea, Bromus, Dryas, Carex, rose, Mertensia, mosses, lichens, other alpine & subalpine plants

POSITION OF NEST

- In tree, brush or shrub
On ground, under ~~tree, brush or~~ shrub
On ground, not under tree, brush or shrub
On ground, in open on sand or rocks
On cliff or bank On floating mat
On building

FATE OF NEST

No. of eggs hatched ?

No. of unhatched eggs ?

Cause of non-hatching of eggs

No. of chicks that left nest

Cause of death of chicks not leaving nest

2 1 7 4 2 1 7 4 2 1
110 109 108 107 106 105 104 103 102 101

ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer **J. Vincent Hoeman**
Anchorage, Alaska

FOR OBSERVATIONS ON ONE NEST

DAY	MONTH	NO. OF EGGS	NO. OF YOUNG	ADULT ON NEST? SEX?	TIME
24	June	4	0	female	1545

REMARKS: e.g. Birds banded, pertinent weather information, etc.

309 308 307 306 305 304 303 302 301

- 27 4
- 26 2
- 25 1
- 24 7
- 23 4
- 22 2
- 21 1
- 20 7
- 19 4
- 18 2
- 17 1
- 16 7
- 15 4
- 14 2
- 13 1
- 12 7
- 11 4
- 10 2
- 9 1
- 8 7
- 7 4
- 6 2
- 5 1
- 4 7
- 3 4
- 2 2
- 1 1

- 1 201
- 2 202
- 4 203
- 7 204
- 1 205
- 2 206
- 4 207
- 7 208
- 1 209
- 2 210
- 4 211
- 7 212
- 1 213
- 2 214
- 4 215
- 7 216
- 1 217
- 2 218
- 4 219
- 7 220
- 1 221
- 2 222
- 4 223
- 7 224
- 1 225
- 2 226
- 4 227

UNISORT
1 2 4 7 1 2 4 7 1

Name of Bird golden-crnd. sparrow Year 1963
Zonotrichia atricapilla

Locality of Nest slope south of Ski Bowl,
Ship Cr. Valley, Chugach Rg.

Latitude 61° 14' 25" N Longitude 149° 32' 30" W

Altitude 2300 Direction slope faces south

Nest 0 ft. above ground ~~or base of cliff~~

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')
Moist tundra Rocky Tundra Field Marsh

Other gravel road 40' away

List abundant plants: dwarf willows, alpine birch, Mertensia, aspen, ground juniper,

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

No. of eggs hatched _____

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving nest _____

Name of Bird Golden-Crowned Sparrow Year 1968

Locality of Nest N. end of Vivid Lake, Glacier Bay

Latitude... 58° 51' Longitude... 136° 28'

Altitude... ~50' Direction slope faces... —

Nest... 0...ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

Shepherdia canadensis
Saxifraga spp.
Dryas drummondii

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

No. of eggs hatched

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

.....

Name of Bird GOLDEN-CROWNED SPARROW Year 1967

Locality of Nest REID INLET GLACIER BAY

Latitude 58° 52' Longitude 136° 49'

Altitude 70' Direction slope faces E

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants: Salix. sp., Dryas drummondii.

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

No. of eggs hatched 4

No. of unhatched eggs 0

Cause of non-hatching of eggs -

No. of chicks that left nest 4

Cause of death of chicks not leaving nest -

Name of Bird GOLDEN CROWNED SPARROW | Year 1960

Locality of Nest 14 MI. EAST OF HONER

Latitude _____ Longitude _____

Altitude 650 Direction slope faces S

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky tundra Marsh

Other Open Meadow (Hay field)

List abundant plants:

Alders
Birch
Spruce
elderberry bushes
meadow grass

POSITION OF NEST

In tree, brush, or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

FATE OF NEST

NOT RE-VISITED

No. of eggs hatched _____

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving _____

Nest _____

27 4
26 2
25 1
24 7
23 4
22 2
21 1
20 7
19 4
18 2
17 1
16 7
15 4
14 2
13 1
12 7
11 4
10 2
9 1
8 7
7 7
6 2
5 1
4 4
3 4
2 2
1 1

2 1 7 4 2 1 7 4 2 1
110 109 108 107 106 105 104 103 102 101

UNISORT ANALYSIS CARD S.D. FORM Y 12

ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer MARILYN KILGHER
BOX 353, HONER

FOR OBSERVATIONS ON ONE NEST

DAY	MONTH	No. of Eggs	No. of Young	ADULT ON NEST! SEX!	TIME
18	JUNE	1	3		10:00 AM

REMARKS: e.g. Birds banded, pertinent weather information, etc.
FIRST SPRING
MIGRANTS ARRIVED:
MAY 3

309 1
308 7
307 4
306 2
305 1
304 7
303 4
302 2
301 1

UNISORT

1 2 4 7 1 2 4 7 1 2 4 7 1 2 4 7 1 2 4 7 1 2 4 7 1 2 4 7

Name of Bird GOLDEN CROWNED SPARROW Year 1966

Locality of Nest 12 MI. East of HONOR McNeil CANYON

Latitude..... Longitude.....

Altitude... 650... Direction slope faces. S.....

Nest..... 0.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other Cow pasture.....

List abundant plants:

- Spruce
- Birch
- Wild Rose
- Fern
- Dandelion
- Fireweed
- Nagoonberry
- Currant
- Raspberries
- Nettle
- Pussy
- Elderberry

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

No. of eggs hatched 4.....

No. of unhatched eggs... 0.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest... 9.....

Cause of death of chicks not leaving nest.....

.....

2 1 7 4 2 1 7 4 2 1
110 109 108 107 106 105 104 103 102 101

(THREE-TONE SPATHEON)
Golden-crowned sp. - GATE

ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer: MAIRIIS KILCHER
BOX 353, HOMER

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
10	JUNE	4		F/ON	8:30 AM
12	JUNE	4	0	F/ON	8:45 AM
15	JUNE	0	4	off	9:30 AM
17	JUNE	0	4	F/ON	9:00 P.M.
19	JUNE	0	4	off	11:00 AM
24	JUNE	0	0	off	9:00 AM

REMARKS: e.g. Birds banded, pertinent weather information, etc.

BONNIE
for TK

UNISORT
MAILS
CARD
STP. FORM
Y12
BIRROUSHS
CORPORATION -
TODD DIV. - L

509 308 307 306 305 304 303 302 301
1 7 4 2 1 7 4 2 1

4
27
26
25
24
23
22
21
20
19
18
17
16
15
14
13
12
11
10
9
8
7
6
5
4
3
2
1

UNISORT

Name of Bird golden-crowned sparrow | Year 1962

Locality of Nest below junct of Ski Bowl and NIKE Site Rds, Ship Cr. Valley

Latitude 61°14'15"N. Longitude 149°33'W.

Altitude 2225 Direction slope faces south

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')
Moist tundra Rocky Tundra Field Marsh

Other _____

List abundant plants: willows, grasses, white spruce, black cottonwood, fireweed, black lily, Geranium, columbine, ground juniper

POSITION OF NEST

In tree, brush or shrub
On ground, under ~~tree, brush or shrub~~
On ground, not under tree, brush or shrub
On ground, in open on sand or rocks
On cliff or bank On floating mat
On building

FATE OF NEST

No. of eggs hatched ?

No. of unhatched eggs ?

Cause of non-hatching of eggs ---

No. of chicks that left nest ---

Cause of death of chicks not leaving nest ---

2 1 7 4 2 1 7 4 2 1
110 109 108 107 106 105 104 103 102 101

27 4
26 2
25 1
24 7
23 4
22 2
21 1
20 7
19 4
18 2
17 1
16 7
15 4
14 2
13 1
12 7
11 4
10 2
9 1
8 7
7 4
6 2
5 1
4 7
3 4
2 2
1 1

ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer

J. Vincent Hoeman
Anchorage, Alaska

FOR OBSERVATIONS ON ONE NEST

DAY	MONTH	NO. OF EGGS	NO. OF YOUNG	ADULT ON NEST? SEX?	TIME
9	June	4	0	yes	2000

REMARKS: e.g. Birds banded, pertinent weather information, etc.

UNISORT ANALYSIS CARD STD. FORM Y 12

309 308 307 306 305 304 303 302 301
1 7 4 2 1 7 4 2 1

UNISORT

201 202 203 204 205 206 207 208 209 210 211 212 213 214 215 216 217 218 219 220 221 222 223 224 225 226 227

Name of Bird golden-crowned sparrow *Z. atricapilla* Year 1962

Locality of Nest Little Susitna River Valley in the Talkeetna Mountains

Latitude 61°44' N. Longitude 149°12'30"W

Altitude 1500 Direction slope faces south

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky Tundra Field Marsh

Other _____

List abundant plants: grasses, fireweed, Equisetum, paper birch, white spruce, devils club, Streptopus, bunchberry

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched 0

No. of unhatched eggs 5

Cause of non-hatching of eggs collected

No. of chicks that left nest --

Cause of death of chicks not leaving nest --

