

Name of Bird Long-tailed Jaeger | Year 1982

Locality of Nest Mt. Watana (Susitna River Valley)

Latitude 62° 44' Longitude 148° 05'

Altitude 4100' Direction slope faces N

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other 1

List abundant plants:
Dryas octapetala
Lichen
Eriophorum spp.

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

No. of eggs hatched _____
No. of unhatched eggs _____
Cause of non-hatching of eggs _____

No. of chicks that left nest _____
Cause of death of chicks not leaving nest _____

Name of Bird Long-tailed Jaeger Year 1970

Locality of Nest HEADWATERS BANNER Cr.
mi. 13 1/2 Kougmak Rd,
SEWARD PENINSULA

Latitude..... Longitude.....

Altitude. 6-700' Direction slope faces. ↖

Nest.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

No. of eggs hatched

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

.....

Name of Bird Long-tailed Jaeger | Year 1975

Locality of Nest Nome

Latitude _____ Longitude _____

Altitude 50 Direction slope faces —

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other _____

List abundant plants:

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched _____

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving nest _____

2 1 7 4 2 1 7 4 2 1
110 109 108 107 106 105 104 103 102 101

1 201
2 202
4 203
7 204
1 205
2 206
4 207
7 208
1 209
2 210
4 211
7 212
1 213
2 214
4 215
7 216
1 217
2 218
4 219
7 220
1 221
2 222
4 223
7 224
1 225
2 226
4 227

UNISORT ANALYSIS CARD

ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer: James T. Shislett
RT 1, Box 75-C
Pugetville, Va

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
8	6	1		✓ 079 ♀	1230
	(at different times)				

REMARKS: e.g. Birds banded, pertinent weather information, etc.

309 308 307 306 305 304 303 302 301
1 2 4 7 1 2 4 7 1

4 4
27 4
26 2
25 1
24 7
23 4
22 2
21 1
20 7
19 4
18 2
17 1
16 7
15 4
14 2
13 1
12 7
11 4
10 2
9 1
8 7
7 4
6 2
5 1
4 7
3 4
2 2
1 1

Name of Bird *long tailed jäger* Year *1969*

Locality of Nest *6 Miles E of Ferry*

Latitude *64° 01'* Longitude *148° 55'*

Altitude *2300* Direction slope faces *NW*

Nestft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

*tussock, moss,
scattered small spruce*

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

.....

Name of Bird LONG TAILED JAEGER Year 1968

Locality of Nest Side of heath Tundra hill - Penney River

Latitude..... Longitude.....

Altitude 300' Direction slope faces SE

Nest.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other Heath Tundra

List abundant plants:

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

Name of Bird Long-tailed Jaeger Year 1967

Locality of Nest Gold Run, trib. Bluestone River, S. of Teller, Alaska

Latitude 65°00'N Longitude 166°20'W

Altitude 500' Direction slope faces S

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

.....

Name of Bird Long-tailed Jay Year 1968

Locality of Nest PENNEY R., NOME

Latitude 64°40' Longitude 165°40'

Altitude 1000' Direction slope faces ~~SW~~ SE

Nest ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

- No. of eggs hatched
- No. of unhatched eggs
- Cause of non-hatching of eggs
-
- No. of chicks that left nest
- Cause of death of chicks not leaving nest
-

#69

Name of Bird	Long-tailed Jaeger	Year	1968
--------------	--------------------	------	------

Locality of Nest BROOKS RANGE, April Lake
Head of April Creek

Latitude 67° 52' N Longitude 154° W

Altitude 3400' Direction dry knoll
 slope faces

Nest on-4' above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other dry tundra

List abundant plants:

POSITION OF NEST depression on
dry knoll

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched one or more

No. of unhatched eggs

Cause of non-hatching of eggs

No. of chicks that left nest unknown

Cause of death of chicks not leaving nest

#66

Name of Bird	Long-tailed Jaeger	Year	1968
--------------	--------------------	------	------

Locality of Nest BROOKS RANGE, Folly Lake, Head of Unakserak River

Latitude 67° 52' N Longitude 154° W

Altitude 3400' Direction slope faces top of dry knoll

Nest on ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other dry tundra

List abundant plants:

POSITION OF NEST depression on

In tree, brush or shrub top of dry knoll

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched unknown

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

No. of chicks that left nest unknown

Cause of death of chicks not leaving nest.....

#40

Name of Bird	Long-tailed Jaeger	Year	1968
--------------	--------------------	------	------

Locality of Nest BROOKS RANGE, Folly Lake, Head of Unakserak River

Latitude. 67°52'N Longitude. 154°W

Altitude. 3400' Direction slope faces. on knoll

Nest.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other dry tundra

List abundant plants:

POSITION OF NEST depression on

In tree, brush or shrub dry knoll

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched two

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

No. of chicks that left nest.....two.....

Cause of death of chicks not leaving nest.....

2 1 7 4 2 1 7 4 2 1
 110 109 108 107 106 105 104 103 102 101

27 4
 26 2
 25 1
 24 7
 23 4
 22 2
 21 1
 20 7
 19 4
 18 2
 17 1
 16 7
 15 4
 14 2
 13 1
 12 7
 11 4
 10 2
 9 1
 8 7
 7 4
 6 2
 5 1
 4 7
 3 4
 2 2
 1 1

UNISORT
 ALASKA
 NEST
 RECORD
 CARD
 FORM
 NO. 12
 PURROUSH
 CORPORATION
 - TODD DIV. - L

ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer **Mr. & Mrs. Gilbert Staender
 13900 Southwest Sundeleaf Dr.
 Lake Oswego, Oregon 97034**

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
20	6	2		yes	
21	6	grizzly		ran near nest	
26	6	2		yes	
10	7	1	1	yes	
		pipped			
2	7		2	yes	
4	7		2	yes	
5	7	adults moved 2y down hill 100'			
4	8		2	learning to fly	

REMARKS: e.g. Birds banded, pertinent weather information, etc.

These birds were our watchdogs, warning of wolves, wolverine, ermine, and birds of prey to observe, but not grizzlies

309 308 307 306 305 304 303 302 301
 1 7 4 2 1 7 4 2 1

UNISORT

Name of Bird	Long-tailed Jaeger	Year	1968
Locality of Nest	Mt. McKinley Park		

Latitude..... Longitude.....

Altitude..... Direction slope faces.....

Nest.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

.....

2 1 7 4 2 1 7 4 2 1
110 109 108 107 106 105 104 103 102 101

27 4

26 2

25 1

24 7

23 4

22 2

21 1

20 7

19 4

18 2

17 1

16 7

15 4

14 2

13 1

12 7

11 4

10 2

9 1

8 7

7 4

6 2

5 1

4 7

3 4

2 2

1 1

ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer *Jerry C. Holcomb
Creighton Univ -
Orochona, Neb.*

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
24	6		at least 2		

REMARKS: e.g. Birds banded, pertinent weather information, etc.

Young had left the nest - at least 6-7 days old

309 308 307 306 305 304 303 302 301
1 2 4 7 1 2 4 7 1

UNISORT

#10

Name of Bird Long-tailed Jaeger Year 1965

Locality of Nest Lonely Lake Brooks Range

Latitude 67° 57' N Longitude 953° 10' W

Altitude 2700' Direction slope faces flat

Nest n.a. ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other dry tundra

List abundant plants:

dryas - very short lichens

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

No. of eggs hatched unknown

No. of unhatched eggs unknown

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

.....

2 1 7 4 2 1 7 4 2 1
110 109 108 107 106 105 104 103 102 101

UNISORT ANALYSIS CARD

ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer **GILBERT F. STAENDER**
13900 S. W. Sundleaf Dr.
Oswego, Oregon

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
16	6	2		♀	
16	6	2		♀	
17	7	empty nest			

REMARKS: e.g. Birds banded, pertinent weather information, etc.

golden plovers nesting nearby

309 308 307 306 305 304 303 302 301
1 7 4 2 1 7 4 2 1

UNISORT

#55

Name of Bird	Longtailed Jaeger	Year	1965
--------------	-------------------	------	------

Locality of Nest	Lohely Lake Brooks Range
------------------	-----------------------------

Latitude 67°57'N Longitude 953°10'W

Altitude 2700' Direction slope faces flat

Nest no ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other dry tundra

List abundant plants:

very short willows
dryas

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

No. of eggs hatched 2

No. of unhatched eggs

Cause of non-hatching of eggs

No. of chicks that left nest 2

Cause of death of chicks not leaving nest

2 1 7 4 2 1 7 4 2 1
 110 109 108 107 106 105 104 103 102 101

4
27
2
26
1
25
7
24
4
23
2
22
1
21
7
20
4
19
2
18
1
17
7
16
4
15
2
14
1
13
7
12
4
11
2
10
1
9
7
8
4
7
6
2
5
1
4
7
3
4
2
2
1
1

ALASKA NEST RECORD CARD
 University of Alaska, College, Alaska

Name and address of observer **GILBERT F. STAENDER**
13900 S. W. Sundeleaf Dr.
Oswego, Oregon

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
207	7		2		
208	7		left nest		
209					
210					
211					
212					
213					
214					
215					
216					
217					
218					
219					
220					
221					
222					
223					
224					
225					
226					
227					

REMARKS: e.g. Birds banded, pertinent weather information, etc.

*both parents defending
 (photo'd young
 near nest)*

309 308 307 306 305 304 303 302 301
 1 7 4 2 1 7 4 2 1

UNISORT

#4

Name of Bird Long-tailed Jaeger Year 1965

Locality of Nest Lonely Lake Brooks Range

Latitude 67°57'N Longitude 153°10'W

Altitude 2800' Direction slope faces N

Nest... no... ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest [] Tall brush (4-10') [] Shrub (1-4') []

Moist Tundra [] Rocky Tundra [x] Field [] Marsh []

Other... dry knoll

List abundant plants:

dryas (sparse vegetation) lichen (short)

POSITION OF NEST

- In tree, brush or shrub []
On ground, under tree, brush or shrub []
On ground, not under tree, brush or shrub [x]
On ground, in open on sand or rocks []
On cliff or bank [] On floating mat []
On building []

FATE OF NEST

No. of eggs hatched... 2 (assumed)

No. of unhatched eggs...

Cause of non-hatching of eggs...

No. of chicks that left nest... 2 (assumed)

Cause of death of chicks not leaving nest...

2 1 7 4 2 1 7 4 2 1
110 109 108 107 106 105 104 103 102 101

27 4
26 2
25 1
24 7
23 4
22 2
21 1
20 7
19 4
18 2
17 1
16 7
15 4
14 2
13 1
12 7
11 4
10 2
9 1
8 7
7 4
6 2
5 1
4 7
3 4
2 2
1 1

UNISORT AND PENS Q 12

ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer: **GILBERT F. STAENDER**
13900 S. W. Sundleaf Dr.
Oswego, Oregon

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
10	6	2		♀	
11	6	out of nest			
12					
13					
14					
15					
16					
17					
18					
19					
20					
21					
22					
23					
24					
25					
26					
27					
REMARKS:		both parents defending			

REMARKS: e.g. Birds banded, pertinent weather information, etc. 774-

assumed successful hatching & leaving nest because parents defending area vigorously could not find chicks!

309 308 307 306 305 304 303 302 301
1 7 4 2 1 7 4 2 1

UNISORT

Name of Bird Longtailed Jaeger Year 1964

Locality of Nest Anaktuvuk Pass

Latitude 68° 8' N Longitude 151° 45' W

Altitude 2150 Direction slope faces Level

Nest on ground ~~ft. above ground or base of cliff.~~

TYPE OF VEGETATION IN AREA (check one or more)

Forest [] Tall brush (4-10') [] Shrub (1-4') []

Moist Tundra [x] Rocky Tundra [] Field [] Marsh []

Other

List abundant plants: cotton grass, lichens, moss

Nest in depression on 8" to 10" hummock

POSITION OF NEST

- In tree, brush or shrub []
On ground, under tree, brush or shrub []
On ground, not under tree, brush or shrub [x]
On ground, in open on sand or rocks []
On cliff or bank [] On floating mat []
On building []

FATE OF NEST

No. of eggs hatched unknown
No. of unhatched eggs
Cause of non-hatching of eggs
No. of chicks that left nest
Cause of death of chicks not leaving nest

2 1 7 4 2 1 7 4 2 1
110 109 108 107 106 105 104 103 102 101

UNISORT ANALYSIS CARD

ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address Gilbert Staender
13900 SW Sandeleaf
observer OSwego, Oregon

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
19	6	2		yes	4pm

REMARKS: e.g. Birds banded, pertinent weather information, etc.
 Parent birds very aggressive as we photo'd nest & birds

4 2 1 7 4 2 1 7 4 2 1 7 4 2 1 7 4 2 1 7 4 2 1 7 4 2 1 7 4 2 1 7 4 2 1

201 202 203 204 205 206 207 208 209 210 211 212 213 214 215 216 217 218 219 220 221 222 223 224 225 226 227

309 308 307 306 305 304 303 302 301
1 2 4 7 1 2 4 7 1

UNISORT

Name of *Long-Tailed Jaeger* Year *1963*
Bird

Locality *N. Stony Overlook Mi. 61*
of
Nest *McKinley Park*

Latitude *263° 29'* Longitude *2150° 17'*

Altitude *3900'* Direction slope faces *S.*

Nestft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

Upland tundra - dryas, dwarf birch,

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched *2*

No. of unhatched eggs..... *None*

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest..... *2*

Cause of death of chicks not leaving nest.....

.....

2 1 7 4 2 1 7 4 2 1
 110 109 108 107 106 105 104 103 102 101

ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address *Bob Richey + Tom Dean*
 observer *McKinley Park*

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
18	June	2	-	Yes	1700
20	✓	1	1	Yes	1530
21	✓	<i>1 piped</i>	1	Yes	2230
22	✓	1	1	Yes	1000
23	✓	-	2	Yes	1700
26	✓	-	2	Yes	2000
30	✓	Nest empty			1800
but 2 chicks + adults in area.					

REMARKS: e.g. Birds banded, pertinent weather information, etc.

309 308 307 306 305 304 303 302 301
 1 7 4 2 1 7 4 2 1

27 4
 26 2
 25 1
 24 7
 23 4
 22 2
 21 1
 20 7
 19 4
 18 2
 17 1
 16 7
 15 4
 14 2
 13 1
 12 7
 11 4
 10 2
 9 1
 8 7
 7 4
 6 2
 5 1
 4 7
 3 4
 2 2
 1 1

UNISORT ANALYSIS CARD
 1 201
 2 202
 4 203
 7 204
 1 205
 2 206
 7 207
 7 208
 1 209
 2 210
 4 211
 7 212
 1 213
 2 214
 4 215
 7 216
 1 217
 2 218
 4 219
 7 220
 1 221
 2 222
 4 223
 7 224
 1 225
 2 226
 4 227

UNISORT

Name of Bird Long-Tailed Jaeger Year 1963

Locality of Nest Mi. 63 Park Highway
McKinley Park.

Latitude ≈ 63° 24' Longitude ≈ 150° 19'

Altitude 3800' Direction slope faces S

Nestft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

Tundra, no trees. Dwarf birch -

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched

No. of unhatched eggs

Cause of non-hatching of eggs

Nest destroyed!

No. of chicks that left nest

Cause of death of chicks not leaving nest

Name of Bird Long tailed Jaeger Year June 14 1960

Locality of Nest Upper Funny River Kenai Peninsula

Latitude 60° 12' Longitude 150° 25' 40"

Altitude 2600 Direction slope faces north

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')
Moist tundra Rocky tundra Marsh

Other _____

List abundant plants:

POSITION OF NEST

In tree, brush, or shrub
On ground, under tree, brush or shrub
On ground, not under tree, brush or shrub
On ground, in open on sand or rocks
On cliff or bank On floating mat

TWO EGGS

FATE OF NEST

No. of eggs hatched _____

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving _____

Nest _____

Name of Bird LONG-TAILED JAEGER Year 1960

Locality of Nest IGIALE BAY

Latitude 61°37'N Longitude 166°9'W

Altitude 50' Direction slope faces _____

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky tundra Marsh

Other ~~None~~

List abundant plants:

POSITION OF NEST

In tree, brush, or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

FATE OF NEST

No. of eggs hatched _____

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving

Nest _____

ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer

Dept. of Zoology,
University Museum,
Oxford

FOR OBSERVATIONS ON ONE NEST

DAY	MONTH	No. of Eggs	No. of Young	ADULT ON NEST? SEX?	TIME
1	6	2			1455
2	6	2			1745
5	6	2			1600
13	6	2		ON	1400
15	6	2		ON	
17	6	2		ON	1250
18	6	2		ON	1545
19	6	2		ON	1700
20	6	2		ON	1400
21	6	1	1		1945
22	6	1	1		1900
23	6	-	2		1900
25	6		2		1900
28	6	empty.			

REMARKS: e.g. Birds banded, pertinent weather information, etc.

19/6, 20/6 1e clipped.
21, 22/6 1y + 1chopped e.

UNISORT 309 308 307 306 305 304 303 302 301

UNISORT

Name of Bird Long-Tailed Jaeger Year 1960

Locality of Nest Ogo Noruk Valley south of Cape Thompson, Alaska

Latitude 68° 07' 15" N Longitude 165° 41' 30" W

Altitude 150' Direction slope faces S

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky tundra Marsh

Other Nest on a small patch of dry ridge above surrounded

List abundant plants: by tussock Tundra.

Eriophorum vaginatum
Dryas octapetala
Salix pulchra

POSITION OF NEST

- In tree, brush, or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat

FATE OF NEST

No. of eggs hatched _____

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving _____

Nest _____

Name of Bird Stercorarius longicaudus | Year 1960

Locality of Nest Foot hills of Kenai Mts. 8.5 miles NNE of Indian Creek's mouth on Tustumena Lake.

Latitude 60° 12' Longitude 150° 26'

Altitude 2,900' Direction slope faces NW

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky tundra Marsh

Other _____

List abundant plants:

Dwarf birch, various lichens.

POSITION OF NEST

In tree, brush, or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

FATE OF NEST

No. of eggs hatched 2

No. of unhatched eggs 2

Cause of non-hatching of eggs _____

No. of chicks that left nest ?

Cause of death of chicks not leaving _____

Nest _____

Name of Bird Long Tailed Jaeger | Year 1962

Locality of Nest Mile 55

Latitude _____ Longitude _____

Altitude 3900 Direction slope faces South

Nest _____ ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

- Forest Tall brush (4-10') Shrub (1-4')
Moist tundra Rocky Tundra Field Marsh

Other _____

List abundant plants:

POSITION OF NEST

- In tree, brush or shrub
On ground, under tree, brush or shrub
On ground, not under tree, brush or shrub
On ground, in open on sand or rocks
On cliff or bank On floating mat
On building

FATE OF NEST

No. of eggs hatched _____

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving nest _____

Name of Bird Long-tailed Jaeger Year 1963

Locality of Nest Kukruk River NW Alaska

Latitude 68° 16' Longitude 165° 35'

Altitude 250' Direction slope faces W

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky Tundra Field Marsh

Other Transition between Rocky & moist Tundra

List abundant plants:

~~*Empetrum nigrum*~~ (Dry patches)
Eriophorum vaginatum (moist stripes)
Betula nana

Nest in ~~*Empetrum*~~ *Betula* patch.

Also present:
Polygonum bistorta
Carex bigelowii
Salix pulchra

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched 2

No. of unhatched eggs —

Cause of non-hatching of eggs —

No. of chicks that left nest probably 2

Cause of death of chicks not leaving nest _____

2 1 7 4 2 1 7 4 2 1
 110 109 108 107 106 105 104 103 102 101

ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer: **Herbert R Melchior**
Zoology Dept.
Univ. of Wisconsin

FOR OBSERVATIONS ON ONE NEST

DAY	MONTH	NO. OF EGGS	NO. OF YOUNG	ADULT ON NEST? SEX?	TIME
16	June	2 ⁺	0	No	-
29	June	2	0	No	1230
5	July	2 ⁺	0	Yes	1320
5	July	2 [⊕]	0	Yes	1430
8	July	0	0 ^x	No	

+ One egg pipped, bill visible.

⊕ Two eggs pipped but both young still in eggs.

x One young found 1.25m from nest, other one probably hidden nearby also.

REMARKS: e.g. Birds banded, pertinent weather information, etc.

*Eggs of different color, one olive-green & spotted, other gray-green & spotted. Latter looks more like Wimbrel egg. A Wimbrel nest is located about 150 meters away

309 308 307 306 305 304 303 302 301

1 7 4 2 1 7 4 2 1

27 4
26 2
25 1
24 7
23 4
22 2
21 1
20 7
19 4
18 2
17 1
16 7
15 4
14 2
13 1
12 7
11 4
10 2
9 1
8 7
7 4
6 2
5 1
4 7
3 4
2 2
1 1

UNISORT

Name of Bird Long-Tailed Jaeger | Year 1960

Locality of Nest Ogoforuk Valley near (S) Cape Thompson, Alaska

Latitude 68° 05' 45" N Longitude 165° 41' 45" W

Altitude 75' Direction slope faces S

Nest 0 ft. above ground ~~or base of cliff.~~

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky tundra Marsh

Other Carex bigelowii Frost Scar Tundra

List abundant plants: (Fairly Dry except in some depressions between hard surfaced frost scars.)

Carex bigelowii ?
Salix pulchra
" phelbophylla
Lichens + moss abundant
Dryas octapetala

POSITION OF NEST

- In tree, brush, or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat

FATE OF NEST

No. of eggs hatched _____

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving _____

Nest _____

Name of Bird	LONG-TAILED JAEGER	Year	1964
--------------------	--------------------	------	------

Locality TUGIDAK IS. (TRINITY ISLANDS)
of
Nest

Latitude ~~56° 30'~~ ABOUT 56° 30' Longitude ~~157° 45'~~ 157° 45'

Altitude 75-100' Direction slope faces E

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

CROWBERRY
LICHENS

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

- No. of eggs hatched ... UNKNOWN
- No. of unhatched eggs ... UNKNOWN
- Cause of non-hatching of eggs
-
- No. of chicks that left nest ... UNKNOWN
- Cause of death of chicks not leaving nest
-

Name of Bird	Year
LONG TAILED LAEGER	1964

Locality of Nest TUGIDAK IS. (TRINITY ISLANDS)

Latitude $56^{\circ}30'$ Longitude $154^{\circ}45'$

Altitude $75'$ Direction slope faces. ESE

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

CROWBERRY
LICHENS

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

No. of eggs hatched ... UNKNOWN

No. of unhatched eggs ... UNKNOWN

Cause of non-hatching of eggs.....

No. of chicks that left nest. UNKNOWN

Cause of death of chicks not leaving nest.....

Name of Bird LONG-TAILED JAeger Year 1964

Locality of Nest TUGIDAK IS. (TRINITY ISLANDS)

Latitude 56° 32' Longitude 154° 42'

Altitude Direction slope faces NNE

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:
CROWBERRY
LICHENS

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

No. of eggs hatched UNKNOWN

No. of unhatched eggs " "

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest..... " "

Cause of death of chicks not leaving nest.....

.....

Name of Bird Long-Tailed Jaeger | Year 1960

Locality of Nest Ogotoruk Valley near (S) Cape Thompson, Alaska

Latitude 68° 05' 45" N Longitude 165° 41' 45" W

Altitude 75' Direction slope faces S

Nest 0 ft. above ground ~~or base of cliff.~~

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')
Moist tundra Rocky tundra Marsh

Other Carex bigelowii Frost Scat Tundra

List abundant plants: (Fairly Dry except in some depressions between hard surfaced frost scats.)

Carex bigelowii?
Salix pulchra
" phelbophylla
Lichens + moss abundant
Dryas octapetala

POSITION OF NEST

- In tree, brush, or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat

FATE OF NEST

No. of eggs hatched _____

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving _____

Nest _____

