

Name of Bird red-necked grebe | Year 1962  
Podiceps grisegena

Locality of Nest west end of Beluga Lake  
Homer, Alaska

Latitude 59°3 N. Longitude 151°3 W.

Altitude \_\_\_\_\_ Direction slope faces level

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

- Forest  Tall brush (4-10')  Shrub (1-4')   
Moist tundra  Rocky Tundra  Field  Marsh

Other open water

List abundant plants: aquatic plants,  
black spruce, crowberry, labrador  
tea, paper birch, white spruce,  
willows, grasses, sedges, mosses

POSITION OF NEST

- In tree, brush or shrub   
On ground, under tree, brush or shrub   
On ground, not under tree, brush or shrub   
On ground, in open on sand or rocks   
On cliff or bank  On floating mat   
On building

FATE OF NEST

No. of eggs hatched ?

No. of unhatched eggs ?

Cause of non-hatching of eggs ---

No. of chicks that left nest ---

Cause of death of chicks not leaving nest ---







Name of Bird Red-necked Grebe | Year 1962

Locality of Nest mile 1158 Alaska Highway, Yukon

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude \_\_\_\_\_ Direction slope faces flat

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky tundra  Marsh

Other On top of partly-

List abundant plants: submerged log projecting from roadside into pond. Spruce forest

POSITION OF NEST

In tree, brush, or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

FATE OF NEST

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving \_\_\_\_\_

Nest \_\_\_\_\_

Name of Bird RED-NECKED GREBE Year 1964

Locality of Nest KASILOF

Latitude 60 Longitude 152

Altitude 100 Direction slope faces

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other ON LAKE

List abundant plants:

N. polysepala

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST

No. of eggs hatched PROBABLY NONE

No. of unhatched eggs 1

Cause of non-hatching of eggs INFERTILE, OR CHILLED  
EGG VERY ROTTEN when EXAMINED

No. of chicks that left nest

Cause of death of chicks not leaving nest





Name of Bird Red-necked Grebe Year 1955

Locality of Nest Selawik, Alaska

Latitude..... Longitude.....

Altitude... 20'..... Direction slope faces.....

Nest.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other ..... grassy marsh.....

List abundant plants:

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat
- On building

FATE OF NEST

No. of eggs hatched .....

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

.....





Name of Bird	Year
Red-necked Grebe	1970
Locality MI. 65 Kougareok Rd.	
of Nest SEWARD PENINSULA	

Latitude..... Longitude.....

Altitude..... Direction slope faces.....

Nest.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other .....

List abundant plants:

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat
- On building

FATE OF NEST

- No. of eggs hatched .....
- No. of unhatched eggs.....
- Cause of non-hatching of eggs.....
- .....
- No. of chicks that left nest.....
- Cause of death of chicks not leaving nest.....
- .....



Name of Bird	Year
Red-necked Grebe	1968

Locality mi. 65 Kougnrok Rd.  
of  
Nest

Latitude..... Longitude.....

Altitude..... Direction slope faces.....

Nest.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other .....

List abundant plants:

**POSITION OF NEST**

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat
- On building

**FATE OF NEST**

No. of eggs hatched .....

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

.....





Name of Bird Halboell's Grebe | Year 1960

(25.) Locality of Nest Pond between Fish Cr + Beaver Cr. Vic Beaver Alaska

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude \_\_\_\_\_ Direction slope faces \_\_\_\_\_

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky tundra  Marsh

Other \_\_\_\_\_

List abundant plants:

Equisetum

POSITION OF NEST

- In tree, brush, or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat

FATE OF NEST

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving \_\_\_\_\_

Nest \_\_\_\_\_





Name of Bird Halboell's Grebe | Year 1960

(22) Locality of Nest Pond 1/4 mi N. Fish Creek  
Vic Beaver Alaska

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude \_\_\_\_\_ Direction slope faces \_\_\_\_\_

Nest 0 ft. above <sup>1420</sup> ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky tundra  Marsh

Other ~~water~~

List abundant plants:

Equisetum + Sedges

POSITION OF NEST

In tree, brush, or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

FATE OF NEST

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving \_\_\_\_\_

Nest \_\_\_\_\_



Name of Bird Holboell's grebe | Year 1960

(8) Locality of Nest Pond 1/2 mi S. Beaver Riv. Vic Beaver Alaska

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude 350 Direction slope faces \_\_\_\_\_

Nest 0 ft. above <sup>water</sup> ~~ground~~ or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')   
Moist tundra  Rocky tundra  Marsh

Other water

List abundant plants:

Sedges

POSITION OF NEST

In tree, brush, or shrub   
On ground, under tree, brush or shrub   
On ground, not under tree, brush or shrub   
On ground, in open on sand or rocks   
On cliff or bank  On floating mat

FATE OF NEST

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving \_\_\_\_\_

Nest \_\_\_\_\_





Name of Bird Holboell's Grouse | Year 1960

(6.) Locality of Nest Pond 1/4 mi S. Beaver R  
Vic Beaver Alaska

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude 350 Direction slope faces \_\_\_\_\_

Nest 0 ft. above <sup>water</sup> ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky tundra  Marsh

Other water

List abundant plants:

Equisetum

POSITION OF NEST

- In tree, brush, or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat

FATE OF NEST

No. of eggs hatched 0

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs Eggs dest. by  
unknown predator

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving \_\_\_\_\_

Nest \_\_\_\_\_





Plot 14 Lake 7

Name of Bird Red-necked Grebe | Year 1962

Locality of Nest Lake near Mouth of Beaver Ck

Latitude 66° 10' Longitude 147° 40'

Altitude \_\_\_\_\_ Direction slope faces \_\_\_\_\_

Nest \_\_\_\_\_ ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky Tundra  Field  Marsh

Other \_\_\_\_\_

List abundant plants:

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST Unknown

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving nest \_\_\_\_\_

2 1 7 4 2 1 7 4 2 1  
 110 109 108 107 106 105 104 103 102 101

27 4  
 26 2  
 25 1  
 24 7  
 23 4  
 22 2  
 21 1  
 20 7  
 19 4  
 18 2  
 17 1  
 16 7  
 15 4  
 14 2  
 13 1  
 12 7  
 11 4  
 10 2  
 9 1  
 8 7  
 7 4  
 6 2  
 5 1  
 4 7  
 3 4  
 2 2  
 1 1

# ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer *C. J. Lensink,  
 Patuxent Wildl. Res. Cent.*

## FOR OBSERVATIONS ON ONE NEST

DAY	MONTH	NO. OF EGGS	NO. OF YOUNG	ADULT ON NEST? SEX?	TIME
1	5	1	✓	✓	
2					
3					
4					
5					
6					
7					
8					
9					
10					
11					
12					
13					
14					
15					
16					
17					
18					
19					
20					
21					
22					
23					
24					
25					
26					
27					

REMARKS: e.g. Birds banded, pertinent weather information, etc.

*Incubation not started.*

309 308 307 306 305 304 303 302 301  
 1 7 4 2 1 7 4 2 1

UNISORT

UNISORT

Name of Bird Red-necked Grebe | Year 1962

Locality of Nest Six-mile Lake, Ft. Yukon

Latitude 66° 35' Longitude 145° 10'

Altitude \_\_\_\_\_ Direction slope faces \_\_\_\_\_

Nest \_\_\_\_\_ ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

- Forest  Tall brush (4-10')  Shrub (1-4')
- Moist tundra  Rocky tundra  Marsh

Other \_\_\_\_\_

List abundant plants:

POSITION OF NEST

- In tree, brush, or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat

FATE OF NEST

Unknown

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving \_\_\_\_\_

Nest \_\_\_\_\_







Name of Bird Red-necked Grebe | Year 1962

Locality of Nest Six-mile Lake, Ft. Yukon

Latitude 66° 35' Longitude 145° 10'

Altitude \_\_\_\_\_ Direction slope faces \_\_\_\_\_

Nest \_\_\_\_\_ ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky tundra  Marsh

Other \_\_\_\_\_

List abundant plants: \_\_\_\_\_

**POSITION OF NEST**

in tree, brush, or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

**FATE OF NEST** Unknown

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving \_\_\_\_\_

Nest \_\_\_\_\_



Name of Bird Red-necked Grebe | Year 1962

Locality of Nest Lake near Beaver Ck

Latitude 66° 15' Longitude 146° 30'

Altitude \_\_\_\_\_ Direction slope faces \_\_\_\_\_

Nest \_\_\_\_\_ ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky tundra  Marsh

Other \_\_\_\_\_

List abundant plants:

POSITION OF NEST

- In tree, brush, or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat

FATE OF NEST Unknown

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving

Nest \_\_\_\_\_



Name of Bird Red-necked Grebe | Year 1962

Locality of Nest Lake 30 mi W of Ft Yukon

Latitude 66° 31' Longitude 146° 5'

Altitude \_\_\_\_\_ Direction slope faces \_\_\_\_\_

Nest \_\_\_\_\_ ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky tundra  Marsh

Other \_\_\_\_\_

List abundant plants:

Carex

POSITION OF NEST

In tree, brush, or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

FATE OF NEST

Unknown.

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving \_\_\_\_\_

Nest \_\_\_\_\_





Name of Bird Red-necked Grebe | Year 1962

Locality of Nest Six mile Lake, Ft. Yukon

Latitude 66° 35' Longitude 145° 16'

Altitude \_\_\_\_\_ Direction slope faces \_\_\_\_\_

Nest \_\_\_\_\_ ft. above ground or base of cliff.

**TYPE OF VEGETATION IN AREA (check one or more)**

Forest  Tall brush (4-10')  Shrub (1-4')   
Moist tundra  Rocky tundra  Marsh

Other \_\_\_\_\_

List abundant plants:

**POSITION OF NEST**

- In tree, brush, or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat

**FATE OF NEST** Unknown

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving

Nest \_\_\_\_\_





Name of Bird Red-necked Grebe | Year 1962

Locality of Nest Lake on Beaver ck

Latitude 66° 13' Longitude 147°

Altitude \_\_\_\_\_ Direction slope faces \_\_\_\_\_

Nest \_\_\_\_\_ ft. above ground or base of cliff.

**TYPE OF VEGETATION IN AREA (check one or more)**

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky tundra  Marsh

Other \_\_\_\_\_

List abundant plants:

**POSITION OF NEST**

- In tree, brush, or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat

**FATE OF NEST**

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving \_\_\_\_\_

Nest \_\_\_\_\_



Name of Bird Red-necked Grebe | Year 1962

Locality of Nest Lake on Beaver Ck.

Latitude 66° 13' Longitude 147°

Altitude \_\_\_\_\_ Direction slope faces \_\_\_\_\_

Nest \_\_\_\_\_ ft. above ground or base of cliff.

**TYPE OF VEGETATION IN AREA (check one or more)**

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky tundra  Marsh

Other \_\_\_\_\_

List abundant plants:

**POSITION OF NEST**

In tree, brush, or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

**FATE OF NEST**

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving

Nest \_\_\_\_\_





Name of Bird Red-necked Grebe | Year 1962

Locality of Nest Lake 30 mi W of Ft. Yukon

Latitude 66° 31' Longitude 146° 5'

Altitude \_\_\_\_\_ Direction slope faces \_\_\_\_\_

Nest \_\_\_\_\_ ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky tundra  Marsh

Other \_\_\_\_\_

List abundant plants:

POSITION OF NEST

In tree, brush, or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

FATE OF NEST

Unknown

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving

Nest \_\_\_\_\_





110 2  
109 1  
108 7  
107 4  
106 2  
105 1  
104 7  
103 4  
102 2  
101 1

**ALASKA NEST RECORD CARD**  
 UNIVERSITY OF ALASKA, COLLEGE, ALASKA

Name and address of observer  
 Calvin J. Lemsink  
 Patuxent Wildl. Res. Sta.

FOR OBSERVATIONS ON ONE NEST

NO. OF EGGS  
 NO. OF YOUNG  
 ADULT ON NEST (SEX)

DAY	MONTH	NO. OF EGGS	NO. OF YOUNG	ADULT ON NEST (SEX)
2	7	1		

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	-----

REMARKS: e.g. Birds banded, pertinent weather information, etc.

Incubation stage  
 unknown.

227 4  
226 2  
225 1  
224 7  
223 4  
222 2  
221 1  
220 7  
219 4  
218 2  
217 1  
216 7  
215 4  
214 2  
213 1  
212 7  
211 4  
210 2  
209 1  
208 7  
207 4  
206 2  
205 1  
204 7  
203 4  
202 2  
201 1

UNISORT

1 7 4 2 1 7 4 2 1  
 309 308 307 306 305 304 303 302 301

1 1  
2 2  
3 4  
4 7  
5 1  
6 2  
7 4  
8 7  
9 1  
10 2  
11 4  
12 7  
13 1  
14 2  
15 4  
16 7  
17 1  
18 2  
19 4  
20 7  
21 1  
22 2  
23 4  
24 7  
25 1  
26 2  
27 4  
28 7  
29 1  
30 2  
31 4  
32 7  
33 1  
34 2  
35 4  
36 7  
37 1  
38 2  
39 4  
40 7  
41 1  
42 2  
43 4  
44 7  
45 1  
46 2  
47 4  
48 7  
49 1  
50 2  
51 4  
52 7  
53 1  
54 2  
55 4  
56 7  
57 1  
58 2  
59 4  
60 7  
61 1  
62 2  
63 4  
64 7  
65 1  
66 2  
67 4  
68 7  
69 1  
70 2  
71 4  
72 7  
73 1  
74 2  
75 4  
76 7  
77 1  
78 2  
79 4  
80 7  
81 1  
82 2  
83 4  
84 7  
85 1  
86 2  
87 4  
88 7  
89 1  
90 2  
91 4  
92 7  
93 1  
94 2  
95 4  
96 7  
97 1  
98 2  
99 4  
100 7

Name  
of  
Bird

Red-necked Grebe

Year

1962

Locality  
of  
Nest

Lake 30 mi W. of Ft Yukon

Latitude

66° 31'

Longitude

146° 5'

Altitude

Direction slope faces

Nest

ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest

Tall brush (4-10')

Shrub (1-4')

Moist tundra

Rocky tundra

Marsh

Other

List abundant plants:

#### POSITION OF NEST

In tree, brush, or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank

On floating mat

#### FATE OF NEST

Unknown

No. of eggs hatched

No. of unhatched eggs

Cause of non-hatching of eggs

No. of chicks that left nest

Cause of death of chicks not leaving

Nest

Name of Bird Red-necked Grebe | Year 1962

Locality of Nest Lake on Gamble Slough, Yukon Riv.

Latitude 66° 10' Longitude 148° 50'

Altitude \_\_\_\_\_ Direction slope faces \_\_\_\_\_

Nest \_\_\_\_\_ ft. above ground or base of cliff.

**TYPE OF VEGETATION IN AREA (check one or more)**

- Forest  Tall brush (4-10')  Shrub (1-4')   
Moist tundra  Rocky fundra  Marsh

Other \_\_\_\_\_

**List abundant plants:**

*Equisetum*

**POSITION OF NEST**

- In tree, brush, or shrub   
On ground, under tree, brush or shrub   
On ground, not under tree, brush or shrub   
On ground, in open on sand or rocks   
On cliff or bank  On floating mat

**FATE OF NEST**

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving \_\_\_\_\_

Nest \_\_\_\_\_





Name of Bird Red-necked Grebe | Year 1962

Locality of Nest Lake near Ft. Yukon

Latitude 66° 35' Longitude 145° 30'

Altitude \_\_\_\_\_ Direction slope faces \_\_\_\_\_

Nest \_\_\_\_\_ ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky Tundra  Field  Marsh

Other \_\_\_\_\_

List abundant plants:

Equisetum, Carex

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST Unknown

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving nest \_\_\_\_\_





Name of Bird REDNECKED GREBE | Year 1961

Locality of Nest Smith Lake, near COLLEGE

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude \_\_\_\_\_ Direction slope faces \_\_\_\_\_

Nest \_\_\_\_\_ ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky Tundra  Field  Marsh

Other \_\_\_\_\_

List abundant plants:

*SWIMMING NEST, typical podiceps.  
built from swimming plants, reeds etc.  
anchored and concealed in shore vegetation.*

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST

No. of eggs hatched 2 (?)

No. of unhatched eggs 2

Cause of non-hatching of eggs ? left in nest  
prob. unfertile

No. of chicks that left nest 2 (? see above)

Cause of death of chicks not leaving nest \_\_\_\_\_



Name of Bird REDNECKED GREBE | Year 1961

Locality of Nest Smith Lake, near COLLEGE

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude \_\_\_\_\_ Direction slope faces \_\_\_\_\_

Nest — ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky Tundra  Field  Marsh

Other \_\_\_\_\_

List abundant plants:

*SWIMMING NEST,  
typical podiceps  
built from swimming  
vegetation, reeds etc.  
anchored and concealed*

POSITION OF NEST *in shore vegetation*

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST

No. of eggs hatched ? *2 disappeared*

No. of unhatched eggs 2

Cause of non-hatching of eggs ? *2 remained  
in nest; unfertile?*

No. of chicks that left nest none (?)

Cause of death of chicks not leaving nest \_\_\_\_\_





Name of Bird Red-necked grebe | Year 1977

Locality of Nest Midway Lake, Mi 1287,  
Alaska Hwy, Tetlin Junction

Latitude \_\_\_\_\_ Longitude flat

Altitude 1700 Direction slope faces 0

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other \_\_\_\_\_

List abundant plants: floating  
Nuphar polysepalum

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving nest \_\_\_\_\_







Name of Bird Red-necked Grebe | Year 1964  
Podiceps Griseus

Locality of Nest Lake George Lake

Latitude 63° 46' Longitude 144° 34'

Altitude \_\_\_\_\_ Direction slope faces \_\_\_\_\_

Nest 0 ft. above water level ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')   
Moist tundra  Rocky tundra  Marsh

Other \_\_\_\_\_

List abundant plants: marsh grass

POSITION OF NEST

In tree, brush, or shrub   
On ground, under tree, brush or shrub   
On ground, not under tree, brush or shrub   
On ground, in open on sand or rocks   
On cliff or bank  On floating mat

FATE OF NEST

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving \_\_\_\_\_

Nest \_\_\_\_\_

Name of Bird *Red-necked Grebe* Year *1964*

Locality of Nest *Tetlin Lake*

Latitude... *63° 2'* ... Longitude... *142° 43'*

Altitude... *1650* ... Direction slope faces.....

Nest.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other .....

List abundant plants:

*Carex*

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST

No. of eggs hatched .....

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

.....





Name of Bird Red-necked Grebe Year 1960

Locality of Nest Merganser Lake; Tetlin, Alaska.

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude 1700 Direction slope faces \_\_\_\_\_

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky tundra  Marsh

Other \_\_\_\_\_

List abundant plants:

Willow  
Scirpus  
Carex  
Grasses

POSITION OF NEST

- In tree, brush, or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat

FATE OF NEST

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving \_\_\_\_\_

Nest \_\_\_\_\_





Name of Bird	Red-necked Grebe	Year	1964
--------------	------------------	------	------

Locality of Nest Tetlin Lake

Latitude..... Longitude.....

Altitude.. 1650... Direction slope faces.....

Nest.... 0.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other .....

List abundant plants:

Equisetum

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat
- On building

FATE OF NEST

No. of eggs hatched .....

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

.....



Name of Bird *Red necked Grebe* Year *1964*

Locality of Nest *Tetlin Lake*

Latitude..... Longitude.....

Altitude... *1650*... Direction slope faces.....

Nest.....<sup>0</sup>.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other .....

List abundant plants:

*Equisetum*

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST

No. of eggs hatched .....

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

.....





Name of Bird Red necked grebe Year 1964

Locality of Nest Tetlin Lake

Latitude 63° 7' Longitude 142° 40'

Altitude 1650 Direction slope faces .....

Nest .....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other .....

List abundant plants:

Carex + old willow (dead)

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat
- On building

FATE OF NEST

No. of eggs hatched .....

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

.....





Name of Bird	Red neck grebe	Year	1964
--------------	----------------	------	------

Locality of Nest In Water - Tetlin ?

Latitude... 63° 7' ..... Longitude... 142° 35' .....

Altitude... 1650 ..... Direction slope faces.....

Nest.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other .....

List abundant plants:

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat
- On building

FATE OF NEST

No. of eggs hatched .....

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

.....







Name of Bird Red neck Grebe | Year 1960

Locality of Nest Tetlin

Latitude 63° 4' Longitude 142° 40'

Altitude 1650 Direction slope faces \_\_\_\_\_

Nest \_\_\_\_\_ ft. above ground or base of cliff.

**TYPE OF VEGETATION IN AREA (check one or more)**

- Forest  Tall brush (4-10')  Shrub (1-4')   
Moist tundra  Rocky tundra  Marsh

Other \_\_\_\_\_

List abundant plants:

**POSITION OF NEST**

- In tree, brush, or shrub   
On ground, under tree, brush or shrub   
On ground, not under tree, brush or shrub   
On ground, in open on sand or rocks   
On cliff or bank  On floating mat

**FATE OF NEST**

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving \_\_\_\_\_

Nest \_\_\_\_\_



Name  
of  
Bird

Red-necked  
Grebe

Year

1960

Locality  
of  
Nest

Merganser Lake, Alaska

Latitude

Longitude

Altitude

1700

Direction slope faces

Nest

0

ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest

Tall brush (4-10')

Shrub (1-4')

Moist tundra

Rocky tundra

Marsh

Other

List abundant plants:

Spruce forest.

POSITION OF NEST

In tree, brush, or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank

On floating mat

FATE OF NEST

No. of eggs hatched

No. of unhatched eggs

Cause of non-hatching of eggs

No. of chicks that left nest

Cause of death of chicks not leaving

Nest



Name of Bird Red-necked Grebe | Year 1961

Locality of Nest Pond near Tetlin River, Alaska

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude 1650 Direction slope faces —

Nest 0 ft. above ground or base of cliff.

**TYPE OF VEGETATION IN AREA (check one or more)**

Forest  Tall brush (4-10')  Shrub (1-4')   
Moist tundra  Rocky Tundra  Field  Marsh

Other \_\_\_\_\_

List abundant plants:

Aspen Willow  
Grass Spruce

**POSITION OF NEST**

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat
- On building

**FATE OF NEST**

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving nest \_\_\_\_\_



Name Red-necked Grebe | Year 1971  
of Podiceps grisegena  
Bird Podiceps grisegena  
Locality Smith Lake,  
of College  
Nest \_\_\_\_\_

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude \_\_\_\_\_ Direction slope faces \_\_\_\_\_

Nest \_\_\_\_\_ ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other \_\_\_\_\_

List abundant plants:

#### POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

#### FATE OF NEST

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving nest \_\_\_\_\_





Name of Bird Red-necked Grebe | Year 1960

Locality of Nest College, Alaska — Smith Lake

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude \_\_\_\_\_ Direction slope faces \_\_\_\_\_

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky tundra  Marsh

Other Marshy edge of pond

List abundant plants:

POSITION OF NEST

- In tree, brush, or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat

On dead veg. protruding to surface of water   
FATE OF NEST Not floating.

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving

Nest \_\_\_\_\_



