

Name
of
Bird

Redpoll sp.

Year

1961

Locality
of
Nest

Mounds Area, Smith Lake Res. College

Latitude

Longitude

Altitude

500 ft. Direction slope faces N

Nest

15(?) ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest

Tall brush (4-10')

Shrub (1-4')

Moist tundra

Rocky Tundra

Field

Marsh

Other

List abundant plants:

birch (nest)

Alder

Aspen

Willow

Cottonwood

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank

On floating mat

On building

FATE OF NEST

unknown

No. of eggs hatched

No. of unhatched eggs

Cause of non-hatching of eggs

No. of chicks that left nest

Cause of death of chicks not leaving nest

Name
of
Bird

Redpoll

Year

1961

Locality
of
Nest

Mounds, Smith Lake Res. College

Latitude

Longitude

Altitude

500

Direction slope faces

N

Nest

12(?)

ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest

Tall brush (4-10')

Shrub (1-4')

Moist tundra

Rocky Tundra

Field

Marsh

Other

List abundant plants:

Birch

Alder

Aspen

Willows

Cottonwood

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank

On floating mat

On building

FATE OF NEST

unknown

No. of eggs hatched

No. of unhatched eggs

Cause of non-hatching of eggs

No. of chicks that left nest

Cause of death of chicks not leaving nest

Name of Bird Redpoll sp | Year 1961

Locality of Nest Mounds, Smith Lake Res. College

Latitude 64° 50' N. Longitude 147° 45' W.

Altitude 500 Direction slope faces N.

Nest 15 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky Tundra Field Marsh

Other _____

List abundant plants:

Birch
Alder
Aspen
Willow
Cottonwood

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST unknown

No. of eggs hatched _____

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving nest _____

Name of Bird Redpoll | Year 1961

Locality of Nest Mounds, Smith Lake Res. College

Latitude _____ Longitude _____

Altitude 500 Direction slope faces N

Nest 15-20 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky Tundra Field Marsh

Other _____

List abundant plants:

Birch
Alder
Aspen
Willow
Cottonwood

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST unknown

No. of eggs hatched _____

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving nest _____

Name
of
Bird

Redpoll

Year

1961

Locality
of
Nest

Mimi Mounds, Smith Lake Res, College

Latitude

Longitude

Altitude

500

Direction slope faces

N

Nest

10

ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest

Tall brush (4-10')

Shrub (1-4')

Moist tundra

Rocky Tundra

Field

Marsh

Other

List abundant plants:

alder (nest)

Birch

Aspen

willow

Cottonwood

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank

On floating mat

On building

FATE OF NEST unknown

No. of eggs hatched

No. of unhatched eggs

Cause of non-hatching of eggs

No. of chicks that left nest

Cause of death of chicks not leaving nest

Name
of
Bird

Red Pole

Year

61

Locality
of
Nest

Kutter Rd. Fairbanks

Latitude

Longitude

Altitude

Direction slope faces

S

Nest

7.5

ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest

Tall brush (4-10')

Shrub (1-4')

Moist tundra

Rocky tundra

Marsh

Other

List abundant plants:

cranberry

Willow

blueberry

Wild grass

drumstick Birch

Spruce

Birch

Moss

POSITION OF NEST

In tree, brush, or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

FATE OF NEST

No. of eggs hatched

5

No. of unhatched eggs

Cause of non-hatching of eggs

No. of chicks that left nest

5

Cause of death of chicks not leaving

Nest

Name
of
Bird

RED POLL

Year

1961

Locality
of
Nest

FAIRBANKS (FT. WAINWRIGHT)

Latitude

64° 40'

Longitude

148°

Altitude

Direction slope faces

Nest

4

ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest

Tall brush (4-10')

Shrub (1-4')

Moist tundra

Rocky Tundra

Field

Marsh

Other

List abundant plants:

Populus sp.

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank

On floating mat

On building

FATE OF NEST

No. of eggs hatched

No. of unhatched eggs

Cause of non-hatching of eggs

No. of chicks that left nest

0

Cause of death of chicks not leaving nest

Unknown

Name of Bird Redpoll | Year 1961

Locality of Nest Eagle Creek
Steele Highway

Latitude _____ Longitude _____

Altitude 2700 Direction slope faces west

Nest 4 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky tundra Marsh

Other _____

List abundant plants:

spruce, d. birch
4-6'
spirea

POSITION OF NEST

In tree, brush, or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

FATE OF NEST

No. of eggs hatched 5

No. of unhatched eggs 0

Cause of non-hatching of eggs _____

No. of chicks that left nest 4

Cause of death of chicks not leaving _____

Nest _____

#29

Name of Bird Redpoll Year 1965

Locality of Nest Lonely Lake Brook's Range

Latitude 67° 05' 7" N Longitude 153° 0' 10" W

Altitude 3700' Direction slope faces flat

Nest 18" above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other near stream

List abundant plants:

sparse fettleaf willow

POSITION OF NEST

In tree, brush or shrub in crotch

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched 4

No. of unhatched eggs none

Cause of non-hatching of eggs

No. of chicks that left nest 4

Cause of death of chicks not leaving nest

#30

Name of Bird Redpoll Year 1965

Locality of Nest Lohely Lake Brooks Range

Latitude 67° 57' N Longitude 153° 10' W

Altitude 3700' Direction slope faces flat

Nest 1 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other near stream

List abundant plants:

taller feltleaf willow
few scrubby willow

POSITION OF NEST

In tree, brush or shrub in crotch

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched 4

No. of unhatched eggs none

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest 4

Cause of death of chicks not leaving nest.....

.....

#31

Name of Bird Redpoll Year 1965

Locality of Nest Lonely Lake Brooks Range

Latitude 67°57'N Longitude 153°10'W

Altitude 2700' Direction slope faces flat

Nest 2' ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other near stream

List abundant plants:

feltleaf willow which is taller & scrubby willow moss

POSITION OF NEST

In tree, brush or shrub in crotch
On ground, under tree, brush or shrub
On ground, not under tree, brush or shrub
On ground, in open on sand or rocks
On cliff or bank On floating mat
On building

FATE OF NEST

No. of eggs hatched 3

No. of unhatched eggs 2

Cause of non-hatching of eggs unknown

No. of chicks that left nest unknown

Cause of death of chicks not leaving nest

#37

Name of Bird Redpoll Year 1965

Locality of Nest Lonely Lake Brooks Range

Latitude 67°57'N Longitude 158°10'W

Altitude 3700' Direction slope faces flat

Nest 2' ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other near stream

List abundant plants:

tatter willow
scrubby willow
moss

POSITION OF NEST

In tree, brush or shrub in crotch

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched 5

No. of unhatched eggs none

Cause of non-hatching of eggs.....

No. of chicks that left nest 5

Cause of death of chicks not leaving nest.....

#34

Name of Bird Redpoll Year 1965

Locality of Nest Lonely Lake Brooks Range

Latitude 67° 57' N Longitude 153° 10' W

Altitude 2700' Direction slope faces flat

Nest 6" above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other near stream

List abundant plants:

feltleaf willow
scrubby willow
moss

POSITION OF NEST

In tree, brush or shrub in crotch

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched none

No. of unhatched eggs none

Cause of non-hatching of eggs predator

No. of chicks that left nest none

Cause of death of chicks not leaving nest predator

#37

Name of Bird Redpoll Year 1965

Locality of Nest Lonely Lake Brooks Range

Latitude 67°57'N Longitude 158°10'W

Altitude 3700' Direction slope faces flat

Nest 3' ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other near stream

List abundant plants:

tatter willow
scrubby willow
moss

POSITION OF NEST

In tree, brush or shrub in crotch

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched 5

No. of unhatched eggs none

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest 5

Cause of death of chicks not leaving nest.....

.....

#38

Name of Bird Redpoll Year 1965

Locality of Nest Lovely Lake Brooks Range

Latitude 67°57'N Longitude 153°10'W

Altitude 2800' Direction slope faces flat

Nest 18" above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other near stream

List abundant plants:

feltleaf willow
shrubby willow
moss

POSITION OF NEST

- In tree, brush or shrub in crotch
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

No. of eggs hatched 4 or 5

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

No. of chicks that left nest not known

Cause of death of chicks not leaving nest.....

predator

2 1 7 4 2 1 7 4 2 1
 110 109 108 107 106 105 104 103 102 101

27 4
 26 2
 25 1
 24 7
 23 4
 22 2
 21 1
 20 7
 19 4
 18 2
 17 1
 16 7
 15 4
 14 2
 13 1
 12 7
 11 4
 10 2
 9 1
 8 7
 7 4
 6 2
 5 1
 4 7
 3 4
 2 2
 1 1

UNISORT AND LISTS CARD

ALASKA NEST RECORD CARD
 University of Alaska, College, Alaska
 Name and address of observer **GILBERT F. STAENDER**
13900 S. W. Sundeleaf Dr.
Orwego, Oregon

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
24	6		4 or 5	♀	
25	7		4 or 5	♀	
26	7	nest empty & torn up			
27					
28					
29					
30					
31					
1					
2					
3					
4					
5					
6					
7					
8					
9					
10					
11					
12					
13					
14					
15					
16					
17					
18					
19					
20					
21					
22					
23					
24					
25					
26					
27					
28					
29					
30					
31					

REMARKS: e.g. Birds banded, pertinent weather information, etc.

most probably predator

309 308 307 306 305 304 303 302 301
 1 7 4 2 1 7 4 2 1

UNISORT

48

Name of Bird Redpoll Year 1965

Locality of Nest Lonely Lake Brooks Range

Latitude 67° 37' N Longitude 153° 10' W

Altitude 3700' Direction slope faces flat

Nest 2 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other on island of stream

List abundant plants:

felt leaf willow
moss

POSITION OF NEST

In tree, brush or shrub in crotch

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched 3

No. of unhatched eggs 1

Cause of non-hatching of eggs sterile

No. of chicks that left nest 3

Cause of death of chicks not leaving nest

2 1 7 4 2 1 7 4 2 1
 110 109 108 107 106 105 104 103 102 101

ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer: **GILBERT F. STAENDER**
13900 S. W. Sundeleaf Dr.
Oswego, Oregon

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
1	7	1	3	♀	
2	7	1	3		
3	7	fledged			
4					
5					
6					
7					
8					
9					
10					
11					
12					
13					
14					
15					
16					
17					
18					
19					
20					
21					
22					
23					
24					
25					
26					
27					

REMARKS: e.g. Birds banded, pertinent weather information, etc.

collected un hatched egg (sterile)

309 308 307 306 305 304 303 302 301
 1 7 4 2 1 7 4 2 1

UNISORT

49

Name of Bird	Year
Redpoll	1965

Locality of Nest Lonely Lake
Brooks Range

Latitude 67° 57' N Longitude 153° 10' W

Altitude 2900' Direction slope faces flat

Nest 3' ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other near stream

List abundant plants:

feltleaf willow
shrubby willow
moss

POSITION OF NEST

In tree, brush or shrub in crotch

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched 4

No. of unhatched eggs none

Cause of non-hatching of eggs

No. of chicks that left nest none

Cause of death of chicks not leaving nest

predator

#50

Name of Bird Redpoll Year 1965

Locality of Nest Lonely Lake Brooks Range

Latitude 67°57'N Longitude 153°10'W

Altitude 2900' Direction slope faces flat

Nest 15" above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other near stream

List abundant plants:

seltleaf willow
shrubby willow
moss

POSITION OF NEST

In tree, brush or shrub in crotch

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched unknown

No. of unhatched eggs.....

Cause of non-hatching of eggs predator

No. of chicks that left nest none

Cause of death of chicks not leaving nest.....

predator

#352

Name of Bird Redpoll Year 1965

Locality of Nest Lovely Lake Brooks Range

Latitude 67°57'N Longitude 153°10'W

Altitude 2900' Direction slope faces flat

Nest 5' ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other near stream

List abundant plants:

feltleaf willow

POSITION OF NEST

In tree, brush or shrub in crotch

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched 4

No. of unhatched eggs none

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest 4

Cause of death of chicks not leaving nest.....

.....

#54

Name of Bird Redpoll Year 1965

Locality of Nest Lonely Lake Brooks Range

Latitude 67°57'N Longitude 153°10'W

Altitude 2900' Direction slope faces S

Nest 35' ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

shrubby willow
cotton grass

POSITION OF NEST

In tree, brush or shrub in crotch

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched 2

No. of unhatched eggs 3

Cause of non-hatching of eggs sterile

.....

No. of chicks that left nest unknown

Cause of death of chicks not leaving nest.....

.....

#57

Name of Bird	Redpoll	Year	1968
--------------	---------	------	------

Locality of Nest BROOKS RANGE, Folly Lake, Head of Unakserak River

Latitude. 67°52' N. Longitude. 154° W.

Altitude. 3000' Direction valley floor slope faces.....

Nest..... 20" ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other rocky stream bed.....

List abundant plants:

narrow band of Feltleafs in streambed

POSITION OF NEST 20" high in crotch of 4' Feltleaf
 In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched unknown.....

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

No. of chicks that left nest..... unknown.....

Cause of death of chicks not leaving nest.....

#32

Name of Bird	Redpoll	Year	1968
--------------	---------	------	------

Locality **BROOKS RANGE, Folly Lake,**
 of **Head of Unakserak River**

Latitude... **67°52'N** Longitude... **154°W**

Altitude... **3000'** Direction slope faces... **flat**

Nest..... **2** ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

Feltleaf and Salix glauca

POSITION OF NEST **bulky nest in**
 In tree, brush or shrub **3'tall Feltleaf**

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched ... **unknown**

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

No. of chicks that left nest... **unknown**

Cause of death of chicks not leaving nest.....

#29

Name of Bird Redpoll	Year 1968
-------------------------	--------------

Locality BROOKS RANGE, Folly Lake
 of Head of Unakserak River
 Nest Head of Unakserak River

Latitude 67° 52' N Longitude 154° W

Altitude 3000' Direction slope faces flat

Nest 2' ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

short willows

POSITION OF NEST 12" up in crotch

of 2' willow
 In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched 4

No. of unhatched eggs 1

Cause of non-hatching of eggs unknown

.....
 No. of chicks that left nest 4

Cause of death of chicks not leaving nest.....

#36

Name of Bird	Redpoll	Year	1968
--------------	---------	------	------

Locality of Nest BROOKS RANGE, Folly Lake, Head of Unakserak River

Latitude... 67° 52' N Longitude... 154° W...

Altitude... 3000'... Direction slope faces flat...

Nest... 1...ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other rocky stream

List abundant plants:

Salix glauca along stream

POSITION OF NEST in crotch of

In tree, brush or shrub 3' willow

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched... 5.....

No. of unhatched eggs... none.....

Cause of non-hatching of eggs.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

#19

Name of Bird Redpoll Year 1965

Locality of Nest Lovely Lake Brooks Range

Latitude 67°57'N Longitude 153°10'W

Altitude 3700' Direction slope faces flat

Nest 18" ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other water flowing under nest & surrounding area

List abundant plants:

leatherleaf willow (sparse)
shorter willows

POSITION OF NEST

In tree, brush or shrub in crotch

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building on island in stream bed

FATE OF NEST

No. of eggs hatched

No. of unhatched eggs. none

Cause of non-hatching of eggs.....

predator

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

50

Name of Bird Redpoll Year 1965

Locality of Nest Lovely Lake Brooks Range

Latitude 67° 57' N Longitude 153° 10' W

Altitude 2700' Direction slope faces flat

Nest 9' ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other near stream

List abundant plants:

mostly shrubby willows
spars fetterleaf willow
moss

POSITION OF NEST

In tree, brush or shrub in crotch

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched 1

No. of unhatched eggs 4

Cause of non-hatching of eggs sterile

No. of chicks that left nest 1

Cause of death of chicks not leaving nest

23

Name of Bird Redpoll Year 1965

Locality of Nest Lonely Lake Brooks Range

Latitude 67°57'N Longitude 153°10'W

Altitude 2900' Direction slope faces flat

Nest 2' ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other near stream

List abundant plants:

dwarf willow
feltleaf willow
moss

POSITION OF NEST

In tree, brush or shrub in crotch

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched 4

No. of unhatched eggs none

Cause of non-hatching of eggs.....

No. of chicks that left nest 4

Cause of death of chicks not leaving nest.....

#521

Name of Bird	Redpoll	Year	1968
--------------	---------	------	------

Locality BROOKS RANGE, Folly Lake.
of Head of Unakserak River
Nest

Latitude... 67° 52' N Longitude 154° W.....

Altitude... 3400' Direction slope faces... west.

Nest... 10"..... ~~ft~~ above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

short willows

POSITION OF NEST in crotch

In tree, brush or shrub 18" hi willow

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched unknown

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest..... unknown

Cause of death of chicks not leaving nest.....

.....

#60

Name of Bird	Redpoll	Year	1968
--------------	---------	------	------

Locality BROOKS RANGE, Folly Lake,
of Head of Unakserak River
Nest

Latitude 67°52'N Longitude 154°W

Altitude 2700' Direction stream shore
slope faces

Nest 3 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other rocky stream shore

List abundant plants:

POSITION OF NEST 3' up in crotch

In tree, brush or shrub 4' Feltleaf

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched unknown

No. of unhatched eggs

Cause of non-hatching of eggs

No. of chicks that left nest unknown

Cause of death of chicks not leaving nest

#59

Name of Bird	Redpoll	Year	1968
--------------	---------	------	------

Locality of Nest BROOKS RANGE, Folly Lake, Head of Unakserak River

Latitude 67°52' N Longitude 154° W

Altitude 3000' Direction slope faces valley floor

Nest 1 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other island in rocky stream

List abundant plants:

POSITION OF NEST 12" up in crotch

In tree, brush or shrub 18" willow

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST unknown

No. of eggs hatched

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

No. of chicks that left nest none

Cause of death of chicks not leaving nest predator

#34

Name of Bird	Redpoll	Year	1968
--------------	---------	------	------

Locality BROOKS RANGE, Folly Lake,
of Head of Unakserak River
Nest

Latitude 67° 52' N Longitude 154° W

Altitude 3000' Direction slope faces flat

Nest 1 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

Feltleaf & Salix glauca

POSITION OF NEST in crotch of

In tree, brush or shrub 3' Salix glauca

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched probably 4

No. of unhatched eggs none

Cause of non-hatching of eggs.....

No. of chicks that left nest probably 4

Cause of death of chicks not leaving nest.....

#37

Name of Bird	Redpoll	Year	1968
--------------	---------	------	------

Locality BROOKS RANGE, Folly Lake,
 of Head of Unakserak River
 Nest

Latitude... 67° 52' N Longitude... 154° W.....

Altitude... 3000' Direction slope faces... flat.

Nest..... 1 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other old stream bed.....

List abundant plants:

POSITION OF NEST in crotch of

In tree, brush or shrub 4' willow

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

unknown

No. of eggs hatched

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest. unknown.....

Cause of death of chicks not leaving nest.....

.....

#38

Name of Bird	Redpoll	Year	1968
--------------	---------	------	------

Locality BROOKS RANGE, Folly Lake,
 of Head of Unakserak River
 Nest

Latitude 67° 52' N Longitude 154° W

Altitude 3000' Direction slope faces flat

Nest 1 1/3 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other dry rocky stream bed

List abundant plants:

POSITION OF NEST in crotch, well-concealed

In tree, brush or shrub 4' willow

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched unknown

No. of unhatched eggs

Cause of non-hatching of eggs

No. of chicks that left nest unknown

Cause of death of chicks not leaving nest

#31

Name of Bird	Redpoll	Year	1968
--------------	---------	------	------

Locality of BROOKS RANGE, Folly Lake
 Nest Head of Unakserak River

Latitude 67° 52' N Longitude 154° W

Altitude 3000' Direction slope faces flat

Nest 2 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

thick patch of
 Feltleaf willows, *Salix*
glauca

Last patch of *Salix Alexensis*
 south side of pass, shrubs
 badly mutilated from avalanches

POSITION OF NEST in crotch

In tree, brush or shrub 5' tall shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched 5

No. of unhatched eggs none

Cause of non-hatching of eggs.....

No. of chicks that left nest.... 5

Cause of death of chicks not leaving nest.....

Between ~~near~~ ^{1st Boiler} 2nd boiler on Mastodon
Fork of Eagle Creek.

Name of Bird	Redpoll	Year	1968
--------------	---------	------	------

Locality of Nest Eagle Creek
Mi. 105 Steese Hwy.

Latitude 65° 27' N Longitude 145° 24' W

Altitude 2700 Direction slope faces NA

Nest 2.2 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

Alder

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

- No. of eggs hatched
- No. of unhatched eggs
- Cause of non-hatching of eggs
-
- No. of chicks that left nest
- Cause of death of chicks not leaving nest
-

~~New~~ ^{New} Near 2nd. boiler ; ~~1st Boiler~~
Mastodon Fk. of Eagle Creek

Name of Bird	Year
Redpoll	1968

Locality of Nest Eagle Creek
Mi. 105 Steese Hwy.

Latitude. 65°27'N Longitude. 145°24'W

Altitude. 2700... Direction slope faces N.A..

Nest. 3 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

Alder

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

- No. of eggs hatched
- No. of unhatched eggs.....
- Cause of non-hatching of eggs.....
-
- No. of chicks that left nest.....
- Cause of death of chicks not leaving nest.....
-

Eagle Cr., AK., Mi. 105 Steese Hwy.

Name of Bird	Year
Redpoll	1968

Locality Nameless Creek; 50 yds.
of down strm. from upper Fks.
Nest ♀ on lower 1/3 of slope.

Latitude 65°26'N Longitude 145°22'W

Altitude 3500 Direction slope faces SE

Nest 2 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

Spruce

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

- No. of eggs hatched
- No. of unhatched eggs.....
- Cause of non-hatching of eggs.....
-
- No. of chicks that left nest.....
- Cause of death of chicks not leaving nest.....
-

Eagle Cr., AK, Mi. 105 Steese Hwy.

Name of Bird	Year
Redpoll	1968

Locality of Nest Jct. of Mastodon & Eagle Forks of Eagle Cr.

Latitude. 65°27' N. Longitude. 145°23' W.

Altitude. 2900 Direction slope faces. N.A.

Nest. 4 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

Willow

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

- No. of eggs hatched
- No. of unhatched eggs.....
- Cause of non-hatching of eggs.....
-
- No. of chicks that left nest.....
- Cause of death of chicks not leaving nest.....
-

#58

Name of Bird	Year
Redpoll	1968

Locality BROOKS RANGE, Folly Lake,
of Head of Unakserak River
Nest

Latitude 67° 52' N Longitude 154° W

Altitude 3000' Direction valley floor
slope faces

Nest 1 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other island of rocky stream

List abundant plants:

POSITION OF NEST 12" up in crotch
4" willow Feltleaf
In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched 4 or more

No. of unhatched eggs unknown

Cause of non-hatching of eggs

No. of chicks that left nest unknown

Cause of death of chicks not leaving nest

#15

Name of Bird Redpoll Year 1965

Locality of Nest Lovely Lake Brooks Range

Latitude 67°57'N Longitude 153°10'W

Altitude 2600' Direction slope faces flat.

Nest 2 1/2' ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other near stream

List abundant plants:

felthaf willow
moss

POSITION OF NEST

In tree, brush or shrub in crotch

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched 4

No. of unhatched eggs 1

Cause of non-hatching of eggs sterile

No. of chicks that left nest 4

Cause of death of chicks not leaving nest

Road ridge above Eagle Creek

Name of Bird Redpoll Year 1965

Locality of Nest Eagle Creek, 105 mile ON Steese Hwy.

Latitude..... Longitude.....

Altitude 2,800..... Direction slope faces SE.....

Nest 2:5.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

Picea,
Salix
Grasses

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

No. of eggs hatched

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest 5.....

Cause of death of chicks not leaving nest.....

.....

Near head of Bates creek

Name of Bird Redpoll Year 1965

Locality of Nest Eagle Creek, 105 mile ON Steese Hwy.

Latitude..... Longitude.....

Altitude..... Direction slope faces... ENE

Nest.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

Alnus
Betula

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

No. of eggs hatched ... undetermined

No. of unhatched eggs... 1

Cause of non-hatching of eggs... possibly inability of chicks to leave shell

No. of chicks that left nest... undetermined

Cause of death of chicks not leaving nest... ..

.....

South Hill above antlers #1
East of gully

Name of Bird Redpoll Year 1965

Locality of Nest Eagle Creek, mile 105
Steese Highway

Latitude _____ Longitude _____

Altitude 3000 Direction slope faces N

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky Tundra Field Marsh

Other _____

List abundant plants:

Alder, willow,
blueberry, birch

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank

On floating mat

On building

FATE OF NEST

No. of eggs hatched _____

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving nest _____

South Hill east of Gully #2

Name of Bird	Redpoll	Year	1965
--------------	---------	------	------

Locality of Nest Eagle Creek, mile 105 Steese Highway.

Latitude..... Longitude.....

Altitude... 3000' ... Direction slope faces... N.....

Nest.... 1 1/2.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)


Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

Willow, alders, dwarf birch,



POSITION OF NEST

In tree, brush or shrub in 2' spruce

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

.....

muskeg above lower camp #4

Name of Bird	Redpoll	Year	1965
--------------	---------	------	------

Locality of Nest	Eagle Creek mile 105 Steeze Highway
------------------	--

Latitude..... Longitude.....

Altitude... 2650... Direction slope faces.. N.....

Nest... 0.5...ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other ... muskeg

List abundant plants:

tussock sedge, sphagnum,

blueberry, dwarf birch

POSITION OF NEST

- In tree, brush or shrub *barely off ground in 1 ft. willow.*
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

- No. of eggs hatched
- No. of unhatched eggs.....
- Cause of non-hatching of eggs.....
-
- No. of chicks that left nest.....
- Cause of death of chicks not leaving nest.....
-

West-running Brook ~~at 3~~ ^{1/2 way up}

Name of Bird Redpoll Year 1965

Locality of Nest Eagle Creek
mile W of Steese

Latitude..... Longitude.....

Altitude... 3000... Direction slope faces... W...

Nest... 2...ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

dwarf birch, lichen, lycopodium

scattered dwarfed spruce

POSITION OF NEST

In tree, brush or shrub in 4' spruce.

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

.....

Head East-running Brook 7

Name of Bird	Year
Redpoll	1965

Locality of Nest Eagle Creek - mile 105 Steese Highway

Latitude..... Longitude.....

Altitude 3100..... Direction slope faces SE.....

Nest 2.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

dwarf birch, willow, blueberry grass, clubmoss

On solifluction ridge

POSITION OF NEST

In tree, brush or shrub in dwarf birch

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

Name of Bird	Redpoll	Year	1965
--------------	---------	------	------

Locality of Nest Eagle Creek
mile 105 Steese

Latitude..... Longitude.....

Altitude... 2650 ... Direction slope faces... flat ...

Nest... 4 ...ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

spruce, willow, alder

POSITION OF NEST

In tree, brush or shrub in 8' spruce

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

.....

mile 106, just E of rd. ♂

Name of Bird Redpoll Year 1965

Locality of Nest Eagle Creek, mile 105 Steese Highway

Latitude..... Longitude.....

Altitude... 3200... Direction slope faces... SE...

Nest..... 0.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

dwarf willow, dwarf birch, sedge tussocks

POSITION OF NEST

- In tree, brush or shrub at base of low willow
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

No. of eggs hatched

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

Name of Bird Redpoll | Year 1965

Locality of Nest Eagle Creek
mile 105 Steese H.

Latitude _____ Longitude _____

Altitude 2900 Direction slope faces S

Nest 0.75 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

- Forest Tall brush (4-10') Shrub (1-4')
- Moist tundra Rocky Tundra Field Marsh

Other _____

List abundant plants:

willow, Potentilla fruticosa
grass, herbs

POSITION OF NEST

- In tree, brush or shrub in low dwarf birch on bank by stream.
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

No. of eggs hatched _____

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving nest _____

