

Name of Bird Semi-palmated Plover | Year 1981

Locality near Mixed Forest II Plot, Susitna R.  
of Nest W of Portage Creek, Upper Susitna R. Valley

Latitude 62°48'N Longitude 149°30'W

Altitude ~840m Direction slope faces —

Nest 0.0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other gravel bar

List abundant plants:

### POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

### FATE OF NEST

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving nest \_\_\_\_\_

27  
4  
26  
2  
25  
1  
24  
7  
23  
4  
22  
2  
21  
1  
20  
7  
19  
4  
18  
2  
17  
1  
16  
7  
15  
4  
14  
2  
13  
1  
12  
7  
11  
4  
10  
2  
9  
1  
8  
7  
7  
4  
6  
2  
5  
1  
4  
7  
3  
4  
2  
2  
1

110 109 108 107 106 105 104 103 102 101

UNISORT  
ALASKA  
BIRDS  
SIS  
CARD

### ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer: ~~Bill~~ Daniel D. Gibson - finder  
Betty A. Anderson  
Maurice E. Ward  
Kevin E. Cooper

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
6	June	4		Yes, ♀	-
15	June	4		-	-
22	June	nest empty			

REMARKS: e.g. Birds banded, pertinent weather information, etc.

22 June - nest didn't look too beat up  
maybe destroyed or over run by  
water (Sustinee had risen & fallen  
on the gravel bar)

309 308 307 306 305 304 303 302 301

201 202 203 204 205 206 207 208 209 210 211 212 213 214 215 216 217 218 219 220 221 222 223 224 225 226 227 228 229 230 231 232 233 234 235 236 237 238 239 240



Name of Bird Semi-palmated Plover | Year 1981

Locality Cottonwood Island, W of Water Crk  
of on Susitna R., Upper Susitna R. Valley  
Nest

Latitude 62°50'N Longitude 148°28'W

Altitude \_\_\_\_\_ Direction slope faces -

Nest 0.0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other gravel bar

List abundant plants:

#### POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

#### FATE OF NEST

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving nest \_\_\_\_\_



Name of Bird semipalmated plover | Year 1971

Locality of Nest Hurricane Gulch

Latitude 62°58'N Longitude 149°37'W

Altitude 1800 Direction slope faces \_\_\_\_\_

Nest \_\_\_\_\_ ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other open gravel area on

List abundant plants: shoulder of highway.

Note: these plovers were in this area for 4 weeks prior to finding of nest; this nest might be re-lay after 1st nest was destroyed.

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat
- On building

FATE OF NEST

No. of eggs hatched 2

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest 2

Cause of death of chicks not leaving nest \_\_\_\_\_





Name of <i>SIMPALMATED PLOVER</i> Bird	Year 1969
--	--------------

Locality *SERPENTINE HOT SPRINGS*  
of  
Nest *SEWARD PENINSULA*

Latitude..... Longitude.....

Altitude..... Direction slope faces.....

Nest.....<sup>0</sup>.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other .....

List abundant plants:

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open ~~on sand or rocks~~
- On cliff or bank  On floating mat
- On building

FATE OF NEST

- No. of eggs hatched .....
- No. of unhatched eggs.....
- Cause of non-hatching of eggs.....
- .....
- No. of chicks that left nest.....
- Cause of death of chicks not leaving nest.....
- .....

2 1 7 4 2 1 7 4 2 1  
110 109 108 107 106 105 104 103 102 101

UNISORT  
ALASKA  
BIRDS  
S.D. FORM Y 12  
BURROUGHS CORPORATION  
TODD DIV. - L

## ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and Address of observer P. WRIGHT & D. ROSENEAU  
ADF 4 G  
NOME, ALASKA

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest?	Sex?	Time
17	JUNE	4		YES	♀	

REMARKS: e.g. Birds banded, pertinent weather information, etc.

NEST ON AIRSTRIP  
AIRPLANE WHEEL TRACKS  
AROUND NEST.

4 2 1 7 4 2 1 7 4 2 1 101  
27 26 25 24 23 22 21 20 19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1  
27 26 25 24 23 22 21 20 19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1

309 308 307 306 305 304 303 302 301  
1 2 4 7 1 2 4 7 1 2 4 7 1 2 4 7 1 2 4 7 1 2 4 7 1 2 4 7 1

UNISORT



Name of Bird Semipalmated Plover | Year 1975

Locality of Nest Nome (mile 25 Kugarook Rd)

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude 3 Direction slope faces \_\_\_\_\_

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other Gravel near River

List abundant plants:

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat
- On building

FATE OF NEST

- No. of eggs hatched \_\_\_\_\_
- No. of unhatched eggs \_\_\_\_\_
- Cause of non-hatching of eggs \_\_\_\_\_
- \_\_\_\_\_
- No. of chicks that left nest \_\_\_\_\_
- Cause of death of chicks not leaving nest \_\_\_\_\_
- \_\_\_\_\_

### ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer: *James T. Shifflett  
Rt. 1, Box 95-L  
Purcellville, Va*

**FOR OBSERVATIONS ON ONE NEST**

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
7	6	4		✓ ♀?	1200

**REMARKS:** e.g. Birds banded, pertinent weather information, etc.

Name of Bird *Semipalmated plover* Year *1970*

Locality of Nest *n/Hurricane, ARR*

Latitude *62°58'* Longitude *149°37'*

Altitude *1800* Direction slope faces.....

Nest.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other *rocky, gravel - area*

List abundant plants: *w/ scattered grass near hgw.*

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat
- On building

FATE OF NEST

No. of eggs hatched ..... *4* .....

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest..... *3* .....

Cause of death of chicks not leaving nest..... *2* .....

.....



2 1 7 4 2 1 7 4 2 1  
 110 109 108 107 106 105 104 103 102 101

4  
27  
2  
26  
1  
25  
7  
24  
4  
23  
2  
22  
1  
21  
7  
20  
4  
19  
2  
18  
1  
17  
7  
16  
4  
15  
2  
14  
1  
13  
7  
12  
4  
11  
2  
10  
1  
9  
7  
8  
4  
7  
2  
6  
5  
1  
4  
7  
3  
2  
2  
1  
1

UNISORT  
 ALASKA  
 BIRDS  
 FORM Y 12  
 BURROUGHS CORPORATION  
 TODD DIV.  
 L

## ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer H. Springer  
Box 5-375  
College Alaska

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
27	6	4 <del>3</del>		1	
30	6		3	both	

REMARKS: e.g. Birds banded, pertinent weather information, etc.

309 308 307 306 305 304 303 302 301  
 1 7 4 2 1 7 4 2 1

UNISORT

Name Charadrius | Year 1971  
of semipalmatus

Locality Fairbanks Int.  
of Airport  
Nest

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude \_\_\_\_\_ Direction slope faces \_\_\_\_\_

Nest \_\_\_\_\_ ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other \_\_\_\_\_

List abundant plants:

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving nest \_\_\_\_\_

110 109 108 107 106 105 104 103 102 101

# ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer

*Willetts*

## FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
-----	-------	-------------	--------------	---------------------	------

26	MY	3	-	1	2220
----	----	---	---	---	------

27	MY	4	-	1	-
----	----	---	---	---	---

30	MY	4	-	1	-
----	----	---	---	---	---

1	JN	4	-	0	-
---	----	---	---	---	---

Bureau of Business Trans. PRINTED IN U.S.A.

water lapping into nest  
eggs collected  
1300 hrs

REMARKS: e.g. Birds banded, pertinent weather information, etc.

309 308 307 306 305 304 303 302 301



Name Semi-palmated Plover Year 1964  
of  
Bird *Charadrius semipalmatus*

Locality gravelly area w. side Snake River  
of  
Nest Nome, Alaska

Latitude  $64^{\circ}30'20''N$  Longitude  $165^{\circ}25'30''W$

Altitude  $20'$  Direction slope faces level

Nest  $0$  ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other warehouses, tide flat

List abundant plants:

willows, Salix spp.  
grasses

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST

No. of eggs hatched .....

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

2 1 7 4 2 1 7 4 2 1  
110 109 108 107 106 105 104 103 102 101

27 4  
26 2  
25 1  
24 7  
23 4  
22 2  
21 1  
20 7  
19 4  
18 2  
17 1  
16 7  
15 4  
14 2  
13 1  
12 7  
11 4  
10 2  
9 1  
8 7  
7 4  
6 2  
5 1  
4 7  
3 4  
2 2  
1 1

UNISORT ANALYSIS CARD

# ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer J. Vincent Hoeman  
Division of Birds  
U.S. National Museum

## FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
12	June	not found		in area	1030
15	June	4	0	yes	1330

REMARKS: e.g. Birds banded, pertinent weather information, etc.

1 201  
2 202  
4 203  
7 204  
1 205  
2 206  
4 207  
7 208  
1 209  
2 210  
4 211  
7 212  
1 213  
2 214  
4 215  
7 216  
1 217  
2 218  
4 219  
7 220  
1 221  
2 222  
4 223  
7 224  
1 225  
2 226  
4 227

309 308 307 306 305 304 303 302 301  
1 7 4 2 1 7 4 2 1

UNISORT

COPY

Name of Bird Plaver Semipalmated Year 1953

Locality of Nest Fert Yukon

Latitude..... Longitude.....

Altitude..... Direction slope faces.....

Nest.....0'.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other .....

List abundant plants:

sand bar under willow bush

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat
- On building

FATE OF NEST

No. of eggs hatched .....

No. of unhatched eggs.....4.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

.....



2 1 7 4 2 1 7 4 2 1  
110 109 108 107 106 105 104 103 102 101

4 2 1 7 4 2 1 7 4 2 1 7 4 2 1 7 4 2 1 7 4 2 1 7 4 2 1  
27 26 25 24 23 22 21 20 19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1

UNISORT ANIMATED CARDS

# ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer *Calvin Lemire*

### FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
7	6	4			
13	6	4			
BURROUGHS CORPORATION - TODD DIVISION - L					

REMARKS: e.g. Birds banded, pertinent weather information, etc.

309 308 307 306 305 304 303 302 301  
1 7 4 2 1 7 4 2 1

UNISORT

Name of Bird semi-pal. plover Year 1962  
Charadrius semipalmatus  
Locality of Nest Spenard High School yard  
near ball diamond

Latitude 61°12'15"N. Longitude 149°55'W.

Altitude 70 Direction slope faces level

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky Tundra  Field  Marsh

Other barren ball-lot close by

List abundant plants: bluegrass, dandelion,  
dock, a mustard, shepards purse

#### POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

#### FATE OF NEST

No. of eggs hatched probably 0

No. of unhatched eggs probably 4

Cause of non-hatching of eggs area disturbed  
by workmen scraping some surface  
gravel.

No. of chicks that left nest probably 0

Cause of death of chicks not leaving nest --





Name of Bird Semi-palmated Plover | Year 1962

Locality of Nest Utukok Riv.

Latitude 68° 50' Longitude 161° 10'

Altitude \_\_\_\_\_ Direction slope faces \_\_\_\_\_

Nest - 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')   
Moist tundra  Rocky Tundra  Field  Marsh

Other Gravel bar

List abundant plants:

Few clumps of a pea vine plant. Polygonum?

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat
- On building

FATE OF NEST

Slight depression in gravel bar.

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving nest \_\_\_\_\_

2 1 7 4 2 1 7 4 2 1  
110 109 108 107 106 105 104 103 102 101

UNISORT  
**ALASKA NEST RECORD CARD**  
University of Alaska, College, Alaska

Name and address of observer *Howard Kantner*

FOR OBSERVATIONS ON ONE NEST

DAY	MONTH	NO. OF EGGS	NO. OF YOUNG	ADULT ON NEST? SEX?	TIME
<i>29</i>	<i>June</i>	<i>4</i>		<i>yes</i> ↓ <i>♀, ♀</i>	<i>1000</i>

REMARKS: e.g. Birds banded, pertinent weather information, etc. *Clear, 10-15 MPH wind.*  
*Nest in bare depression on gravel bench next to river surrounded on 3 sides by Salix. Bar about 25' x 20'.*

UNISORT  
309 308 307 306 305 304 303 302 301  
1 7 4 2 1 7 4 2 1

1 201  
2 202  
4 203  
7 204  
1 205  
2 206  
4 207  
7 208  
1 209  
2 210  
4 211  
7 212  
1 213  
2 214  
4 215  
7 216  
1 217  
2 218  
4 219  
7 220  
1 221  
2 222  
4 223  
7 224  
1 225  
2 226  
4 227

4  
27  
26  
25  
24  
23  
22  
21  
20  
19  
18  
17  
16  
15  
14  
13  
12  
11  
10  
9  
8  
7  
6  
5  
4  
3  
2  
1

UNISORT  
1 7 4 2 1 7 4 2 1

Name of Bird SEMI PALMATED OR RINGED PLOVER Year 1961

Locality ANDERSON PASS ON MULDEW MORaine, MCKINLEY PARK.

Latitude 63° 17' Longitude 150° 20'

Altitude 4000 Direction slope faces EAST

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')   
Moist tundra  Rocky tundra  Marsh

Other \_\_\_\_\_

List abundant plants:

DRYAS, SOME GRASS, MOSS, DWARF WILLOW, ANEMONE

POSITION OF NEST

In tree, brush, or shrub   
On ground, under tree, brush or shrub   
On ground, not under tree, brush or shrub   
On ground, in open on sand or rocks   
On cliff or bank  On floating mat

FATE OF NEST

No. of eggs hatched 4

No. of unhatched eggs 0 (?)

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving \_\_\_\_\_

Nest \_\_\_\_\_





Charadrius semipalmatus

Name  
of  
Bird

Year

1962

Locality  
of  
Nest

Ninilchik, Alaska

Latitude

Longitude

Altitude

Direction slope faces

Nest \_\_\_\_\_ ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest

Tall brush (4-10')

Shrub (1-4')

Moist tundra

Rocky Tundra

Field

Marsh

Other

Sea Beach

List abundant plants:

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank

On floating mat

On building

FATE OF NEST

No. of eggs hatched

?

No. of unhatched eggs

?

Cause of non-hatching of eggs

?

No. of chicks that left nest

?

Cause of death of chicks not leaving nest

?

2 1 7 4 2 1 7 4 2 1  
110 109 108 107 106 105 104 103 102 101

27 4  
26 2  
25 1  
24 7  
23 4  
22 2  
21 1  
20 7  
19 4  
18 2  
17 1  
16 7  
15 4  
14 2  
13 1  
12 7  
11 4  
10 2  
9 1  
8 7  
7 4  
6 2  
5 1  
4 7  
3 4  
2 2  
1 1

# ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer *James E. Hemming  
Box 960, Anchorage, Alaska*

FOR OBSERVATIONS ON ONE NEST

DAY	MONTH	NO. OF EGGS	NO. OF YOUNG	ADULT ON NEST? SEX?	TIME
3	Jun	3	0	Yes	A.M.
10	Jun	3	0	No	P.M.

REMARKS: e.g. Birds banded, pertinent weather information, etc.

*Two eggs were in a small depression in beach gravel and one egg was approx. 18" away among scattered kelp. ♀ gave distraction display at each visit.*

1 201  
2 202  
4 203  
7 204  
1 205  
2 206  
4 207  
7 208  
1 209  
2 210  
4 211  
7 212  
1 213  
2 214  
4 215  
7 216  
1 217  
2 218  
4 219  
7 220  
1 221  
2 222  
4 223  
7 224  
1 225  
2 226  
4 227

309 1  
308 7  
307 4  
306 2  
305 1  
304 7  
303 4  
302 2  
301 1

UNISORT



Name of Bird SEMIPALMATED PLOVER

Year 1962

Locality of Nest R & D - RANGE near TANANA RIVER SOUTH OF FT. WAINWRIGHT

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude \_\_\_\_\_ Direction slope faces \_\_\_\_\_

Nest \_\_\_\_\_ ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky Tundra  Field  Marsh

Other cleared area in brush

List abundant plants: sandy, silt, gravel

#### POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

#### FATE OF NEST

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving nest \_\_\_\_\_

2 1 7 4 2 1 7 4 2 1  
110 109 108 107 106 105 104 103 102 101

# ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer *Heinrich K. Springer  
18th Ave - Co, Ft. Wainwright*

## FOR OBSERVATIONS ON ONE NEST

DAY	MONTH	NO. OF EGGS	NO. OF YOUNG	ADULT ON NEST? SEX?	TIME
5	June	3		1	all day
6	"	3		1	all day

REMARKS: e.g. Birds banded, pertinent weather information, etc.

*eggs : 32.3 x 23.8 [mm]  
31.5 x 24.0  
31.3 x 23.1*

1 201  
2 202  
3 203  
4 204  
5 205  
6 206  
7 207  
8 208  
9 209  
10 210  
11 211  
12 212  
13 213  
14 214  
15 215  
16 216  
17 217  
18 218  
19 219  
20 220  
21 221  
22 222  
23 223  
24 224  
25 225  
26 226  
27 227

27 4  
26 2  
25 1  
24 7  
23 4  
22 2  
21 1  
20 7  
19 4  
18 2  
17 1  
16 7  
15 4  
14 2  
13 1  
12 7  
11 4  
10 2  
9 1  
8 7  
7 4  
6 2  
5 1  
4 7  
3 4  
2 2  
1 1

309 308 307 306 305 304 303 302 301  
1 7 4 2 1 7 4 2 1

UNISORT

Name of Bird Semi palmed Plover Year 1963

Locality of Nest Kukruk River NW Alaska

Latitude 68° 16' Longitude 165° 35'

Altitude 150' Direction slope faces flat

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other low sand dune

List abundant plants:

Salix glauca

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST

No. of eggs hatched probably 4

No. of unhatched eggs 0

Cause of non-hatching of eggs —

No. of chicks that left nest probably 4

Cause of death of chicks not leaving nest —



2 1 7 4 2 1 7 4 2 1  
110 109 108 107 106 105 104 103 102 101

4  
26  
25  
24  
23  
22  
21  
20  
19  
18  
17  
16  
15  
14  
13  
12  
11  
10  
9  
8  
7  
6  
5  
4  
3  
2  
1

UNISORT ANALYSIS CARD

# ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer: **Herbert R. Melchior**  
**Zoology Dept.**  
**Univ. of Wisconsin**

## FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
19	June	4	0	Yes	-
20	June	4	0	"	1100
27	"	"	0	"	1715
30	"	"	0	"	2100
1	July	"	0	"	1110
1	July	"	0	"	1815
2	July	"	0	"	1145
2	July	"	"	"	1900
6	July	0	0	No	0930

REMARKS: e.g. Birds banded, pertinent weather information, etc.

309 308 307 306 305 304 303 302 301  
1 7 4 2 1 7 4 2 1

UNISORT

Study Area

Name of Bird Semipalmated Plover Year 1963

Locality of Nest Kukpuk River NW Alaska

Latitude 68° 16' Longitude 165° 35'

Altitude 150' Direction slope faces flat

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky Tundra  Field  Marsh

Other low flatish sand dune

List abundant plants:

Salix glauca

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST

No. of eggs hatched 4?

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest 4?

Cause of death of chicks not leaving nest \_\_\_\_\_



# ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer

FOR OBSERVATIONS ON ONE NEST

DAY	MONTH	NO. OF EGGS	NO. OF YOUNG	ADULT ON NEST? SEX?	TIME
19	June	4	0	Yes	1245
30	June	0	0	No	-

REMARKS: e.g. Birds banded, pertinent weather information, etc.

2 1 7 4 2 1 7 4 2 1  
110 109 108 107 106 105 104 103 102 101

27 4  
26 2  
25 1  
24 7  
23 4  
22 2  
21 1  
20 7  
19 4  
18 2  
17 1  
16 7  
15 4  
14 2  
13 1  
12 7  
11 4  
10 2  
9 1  
8 7  
7 4  
6 2  
5 1  
4 7  
3 4  
2 2  
1 1

UNISORT  
309 1  
308 7  
307 4  
306 2  
305 1  
304 7  
303 4  
302 2  
301 1

UNISORT ANALYSIS CARD STD. FORM Y 12

1 201  
2 202  
4 203  
7 204  
1 205  
2 206  
4 207  
7 208  
1 209  
2 210  
4 211  
7 212  
1 213  
2 214  
4 215  
7 216  
1 217  
2 218  
4 219  
7 220  
1 221  
2 222  
4 223  
7 224  
1 225  
2 226  
4 227



Near Fox den

Name of Bird	Semipalmated Plover	Year	1963
--------------	---------------------	------	------

Locality of Nest Kukpuk River  
NW Alaska

Latitude. 68° 16' Longitude. 165° 35'

Altitude. 150' Direction slope faces. flat

Nest. 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other low silt deposit on

List abundant plants: gravel bar

Salix

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat
- On building

FATE OF NEST

No. of eggs hatched 4

No. of unhatched eggs 0

Cause of non-hatching of eggs —

No. of chicks that left nest 3

Cause of death of chicks not leaving nest. unknown could possibly have been due to inclement weather

2	1	7	4	2	1	7	4	2	1
110	109	108	107	106	105	104	103	102	101

**ALASKA NEST RECORD CARD**  
 University of Alaska, College, Alaska

Name and address of observer **FRANK A. Iwen  
 Univ of Wis Center  
 Racine, Wis**

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
30	Jun	4		Yes	1300
1	Jul	4		Yes	1030
5	Jul	0	4	Yes	0915
6	Jul	0	0	—	0915

REMARKS: e.g. Birds banded, pertinent weather information, etc.  
**Eggs in shallow depression within the Salix covered deposit.  
 5 July - one of the young dead in nest.**

309	308	307	306	305	304	303	302	301
1	7	4	2	1	7	4	2	1

27  
4  
26  
2  
25  
1  
24  
7  
23  
4  
22  
2  
21  
1  
20  
7  
19  
4  
18  
2  
17  
1  
16  
7  
15  
4  
14  
2  
13  
1  
12  
7  
11  
4  
10  
2  
9  
1  
8  
7  
7  
4  
6  
2  
5  
1  
4  
7  
3  
4  
2  
2  
1

1  
201  
2  
202  
4  
203  
7  
204  
1  
205  
2  
206  
4  
207  
7  
208  
1  
209  
2  
210  
4  
211  
7  
212  
1  
213  
2  
214  
4  
215  
7  
216  
1  
217  
2  
218  
4  
219  
7  
220  
1  
221  
2  
222  
4  
223  
7  
224  
1  
225  
2  
226  
4  
227

UNISORT ANALYSIS CARD FOR REPRODUCTION - TODD DIVISION - 1

UNISORT

Name of Bird SEMI-PALMATED PLOVER Year 1960

Locality of Nest Mendenhall Flats near Glacier

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude \_\_\_\_\_ Direction slope faces \_\_\_\_\_

Nest \_\_\_\_\_ ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky tundra  Marsh  *nearby*

Other GLACIAL MORRAINE

List abundant plants:

Willow Alder scrub only.

POSITION OF NEST

- In tree, brush, or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open sand or rocks
- On cliff or bank  On floating mat

FATE OF NEST

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving \_\_\_\_\_

Nest \_\_\_\_\_



2 1 7 4 1 7 4 2 1  
110 109 108 107 106 105 104 103 102 101

27 4  
26 2  
25 1  
24 7  
23 4  
22 2  
21 1  
20 7  
19 4  
18 2  
17 1  
16 7  
15 4  
14 1  
13 1  
12 7  
11 4  
10 2  
9 1  
8 7  
7 4  
6 2  
5 1  
4 7  
3 4  
2 2  
1 1

# ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer: *Robards, Fred  
Juneau Alaska*

FOR OBSERVATIONS ON ONE NEST

DAY	MONTH	No. of Eggs	No. of Young	ADULT ON NEST? SEX?	TIME
<i>28</i>	<i>May</i>	<i>4</i>	<i>0</i>	<i>YES</i>	<i>1450</i>
<i>8</i>	<i>June</i>	<i>4</i>	<i>0</i>	<i>YES</i>	<i>1630</i>
<i>10</i>	<i>June</i>	<i>0</i>	<i>0</i>	<i>-</i>	<i>1400</i>
<i>Nest hatched off about June 10</i>					

REMARKS: e.g. Birds banded, pertinent weather information, etc.

309 308 307 306 305 304 303 302 301  
1 7 4 2 1 7 4 2 1

1 201  
2 202  
4 203  
7 204  
1 205  
2 206  
4 207  
7 208  
1 209  
2 210  
4 211  
7 212  
1 213  
2 214  
4 215  
7 216  
1 217  
2 218  
4 219  
7 220  
1 221  
2 222  
4 223  
7 224  
1 225  
2 226  
4 227

UNISORT MAILING ANALYSIS CARD STD. FORM 112

UNISORT

Name of Bird Semipalmated Plover | Year 1960

Locality of Nest 1 mile up Pitmegea River, Cape Sabine, Alaska

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude 9 Direction slope faces flat

Nest (10') ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky tundra  Marsh

Other Gravel + mud bar

List abundant plants:

Willow, sedge + grass

POSITION OF NEST not found

- In tree, brush, or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat

FATE OF NEST

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving

Nest \_\_\_\_\_





Name of Bird Semi-palmated Plover | Year 1961

Locality of Nest Utukok River AAA.

Latitude 69° 25' Longitude 160° 5'

Altitude \_\_\_\_\_ Direction slope faces \_\_\_\_\_

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky tundra  Marsh

Other Gravel bar - stone

List abundant plants:

Mostly bare

Salix

|  
clumps of Lupine.

POSITION OF NEST

- In tree, brush, or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat

FATE OF NEST ?

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving

Nest \_\_\_\_\_



Name of Bird SEMI Palmaried PLOVER Year 1960

Locality of Nest Mendenhall Glacier FLATS

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude \_\_\_\_\_ Direction slope faces \_\_\_\_\_

Nest \_\_\_\_\_ ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky tundra  Marsh

Other \_\_\_\_\_

List abundant plants:

Willow Alder.

POSITION OF NEST

In tree, brush, or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

nest lined w sticks

FATE OF NEST

No. of eggs hatched 4

No. of unhatched eggs 0

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving \_\_\_\_\_

Nest \_\_\_\_\_





Name of Bird Semipalmated Plover Year 1960

Locality of Nest Mendenhall Lake

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude 2ft above lake level Direction slope faces S

Nest \_\_\_\_\_ ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky tundra  Marsh

Other Rocky Beach

List abundant plants:

Alder & Willow bushes above high water line

POSITION OF NEST

- In tree, brush, or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat

on exposed beach

FATE OF NEST

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving \_\_\_\_\_

Nest \_\_\_\_\_





Name SEMI PALMATED Year \_\_\_\_\_  
of Bird PLOVER 1960

Locality EDGE OF MENDENHALL  
of Nest LAKE N SIDE

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude 55' Direction slope faces S

Nest \_\_\_\_\_ ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky tundra  Marsh

Other Rocky Beach

List abundant plants:

No cover plants  
close to nest.

POSITION OF NEST

In tree, brush, or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

FATE OF NEST

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving \_\_\_\_\_

Nest \_\_\_\_\_



Name of Bird Semi-Palmated Plover | Year 1961

Locality of Nest Canvasback Lake near Ft. Yukon

Latitude 66°30' Longitude 146°30'

Altitude 400 ft Direction slope faces West

Nest \_\_\_\_\_ ft. above ground or base of cliff.

**TYPE OF VEGETATION IN AREA (check one or more)**

Forest  Tall brush (4-10')  Shrub (1-4')   
Moist tundra  Rocky Tundra  Field  Marsh

Other \_\_\_\_\_

**List abundant plants:**

spruce willow sedge aquatics within 30 ft. nest 20ft from waters edge.

**POSITION OF NEST**

In tree, brush or shrub   
On ground, under tree, brush or shrub   
On ground, not under tree, brush or shrub   
On ground, in open on sand or rocks   
On cliff or bank  On floating mat   
On building

**FATE OF NEST**

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving nest \_\_\_\_\_





Name of Bird SEMI-PALMATED PLOVER Year 1980

Locality of Nest N. of LOOPER BAY

Latitude 61° 35' N Longitude 166° 10' W.

Altitude 5' Direction slope faces \_\_\_\_\_

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky tundra  Marsh

Other Sand dune

List abundant plants:

POSITION OF NEST

- In tree, brush, or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat

FATE OF NEST

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

\_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving

Nest \_\_\_\_\_

\_\_\_\_\_





Name of Bird *Semipalmated Plover* Year 1963

Locality of Nest *Jgiak Bay*

Latitude *61°44'* Longitude *165°43'*

Altitude..... Direction slope faces.....

Nest.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other .....

List abundant plants:

· POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST

No. of eggs hatched .....

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

.....

2 1 7 4 2 1 7 4 2 1  
110 109 108 107 106 105 104 103 102 101

27 4  
26 2  
25 1  
24 7  
23 4  
22 2  
21 1  
20 7  
19 4  
18 2  
17 1  
16 7  
15 4  
14 2  
13 1  
12 7  
11 4  
10 2  
9 1  
8 7  
7 4  
6 2  
5 1  
4 7  
3 4  
2 2  
1 1

UNISORT ANALYSIS CARD

# ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer: **Heinrich Springer and Glen Smart**

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
8	June	4		both ad	
10	"	4		"	
12					

REMARKS: e.g. Birds banded, pertinent weather information, etc.

UNISORT 309 1 308 7 307 4 306 2 305 1 304 7 303 4 302 2 301 1

201 1  
202 2  
203 4  
204 7  
205 1  
206 2  
207 4  
208 7  
209 1  
210 2  
211 4  
212 7  
213 1  
214 2  
215 4  
216 7  
217 1  
218 2  
219 4  
220 7  
221 1  
222 2  
223 4  
224 7  
225 1  
226 2  
227 4

UNISORT

Name of Bird *Semi-palmated Plover* *Charadrius semipalmatus* Year 1964

Locality of Nest Moose River, Kenai Peninsula  
1/4 mile above highway bridge

Latitude 60° 32' N Longitude 150° 45' W

Altitude 150' Direction slope faces E

Nest 0 ft. above ground or ~~base of cliff.~~

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other open river 30' distant

List abundant plants: moss + lichens, grasses, bog birch, black spruce willow, labrador tea.

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

~~On ground, in open on sand or rocks~~

On cliff or bank  On floating mat

On building

FATE OF NEST

No. of eggs hatched possibly 3

No. of unhatched eggs at least 1

Cause of non-hatching of eggs 1 collected

No. of chicks that left nest

Cause of death of chicks not leaving nest



2 1 7 4 2 1 7 4 2 1  
110 109 108 107 106 105 104 103 102 101

27 4  
26 2  
25 1  
24 7  
23 4  
22 2  
21 1  
20 7  
19 4  
18 2  
17 1  
16 7  
15 4  
14 2  
13 1  
12 7  
11 4  
10 2  
9 1  
8 7  
7 4  
6 2  
5 1  
4 7  
3 4  
2 2  
1 1

# ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer: *J. Vin Hoeman  
Div. of Birds  
Smithsonian Institution*

## FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
<i>7</i>	<i>June</i>	<i>4</i>	<i>-</i>	<i>yes</i>	

REMARKS: e.g. Birds banded, pertinent weather information, etc.  
*nest lined with dead grass in depression in dirt near 2 small rocks  
1 egg collected was fresh.  
both parents tried to lure me off*

309 308 307 306 305 304 303 302 301  
1 2 4 7 1 2 4 7 1

UNISORT

Name of Bird SEMI-PALMATED PLOVER Year 1967

Locality of Nest COHOE, ALASKA

Latitude 60 Longitude 151

Altitude 85 Direction slope faces

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other GRAVEL PIT

List abundant plants:

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat
- On building

FATE OF NEST

No. of eggs hatched NONE

No. of unhatched eggs 1

Cause of non-hatching of eggs EGG BROKEN

No. of chicks that left nest

Cause of death of chicks not leaving nest





Name SEMIPALMATED  
of PLOVER  
Bird Year 1967

Locality REID INLET  
of GLACIER BAY  
Nest

Latitude 58° 52' Longitude 136° 49'

Altitude 30' Direction slope faces FLAT

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other Salt grass

List abundant plants: ↑ Arenaria peploides

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat
- On building

FATE OF NEST

No. of eggs hatched ?

No. of unhatched eggs

Cause of non-hatching of eggs

No. of chicks that left nest

Cause of death of chicks not leaving nest

2 1 7 4 2 1 7 4 2 1  
110 109 108 107 106 105 104 103 102 101

1 2 4 7 1 2 4 7 1 2 4 7 1 2 4 7 1 2 4 7 1 2 4 7 1 2 4 7 1 2 4 7 1 2 4 7 1 2 4 7 1 2 4 7 1 2 4 7

UNISORT  
ALASKA  
CARD  
STP. FORM Y 12  
BURROUGHS CORPORATION  
- TODD DIV. - L

**ALASKA NEST RECORD CARD**  
University of Alaska, College, Alaska

Name and address of observer: DENNIS WIK  
GLACIER BAY

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
9	JUN	2	0	YES	
11	"	4	0	"	
25	"	0	0	NO	

REMARKS: e.g. Birds banded, pertinent weather information, etc.

SUSPECT NEST WAS PLUNDERED BY ANOTHER CREATURE (NON-HUMAN) AS INCUBATION OF SECOND 2 EGGS THOUGHT TO BE LONGER

309 308 307 306 305 304 303 302 301  
1 7 4 2 1 7 4 2 1

27 4 26 2 25 1 24 7 23 4 22 2 21 1 20 7 19 4 18 2 17 1 16 7 15 4 14 2 13 1 12 7 11 4 10 2 9 1 8 7 7 4 6 2 5 1 4 7 3 4 2 2 1 227 7 226 2 225 1 224 7 223 4 222 2 221 1 220 7 219 4 218 2 217 1 216 7 215 4 214 2 213 1 212 7 211 4 210 2 209 1 208 7 207 4 206 2 205 1 204 7 203 4 202 2 201 1  
UNISORT

Name of Bird SEMIPALMATED PLOVER Year 1967

Locality of Nest REID INLET GLACIER BAY

Latitude 58° 52' Longitude 136° 49'

Altitude 20' Direction slope faces FLAT

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest [ ] Tall brush (4-10') [ ] Shrub (1-4') [ ]

Moist Tundra [ ] Rocky Tundra [x] Field [ ] Marsh [ ]

Other See Beech

List abundant plants: Salix sp., Dryas drummondii, Equisetum alaskanum

POSITION OF NEST

- In tree, brush or shrub [ ]
On ground, under tree, brush or shrub [ ]
On ground, not under tree, brush or shrub [ ]
On ground, in open on sand or rocks [x]
On cliff or bank [ ] On floating mat [ ]
On building [ ]

FATE OF NEST

No. of eggs hatched 4
No. of unhatched eggs 0
Cause of non-hatching of eggs -
No. of chicks that left nest 4
Cause of death of chicks not leaving nest -



# ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer **DENNIS WIK**  
**GLACIER BAY**

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
7	JUN	4	0		
8		4	0		
11		4	0		
12		4	0		
25		4	0		
26		4	0		
27		4	0		
28		0	2		
29		0	0		

REMARKS: e.g. Birds banded, pertinent weather information, etc. **TWO OTHER NESTS FOUND AT REID INLET. CARDS FILLED OUT ON THEM TOO.**  
**THIS NEST DISCOVERED BY ROBT. E. HOWE.**

1 2 4 7 1 2 4 7 1 2 4 7 1 2 4 7 1 2 4 7 1 2 4 7 1 2 4 7 1 2 4 7 1 2 4 7 1 2 4 7 1 2 4 7 1 2 4 7 1 2 4 7 1 2 4 7 1 2 4 7

27 26 25 24 23 22 21 20 19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1

Name of Bird SEMIPALMATED PLOVER Year 1967

Locality of Nest REID INLET GLACIER BAY

Latitude 58° 52' Longitude 136° 49'

Altitude 30' Direction slope faces FLAT

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest [ ] Tall brush (4-10') [ ] Shrub (1-4') [ ]

Moist Tundra [ ] Rocky Tundra [x] Field [ ] Marsh [ ]

Other SEA BEACH

List abundant plants: Dryas drummondii, Equisetum alaskanum, Salix sp.

POSITION OF NEST

- In tree, brush or shrub [ ]
On ground, under tree, brush or shrub [ ]
On ground, not under tree, brush or shrub [ ]
On ground, in open on sand or rocks [x]
On cliff or bank [ ] On floating mat [ ]
On building [ ]

FATE OF NEST

No. of eggs hatched 4 Presumably
No. of unhatched eggs
Cause of non-hatching of eggs
No. of chicks that left nest 4
Cause of death of chicks not leaving nest

2 1 7 4 2 1 7 4 2 1  
 110 109 108 107 106 105 104 103 102 101

27 4  
26 2  
25 1  
24 7  
23 4  
22 2  
21 1  
20 7  
19 4  
18 2  
17 1  
16 7  
15 4  
14 2  
13 1  
12 7  
11 4  
10 2  
9 1  
8 7  
7 4  
6 2  
5 1  
4 7  
3 4  
2 2  
1 1

**ALASKA NEST RECORD CARD**  
 University of Alaska, College, Alaska

Name and address of observer: **DENNIS WIK**  
**GLACIER BAY**

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
25	JUN	4	0	Near	
26	"	4	0	"	
27	"	4	0	"	
28	"	4	0	"	
29	"	4	0	"	
30	"	4	0	"	
23	JUL	0	0	No	

REMARKS: e.g. Birds banded, pertinent weather information, etc.  
 DISCOVERED BY CHAS. V. JANDA.

1 201  
2 202  
4 203  
7 204  
1 205  
2 206  
4 207  
7 208  
1 209  
2 210  
4 211  
7 212  
1 213  
2 214  
4 215  
7 216  
1 217  
2 218  
4 219  
7 220  
1 221  
2 222  
4 223  
7 224  
1 225  
2 226  
4 227

UNISORT

309 308 307 306 305 304 303 302 301  
 1 7 4 2 1 7 4 2 1



Name of Bird Semipalmated Plover Year 1966

Locality of Nest Near mouth of Creek on North end of Hagemester Isl

Latitude 58° 45' Longitude 160° 55'

Altitude 8' Direction slope faces level

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other Beach

List abundant plants:

Elymus mollis

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST

No. of eggs hatched .....

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

2 1 7 4 2 1 7 4 2 1  
110 109 108 107 106 105 104 103 102 101

1 201  
2 202  
4 203  
7 204  
1 205  
2 206  
4 207  
7 208  
1 209  
2 210  
4 211  
7 212  
1 213  
2 214  
4 215  
7 216  
1 217  
2 218  
4 219  
7 220  
1 221  
2 222  
4 223  
7 224  
1 225  
2 226  
4 227

UNISORT  
**ALASKA NEST RECORD CARD**  
University of Alaska, College, Alaska

Name and address of observer Robert Pegau  
College, Alaska

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
20	June	4	0	yes	1300
22	June	4	0	NEAR	1500

REMARKS: e.g. Birds banded, pertinent weather information, etc.

27 4  
26 2  
25 1  
24 7  
23 4  
22 2  
21 1  
20 7  
19 4  
18 2  
17 1  
16 7  
15 4  
14 2  
13 1  
12 7  
11 4  
10 2  
9 1  
8 7  
7 4  
6 2  
5 1  
4 7  
3 4  
2 2  
1 1

309 1  
308 7  
307 4  
306 2  
305 1  
304 7  
303 4  
302 2  
301 1

UNISORT

Name of Bird SEMI-PALMATED PLOVER Year 1968

Locality of Nest COHOC. ALASKA

Latitude... 151 ... Longitude... 61 ...

Altitude... 10 ... Direction slope faces.....

Nest..... 0 .....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other GRAVEL + CLAY near RIVER

List abundant plants:

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat
- On building

FATE OF NEST

No. of eggs hatched ..... 4 .....

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest..... 4 .....

Cause of death of chicks not leaving nest.....

.....



2 1 7 4 2 1 7 4 2 1  
110 109 108 107 106 105 104 103 102 101

27 4  
26 2  
25 1  
24 7  
23 4  
22 2  
21 1  
20 7  
19 4  
18 2  
17 1  
16 7  
15 4  
14 2  
13 1  
12 7  
11 4  
10 2  
9 1  
8 7  
7 4  
6 2  
5 1  
4 7  
3 4  
2 2  
1 1

UNISORT  
R. W. BURROUGHS CORPORATION  
TODD DIV. L.

# ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer MARY A. MILLER  
KASILOF, AK

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
17	JUNE		4		2:15 pm

REMARKS: e.g. Birds banded, pertinent weather information, etc.  
SAW 4 YOUNG AGAIN IN JUNE 27TH.

309 308 307 306 305 304 303 302 301  
1 7 4 2 1 7 4 2 1

1 2 4 7 1 2 4 7 1 2 4 7 1 2 4 7 1 2 4 7 1 2 4 7 1 2 4 7 1 2 4 7 1 2 4 7

UNISORT

Semipalmated plover

Name of Bird Charadrius semipalmatus Year 1968

Locality of Nest Glacier Bay Nat'l Monument  
Outwash near creek 1/2 mi S. of  
Goose Cove

Latitude 58° 57' N Longitude 136° 06' W

Altitude 20' Direction slope faces 6uel

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other Glacial outwash, stabilized

List abundant plants: by *Bryas drummondii*,  
closed *Bryas* mat stage. Some  
shrub alder and willow w/ dwarf  
willow (*S. arcticus*). Nest a small  
hollow in open sand and gravel  
amid several boulders (nearly  
buried), surrounded by *Bryas* mat.  
Eggs OD, dark spotted.

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat
- On building

FATE OF NEST

No. of eggs hatched 4

No. of unhatched eggs 0

Cause of non-hatching of eggs -

No. of chicks that left nest 4

Cause of death of chicks not leaving nest -

# ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer *C. L. Estabrook  
N.P.S. Gustavus, AK.*

### FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
13	June	4	-	One adult	1200
14	"	"	-	"	1000
15	"	"	-	"	1000
16	"	"	-	"	1700
18	"	"	-	No	1800
22	"	"	-	One adult	2000
23	"	"	-	"	"
26	"	"	-	"	"
30	"	1	3	"	2130
1	July	0	1	both	2100
2	July	0	0	No	20:00

REMARKS: e.g. Birds banded, pertinent weather information, etc.

*Nest discovered 13 June by Jerry Hok. Killdeer observed close by and stridently vocal on visits of 13, 14, 15, 16 June, his warning note given before plover's each day.*

309 308 307 306 305 304 303 302 301

UNISORT



#25

Name of Bird	Semipalmated Plover	Year	1968
--------------	---------------------	------	------

Locality of Nest BROOKS RANGE, Folly Lake, Head of Unakserak River

Latitude... 67° 52' N Longitude... 154° W...

Altitude... 3000' Direction slope faces flat...

Nest... on .....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other established river bar

List abundant plants:  
dryas

POSITION OF NEST scrape in gravel

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST

No. of eggs hatched probably 4, saw at least 3

No. of unhatched eggs... none

Cause of non-hatching of eggs.....

No. of chicks that left nest probably 4

Cause of death of chicks not leaving nest.....

# ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer: Mr. & Mrs. Gilbert Staender  
13900 Southwest Sundeleaf Dr.  
Lake Oswego, Oregon 97034

### FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
19	6	4		yes- other defending	
28	6		parents	defending	
7	7		nest empty-	parents defending area	
11	7		parents	defending saw at least 2 y (photo'd)	
16	7		3 at least (photo'd)		

REMARKS: e.g. Birds banded, pertinent weather information, etc.

#68

Name of Bird	Semipalmated Plover	Year	1968
--------------	---------------------	------	------

Locality of Nest BROOKS RANGE, Survey Pass

Latitude... 67°52' N Longitude... 154° W.....

Altitude... 3300'..... Direction slope faces near over-flow ice.....

Nest..... on..... ft. ~~above~~ ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other near large field of ice.....

List abundant plants:

POSITION OF NEST depression in rocky tundra

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST

No. of eggs hatched unknown.....

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

..... unknown.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....



2 1 7 4 2 1 7 4 2 1  
110 109 108 107 106 105 104 103 102 101

27  
4  
26 2  
25 1  
24 7  
23 4  
22 2  
21 1  
20 7  
19 4  
18 2  
17 1  
16 7  
15 4  
14 2  
13 1  
12 7  
11 4  
10 2  
9 1  
8 7  
7 4  
6 2  
5 1  
4 7  
3 4  
2 2  
1 1

UNISORT  
MADE  
ALASKA  
SIS  
CARD  
STP. FORM Y 12  
BIRROUSHS CORPORATION - TODD DIV. - L

## ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer **Mr. & Mrs. Gilbert Staender  
13900 Southwest Sundleaf Dr.  
Lake Oswego, Oregon 97034**

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
5	7	3		yes-- both defending	

REMARKS: e.g. Birds banded, pertinent weather information, etc.

309 308 307 306 305 304 303 302 301  
1 7 4 2 1 7 4 2 1

UNISORT

1 201  
2 202  
4 203  
7 204  
1 205  
2 206  
4 207  
7 208  
1 209  
2 210  
4 211  
7 212  
1 213  
2 214  
4 215  
7 216  
1 217  
2 218  
4 219  
7 220  
1 221  
2 222  
4 223  
7 224  
1 225  
2 226  
4 227

Name of Bird Semipalmated Plover | Year 1984

Locality of Nest Fairbanks, Alaska  
S. Cushman flats

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude \_\_\_\_\_ Direction slope faces 0

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other gravel bar

List abundant plants:

alder  
fireweed  
grass

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST

No. of eggs hatched 0

No. of unhatched eggs 0

Cause of non-hatching of eggs nest destroyed  
cause unknown - broken eggs  
in nest

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving nest \_\_\_\_\_

