

Name of Bird Wheatear Year 1966

Locality of Nest on first ridge S.W. of main creek Northend of Hagemister Is.

Latitude 58°44' Longitude 160°55'

Altitude 640 Direction slope faces level

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other .....

List abundant plants:

Crustose lichens  
some Cladonia sylvatica  
mostly rocks

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST

No. of eggs hatched .....

No. of unhatched eggs .....

Cause of non-hatching of eggs .....

.....

No. of chicks that left nest .....

Cause of death of chicks not leaving nest .....

.....

# ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer: *Robert Pegau College, Alaska*

## FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
20	June	5	0	yes ♀	1600
22	June	3	2	yes ♀	1400

REMARKS: e.g. Birds banded, pertinent weather information, etc.

*young were just hatching The last day I checked this nest.*

UNISORT  
309 308 307 306 305 304 303 302 301  
1 7 4 2 1 7 4 2 1

#39

Name of Bird	Wheatear	Year	1968
--------------	----------	------	------

Locality of Nest BROOKS RANGE, Folly Lake, Head of Unakserak River

Latitude 67° 52' N Longitude 154° W

Altitude 3300' Direction slope faces SW

Nest on ..... ft. ~~above~~ ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other dry tundra

List abundant plants:

dryas, Snow willow

POSITION OF NEST under rock on steep bank  
 In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST

No. of eggs hatched unknown

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest unknown

Cause of death of chicks not leaving nest.....

.....

2 1 7 4 2 1 7 4 2 1  
110 109 108 107 106 105 104 103 102 101

27 4  
26 2  
25 1  
24 7  
23 4  
22 2  
21 1  
20 7  
19 4  
18 2  
17 1  
16 7  
15 4  
14 2  
13 1  
12 7  
11 4  
10 2  
9 1  
8 7  
7 4  
6 2  
5 1  
4 7  
3 4  
2 2  
1 1

UNISORT  
CARD  
STANDARD FORM  
SERIALS  
SECTION  
UNIVERSITY OF ALASKA  
FAIRBANKS  
RESEARCH  
& DEVELOPMENT DIV.

### ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and Address of observer Mr. & Mrs. Gilbert Staender  
13900 Southwest Sundeleaf Dr.  
Lake Oswego, Oregon 97034

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest?	Sex?	Time
20	6	male	carrying			food to nest - did not disturb
25	6			♀		female went into nest and remained while male carried food to nest & came back out.
26	6	both adults	carrying			food in & fecal sacs out
2	7	nest empty	dragged			out by predator.
3	7	both parents	feeding			young nearby

REMARKS: e.g. Birds banded, pertinent weather information, etc.

227 4  
226 2  
225 1  
224 7  
223 4  
222 2  
221 1  
220 7  
219 4  
218 2  
217 1  
216 7  
215 4  
214 2  
213 1  
212 7  
211 4  
210 2  
209 1  
208 7  
207 4  
206 2  
205 1  
204 7  
203 4  
202 2  
201 1

UNISORT  
309 1  
308 7  
307 4  
306 2  
305 1  
304 7  
303 4  
302 2  
301 1

#45

Name of Bird Wheat ear Year 1965

Locality of Nest Lonely Lake Brooks Range

Latitude 67°57'N Longitude 153°10'W

Altitude 3300' Direction slope faces E

Nest no ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other .....

List abundant plants:

dryas  
lichens  
scrub birch

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat
- On building  under flat rock

FATE OF NEST

No. of eggs hatched ..... 7 .....

No. of unhatched eggs..... none .....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest..... 7 .....

Cause of death of chicks not leaving nest.....

.....

110 109 108 107 106 105 104 103 102 101

# ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer: **GILBERT F. STAENDER**  
**13900 S. W. Sundeleaf Dr.**  
**Oswego, Oregon**

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time	
27	6		?	♀		
6	7		17			
17	7	out of nest				

REMARKS: e.g. Birds banded, pertinent weather information, etc.

*both parents defending  
 very surprised to find  
 seven young*

309 308 307 306 305 304 303 302 301

UNISORT  
 ANSON  
 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30

UNISORT  
 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30

Name of Bird Whortear | Year 1962

Locality of Nest Mile 67, McKinley Park Rd

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude \_\_\_\_\_ Direction slope faces SE

Nest on ground ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')   
Moist tundra  Rocky Tundra  Field  Marsh

Other \_\_\_\_\_

List abundant plants:

Willows

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub  (under turf overhang)
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat
- On building

FATE OF NEST

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving nest \_\_\_\_\_

2 1 7 4 2 1 7 4 2 1  
 110 109 108 107 106 105 104 103 102 101

27 4  
 26 2  
 25 1  
 24 7  
 23 4  
 22 2  
 21 1  
 20 7  
 19 4  
 18 2  
 17 1  
 16 7  
 15 4  
 14 2  
 13 1  
 12 7  
 11 4  
 10 2  
 9 1  
 8 7  
 7 4  
 6 2  
 5 1  
 4 7  
 3 4  
 2 2  
 1 1

UNISORT

# ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer

Dave Norton  
 47 Cypress Rd  
 Wellesley Hills Mass

FOR OBSERVATIONS ON ONE NEST

DAY	MONTH	NO. OF EGGS	NO. OF YOUNG	ADULT ON NEST? SEX?	TIME
1	July		3	♂ ♀	Noon
2					
3					
4					
5					
6					
7					
8					
9					
10					
11					
12					
13					
14					
15					
16					
17					
18					
19					
20					
21					
22					
23					
24					
25					
26					
27					

REMARKS: e.g. Birds banded, pertinent weather information, etc.

309 308 307 306 305 304 303 302 301  
 1 7 4 2 1 7 4 2 1

UNISORT



Name of Bird Wheatear Year 1971

Locality of Nest nr. Eeilson Visitor Center  
McKinley Nat'l Park

Latitude... 63-27 ... Longitude... 150-19 ..

Altitude..... Direction slope faces... S .....

Nest... 0 .....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other .....

List abundant plants:

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, ~~brush or shrub~~ <sup>rock</sup>
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat
- On building

FATE OF NEST

- No. of eggs hatched .....
- No. of unhatched eggs.....
- Cause of non-hatching of eggs.....
- .....
- No. of chicks that left nest.....
- Cause of death of chicks not leaving nest.....
- .....

2 1 7 4 2 1 7 4 2 1  
110 109 108 107 106 105 104 103 102 101

# ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer: *Sally H. SPOFFORD*  
*ETNA, N.Y. 13062*

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
12	June			♀ Bldg.	14:00
21	June	6		♀	13:00

REMARKS: e.g. Birds banded, pertinent weather information, etc.

UNISORT 1  
309 308 307 306 305 304 303 302 301  
1 7 4 2 1 7 4 2 1

UNISORT  
27 4  
26 2  
25 1  
24 7  
23 4  
22 2  
21 1  
20 7  
19 4  
18 2  
17 1  
16 7  
15 4  
14 2  
13 1  
12 7  
11 4  
10 2  
9 1  
8 7  
7 4  
6 2  
5 1  
4 7  
3 4  
2 2  
1 1

Name of Bird **WHEATEAR** Year **1966**

Locality of Nest **Loon Lake, Brooks Range**

Latitude **68° N** Longitude **152° 30'**

Altitude **3200'** Direction slope faces **west**

Nest **on** ~~ft. above~~ ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other .....

List abundant plants:

POSITION OF NEST

In tree, brush or shrub

On ground, under ~~tree, brush or shrub~~ **rock**

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On ~~cliff or~~ bank  On floating mat

On building

FATE OF NEST

No. of eggs hatched **5 or 6**

No. of unhatched eggs **none**

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest **5 or 6**

Cause of death of chicks not leaving nest.....

.....

2 1 7 4 2 1 7 4 2 1  
110 109 108 107 106 105 104 103 102 101

27 4  
26 2  
25 1  
24 7  
23 4  
22 2  
21 1  
20 7  
19 4  
18 2  
17 1  
16 7  
15 4  
14 2  
13 1  
12 7  
11 4  
10 2  
9 1  
8 7  
7 4  
6 2  
5 1  
4 7  
3 4  
2 2  
1 1

UNISORT  
DAYS  
BIRDS  
SEASONS  
TYPE  
BIBBINGHAMS CORPORATION  
TODD DIV.  
L

# ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer: <sup>Mrs.</sup> Gilbert T. Staender, 13900 S. W. Sundeleaf Dr., Oswego, Oregon

## FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
27	6		5 or 6	feeding	
5	7		5 or 6	"	
16	7		out of nest		

REMARKS: e.g. Birds banded, pertinent weather information, etc. directly across narrow canyon from R.L. hawk's eyrie

UNISORT

309 308 307 306 305 304 303 302 301  
1 7 4 2 1 7 4 2 1

Name of Bird WHEATEAR Year 1961

Locality of Nest NEAR STONY PASS MT MCKINLEY PARK

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude \_\_\_\_\_ Direction slope faces WESTERLY

Nest 7' ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')   
Moist tundra  Rocky tundra  Marsh

Other \_\_\_\_\_

List abundant plants:

**POSITION OF NEST**

In tree, brush, or shrub   
On ground, under tree, brush or shrub   
On ground, not under tree, brush or shrub   
On ground, in open on sand or rocks   
On cliff or bank  On floating mat

**FATE OF NEST**

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving

Nest \_\_\_\_\_

110 109 108 107 106 105 104 103 102 101

27 4  
26 2  
25 4  
24 7  
23 4  
22 2  
21 1  
20 7  
19 4  
18 2  
17 1  
16 7  
15 4  
14 2  
13 1  
12 7  
11 4  
10 2  
9 1  
8 7  
7 4  
6 2  
5 1  
4 7  
3 4  
2 2  
1 1

UNISORT AND ANALYSIS CARD STD. FORM Y 112

# ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer **RONALD LONG**  
**Rte 1, BOX 316 NACHES, WASH**

FOR OBSERVATIONS ON ONE NEST

DAY	MONTH	No. of Eggs	No. of Young	ADULT ON NEST? SEX?	TIME
2	July	6 IN NEST 1 ON ground	1	ONE IN AREA	1100

REMARKS: e.g. Birds banded, pertinent weather information, etc.

NEST: bowl shaped, grass base with feather lining  
WEATHER: MISTY, VERY OVERCAST  
ADULT BIRD - general black and white patterning -  
one young in nest, eggs colored whitish  
OK

1 201  
2 202  
4 203  
7 204  
1 205  
2 206  
4 207  
7 208  
1 209  
2 210  
4 211  
7 212  
1 213  
2 214  
4 215  
7 216  
1 217  
2 218  
4 219  
7 220  
1 221  
2 222  
4 223  
7 224  
1 225  
2 226  
4 227  
7 228

309 1  
308 7  
307 4  
306 2  
305 1  
304 7  
303 4  
302 2  
301 1

UNISORT

S side South Hill saddle

Name of Bird Wheatear | Year 1962

Locality of Nest Eagle Creek, mile 105 Steese Highway

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude 3800 Direction slope faces S

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')   
Moist tundra  Rocky Tundra  Field  Marsh

Other \_\_\_\_\_

List abundant plants:

Sedge, Dryas, lichen, Saxifraga.

POSITION OF NEST

In tree, brush or shrub   
On ground, under tree, brush or shrub   
On ground, not under tree, brush or shrub  under rock  
On ground, in open on sand or rocks   
On cliff or bank  On floating mat   
On building

FATE OF NEST

No. of eggs hatched 0

No. of unhatched eggs 8

Cause of non-hatching of eggs predation

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving nest \_\_\_\_\_

2 1 7 4 2 1 7 4 2 1  
110 109 108 107 106 105 104 103 102 101

27 4  
26 2  
25 1  
24 7  
23 4  
22 2  
21 1  
20 7  
19 4  
18 2  
17 1  
16 7  
15 4  
14 2  
13 1  
12 7  
11 4  
10 2  
9 1  
8 7  
7 4  
6 2  
5 1  
4 7  
3 4  
2 2  
1 1

# ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer

R. Weeden  
Box 425 College

FOR OBSERVATIONS ON ONE NEST

DAY	MONTH	NO. OF EGGS	NO. OF YOUNG	ADULT ON NEST? SEX?	TIME
14	6	8	0	on	4:30 a.m.
20	6	0	0	—	5:45 a.m.
nest destroyed by mouse or weasel -					
nest to U. of A. museum					

REMARKS: e.g. Birds banded, pertinent weather information, etc.

Cracked one egg by accident. Eggs pale blue, reddish speckles on large end. Embryo with eyes, beak, limbs.

309 308 307 306 305 304 303 302 301  
1 7 4 2 1 7 4 2 1

UNISORT ALASKA NEST RECORD CARD S.D.S. Y 12

1 2 4 7 1 2 4 7 1 2 4 7 1 2 4 7 1 2 4 7 1 2 4 7 1 2 4 7

UNISORT



Name of Bird Wheat ear | Year 1975

Locality of Nest Porcupine Dome  
(Eagle Summit area)

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude 3600 Direction slope faces North

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other \_\_\_\_\_

List abundant plants:

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building  Under rock

FATE OF NEST

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving nest \_\_\_\_\_

2 1 7 4 2 1 7 4 2 1  
110 109 108 107 106 105 104 103 102 101

27 26 25 24 23 22 21 20 19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1

UNISORT  
ANALYSIS CARD  
STANDARD FORM Y 12

# ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer *James T. Shifflett  
Rt 1, Box 95-L  
Purcellville, Va*

## FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
<i>27</i>	<i>6</i>	<i>6</i>		<input checked="" type="checkbox"/> ♀	<i>0130</i>

REMARKS: e.g. Birds banded, pertinent weather information, etc.

308 307 306 305 304 303 302 301  
1 2 4 7 1 2 4 7

Head of Bates Creek

Name of Bird Wheatear | Year 1962

Locality of Nest Eagle Creek, mile 105 Steese Highway

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude 3700 Direction slope faces S

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky Tundra  Field  Marsh

Other \_\_\_\_\_

List abundant plants:

Loiseleuria, Dryas octopetala,  
Lycopodium, sedges, lichens.

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub  crevice between two small rocks, 1/2 in.

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving nest \_\_\_\_\_

2 1 7 4 2 1 7 4 2 1  
110 109 108 107 106 105 104 103 102 101

27 4  
26 2  
25 1  
24 7  
23 4  
22 2  
21 1  
20 7  
19 4  
18 2  
17 1  
16 7  
15 4  
14 2  
13 1  
12 7  
11 4  
10 2  
9 1  
8 7  
7 4  
6 2  
5 1  
4 7  
3 4  
2 2  
1 1

# ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer R. Weeden  
Box 425 College

## FOR OBSERVATIONS ON ONE NEST.

DAY	MONTH	NO. OF EGGS	NO. OF YOUNG	ADULT ON NEST? SEX?	TIME
4	7	0	4	Both feeding ygs	5:30 am

REMARKS: e.g. Birds banded, pertinent weather information, etc.  
 ∴ < 6 days old  
 Yg-downy, eyes closed,  
 fairly large but hardly  
 able to crawl.  
  
 6-day ygs ~ 14 grams

1 201  
2 202  
4 203  
7 204  
1 205  
2 206  
4 207  
7 208  
1 209  
2 210  
4 211  
7 212  
1 213  
2 214  
4 215  
7 216  
1 217  
2 218  
4 219  
7 220  
1 221  
2 222  
4 223  
7 224  
1 225  
2 226  
4 227

309 1  
308 7  
307 4  
306 2  
305 1  
304 7  
303 4  
302 2  
301 1

UNISORT

top of S. Hill

Name of Bird	Wheatear	Year	1968
--------------	----------	------	------

Locality of Nest	Eagle Creek mile 105 Steese
------------------	--------------------------------

Latitude..... Longitude.....

Altitude.. 4000... Direction slope faces.. W.....

Nest..... 0.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other .....

List abundant plants:

Cassiope, Papaver, moss,  
grass, Astragalus

nest under a rock, 6" in  
from edge.

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat
- On building

FATE OF NEST

No. of eggs hatched .... 8 .....

No. of unhatched eggs..... — .....

Cause of non-hatching of eggs..... — .....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

2 1 7 4 2 1 7 4 2 1  
110 109 108 107 106 105 104 103 102 101

27 4  
26 2  
25 1  
24 7  
23 4  
22 2  
21 1  
20 7  
19 4  
18 2  
17 1  
16 7  
15 4  
14 2  
13 1  
12 7  
11 4  
10 2  
9 1  
8 7  
7 4  
6 2  
5 1  
4 7  
3 4  
2 2  
1 1

# ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address

R. Weeden

of observer

Box 425 College

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
26	6	-	8	both feeding	3:00 pm
		4B about half grown.			

REMARKS: e.g. Birds banded, pertinent weather information, etc.

UNISORT  
ANALYSIS  
CARD  
STP. FORM Y 12  
BIRROUSHS CORPORATION - TODD DIV. - L

309 308 307 306 305 304 303 302 301  
1 7 4 2 1 7 4 2 1

UNISORT

On East face of Eagle Summit,  
near telephone-line saddle.

Name of Bird Wheatear | Year 1962

Locality of Nest Eagle Creek, mile 105 Steese Highway

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude 3700 Direction slope faces ESE

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky Tundra  Field  Marsh

Other \_\_\_\_\_

List abundant plants:

Dryas, Antennaria,  
Arenaria, sedge, lichen.  
Campanula, Silene

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub  under small rock

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST

No. of eggs hatched 8

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest probably 7

Cause of death of chicks not leaving nest too small

2 1 7 4 2 1 7 4 2 1  
 110 109 108 107 106 105 104 103 102 101

27 4  
 26 2  
 25 1  
 24 7  
 23 4  
 22 2  
 21 1  
 20 7  
 19 4  
 18 2  
 17 1  
 16 7  
 15 4  
 14 2  
 13 1  
 12 7  
 11 4  
 10 2  
 9 1  
 8 7  
 7 4  
 6 2  
 5 1  
 4 7  
 3 4  
 2 2  
 1 1

# ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer: *R. Weeden  
 Box 425 College*

### FOR OBSERVATIONS ON ONE NEST

DAY	MONTH	NO. OF EGGS	NO. OF YOUNG	ADULT ON NEST? SEX?	TIME
<i>30</i>	<i>6</i>	<i>1</i>	<i>8</i>	<i>Both ♀</i> <i>near</i>	<i>8:00 a.m.</i>

REMARKS: e.g. Birds banded, pertinent weather information, etc.

*One young very small, in nest. 7 young large, well-feathered, left nest & crouched in shadow of rock beside nest.*

1 201  
 2 202  
 4 203  
 7 204  
 1 205  
 2 206  
 4 207  
 7 208  
 1 209  
 2 210  
 4 211  
 7 212  
 1 213  
 2 214  
 4 215  
 7 216  
 1 217  
 2 218  
 4 219  
 7 220  
 1 221  
 2 222  
 4 223  
 7 224  
 1 225  
 2 226  
 4 227

309 308 307 306 305 304 303 302 301  
 1 7 4 2 1 7 4 2 1

UNISORT



Name  
of  
Bird

WHEATEAR

Year

1961

Locality  
of  
Nest

at Eagle Summit

Latitude

Longitude

Altitude

Direction slope faces

Nest

ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest

Tall brush (4-10')

Shrub (1-4')

Moist tundra

Rocky Tundra

Field

Marsh

Other

List abundant plants: high tundra.

Nest:

on ground, under a large stone;  
constr. with dry grass and well  
lined with ptarmigan-feathers

The primaries of the young were  
about 15 mm long. Both partners  
feeding

POSITION OF NEST

under rock.

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank

On floating mat

On building

FATE OF NEST

No. of eggs hatched

6

No. of unhatched eggs

Cause of non-hatching of eggs

No. of chicks that left nest

5(?)

Cause of death of chicks not leaving nest

one was accidentally killed, when  
I removed the rock.

2 1 7 4 2 1 7 4 2 1  
 110 109 108 107 106 105 104 103 102 101

27 4  
26 2  
25 1  
24 7  
23 4  
22 2  
21 1  
20 7  
19 4  
18 2  
17 1  
16 7  
15 4  
14 2  
13 1  
12 7  
11 4  
10 2  
9 1  
8 7  
7 4  
6 2  
5 1  
4 7  
3 4  
2 2  
1 1

# ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer *H. K. Springer*  
*18K ENGR-6*  
*Ft. Wainwright*

## FOR OBSERVATIONS ON ONE NEST

DAY	MONTH	NO. OF EGGS	NO. OF YOUNG	ADULT ON NEST? SEX?	TIME
<i>27</i>	<i>June</i>		<i>6</i>	<i>both adults feeding</i>	
<i>28</i>	<i>"</i>		<i>6</i>	<i>"</i>	
<i>29</i>	<i>"</i>		<i>6</i>	<i>"</i>	
<i>30</i>	<i>"</i>		<i>6</i>	<i>"</i>	

REMARKS: e.g. Birds banded, pertinent weather information, etc.

*5 young banded, June 27*  
*# 29-139 646 - 50*

309 308 307 306 305 304 303 302 301  
 1 7 4 2 1 7 4 2 1

UNISORT