


Salix scouleriana Salix bebbiana Spiky appearance Ovary Male Female densely Male floret catkin hairy floret Ovary hairy Catkin borne on the stem Long Tan-Densely colored flowered Catkins develop before the bract leaves Male catkin Catkins develop with the leaves Male Female catkin catkin loosely Dull green with flowered impressed veins Stipules minute Margin entire (canopy leaf) Margin toothed on large leaves Underside pale with white wavy hairs densely wooly Pale Orange-brown hue underneath


Collet, DM. 2004. Willows of Interior Alaska. US Fish and Wildlife Service - Yukon Flats National Wildlife Refuge. 70181-12-M692.



Collet, DM. 2004. Willows of Interior Alaska. US Fish and Wildlife Service - Yukon Flats National Wildlife Refuge. 70181-12-M692.











Salix scouleriana Salix bebbiana Spiky appearance Ovary Male Female densely Male floret catkin hairy floret Ovary hairy Catkin borne on the stem Long Tan-Densely colored flowered Catkins develop before the bract leaves Male catkin Catkins develop with the leaves Male Female catkin catkin loosely Dull green with flowered impressed veins Stipules minute Margin entire (canopy leaf) Margin toothed on large leaves Underside pale with white wavy hairs densely wooly Pale Orange-brown hue underneath

Collet, DM. 2004. Willows of Interior Alaska. US Fish and Wildlife Service - Yukon Flats National Wildlife Refuge. 70181-12-M692.