

Castle Brook, east-facing #3
slope, 1/3 way up, 200' above brook

Name of Bird Common Rufous	Year 1968
----------------------------------	--------------

Locality of Nest
Eagle Creek
mile 105 Steese

Latitude..... Longitude.....

Altitude... 3150... Direction slope faces... E.....

Nest..... 1.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants: small spruces,

cranberry, birch (dwarfed),

Ledum

POSITION OF NEST

In tree, brush or shrub small spruce

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer

R. Weeden
Box 425 College

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
2	6	4	-	♀	10:35 am
7	6	4	-	♀	10:35 am
11	6	-	4	♀	9:05 am
48 - very large, dark downy.					

REMARKS: e.g. Birds banded, pertinent weather information, etc.

UNISORT 309 308 307 306 305 304 303 302 301

UNISORT

Castle Brook, W-facing slope, #4
near head.

Name of Bird	Common Ridgell	Year	1968
--------------	-------------------	------	------

Locality of Nest Eagle Creek
mile 105 Steese

Latitude..... Longitude.....

Altitude... 3600... Direction slope faces... W

Nest... 3... ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

isolated spruces in low-shrub

tundra

POSITION OF NEST

- In tree, brush or shrub spruce
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

- No. of eggs hatched
- No. of unhatched eggs.....
- Cause of non-hatching of eggs.....
-
- No. of chicks that left nest.....
- Cause of death of chicks not leaving nest.....
-

ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer **R. Weiden**
Box 5-425 College

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
2	6	2	-	♀	11:20 am

REMARKS: e.g. Birds banded, pertinent weather information, etc.

UNISORT

must, opposite Namless
150' from stream

#5

Name of Bird	Common Redpoll	Year	1968
--------------	----------------	------	------

Locality of Nest	Engle Creek mile 105 Steese
------------------	--------------------------------

Latitude..... Longitude.....

Altitude 3200 Direction slope faces S.....

Nest 2.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

willow, dwarf birch

POSITION OF NEST

In tree, brush or shrub willow

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

.....

2 1 7 4 2 1 7 4 2 1
 110 109 108 107 106 105 104 103 102 101

UNISORT
 ANALYSIS
 CARD
 S.D. FORM Y 12

ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer: R. Weeden
Box 425 College

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
2	6	6	-	♀	4:35 pm
11	6	-	6	♀ near	4:35 pm

REMARKS: e.g. Birds banded, pertinent weather information, etc.

UNISORT
 ANALYSIS
 CARD
 S.D. FORM Y 12

27 4
 26 2
 25 1
 24 7
 23 4
 22 2
 21 1
 20 7
 19 4
 18 2
 17 1
 16 7
 15 4
 14 2
 13 1
 12 7
 11 4
 10 2
 9 1
 8 7
 7 4
 6 2
 5 1
 4 7
 3 4
 2 2
 1 1

UNISORT
 ANALYSIS
 CARD
 S.D. FORM Y 12

309 308 307 306 305 304 303 302 301
 1 7 4 2 1 7 4 2 1

ditch, across from 1st Boiler #6

Name of Bird	Common Redpoll	Year	1958
--------------	----------------	------	------

Locality of Nest Eagle Creek
mile 105 Steese

Latitude..... Longitude.....

Altitude... 2850... Direction slope faces... N.....

Nest... 5.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

willow, alder, grass

POSITION OF NEST

In tree, brush or shrub willow

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

.....

2 1 7 4 2 1 7 4 2 1
 110 109 108 107 106 105 104 103 102 101

27 4
 26 2
 25 1
 24 7
 23 4
 22 2
 21 1
 20 7
 19 4
 18 2
 17 1
 16 7
 15 4
 14 2
 13 1
 12 7
 11 4
 10 2
 9 1
 8 7
 7 4
 6 2
 5 1
 4 7
 3 4
 2 2
 1 1

UNISORT
 ANALYSIS
 CARD
 ST. FORM Y 12
 BURROUGHS CORPORATION - TODD DIV. - L

ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer: **R. Weeden**
Box 425 College

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
3	6	5	-	f	7:25 am

REMARKS: e.g. Birds banded, pertinent weather information, etc.

309 308 307 306 305 304 303 302 301
 1 7 4 2 1 7 4 2 1

UNISORT

Gully leading to bluff of
N-r. Brk, 1/2 way up -

#68

Name of Bird	Common Redpoll	Year	1968
--------------	----------------	------	------

Locality of Nest Eagle Creek
mile 105 Steese

Latitude..... Longitude.....

Altitude... 3400... Direction slope faces... W...

Nest... 1 1/2... ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

willow, dwarf birch,

Spiraea, Cassiope, Lycopodium

POSITION OF NEST

In tree, brush or shrub willow

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

2 1 7 4 2 1 7 4 2 1
110 109 108 107 106 105 104 103 102 101

UNISORT
ALASKA
MINISORT
ALASKA
STP. FORM Y
12
BIRROUSHS CORP
CORPORATION - TODD DIV. - L

ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer: *R. Weeden
Box 425 College*

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
<i>6</i>	<i>6</i>	<i>3</i>	<i>-</i>	<i>♀</i>	<i>1:50 pm</i>
<i>26</i>	<i>6</i>	<i>-</i>	<i>4</i>	<i>-</i>	<i>9:45 am</i>
<i>young 6-8 days old.</i>					

REMARKS: e.g. Birds banded, pertinent weather information, etc.

1 201
2 202
4 203
7 204
1 205
2 206
4 207
7 208
1 209
2 210
4 211
7 212
1 213
2 214
4 215
7 216
1 217
2 218
4 219
7 220
1 221
2 222
4 223
7 224
1 225
2 226
4 227

27 4
26 2
25 1
24 7
23 4
22 2
21 1
20 7
19 4
18 2
17 1
16 7
15 4
14 2
13 1
12 7
11 4
10 2
9 1
8 7
7 4
6 2
5 1
4 7
3 4
2 2
1 1

309 308 307 306 305 304 303 302 301
1 7 4 2 1 7 4 2 1

UNISORT

Upper Eagle, by varied
thrush nest.

1

Name of Bird	Common Redpoll	Year	1968
--------------------	-------------------	------	------

Locality of Nest	Eagle Creek mile 105 Steese
------------------------	--------------------------------

Latitude..... Longitude.....

Altitude 2850..... Direction slope faces... N.....

Nest... 6.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

scattered spruce, alder,
willow.

POSITION OF NEST

In tree, brush or shrub spruce

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

.....

UNISORT T ALABAMA BIRROUSHS CORPORATION - TODD DIV. - L

ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer R. Weeden
Box 425 College

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
2	6	1	—	egg warm	8:20 am
3	6	2	—	♀	7:30 am

REMARKS: e.g. Birds banded, pertinent weather information, etc.

UNISORT T ALABAMA BIRROUSHS CORPORATION - TODD DIV. - L

27 4
 26 2
 25 1
 24 7
 23 4
 22 2
 21 1
 20 7
 19 4
 18 2
 17 1
 16 7
 15 4
 14 2
 13 1
 12 7
 11 4
 10 2
 9 1
 8 7
 7 4
 6 2
 5 1
 4 7
 3 4
 2 2
 1 1

Upper West-sunning Brook, # 7
SW-facing slope

Name of Bird: Common Redpoll
Year: 1968

Locality of Nest: Eagle Creek
mile 105 Steese

Latitude..... Longitude.....

Altitude: 3500.. Direction slope faces: SW..

Nest... 3.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants: willow on edge
of solifluction lobes, wet

mossy tundra on lobe.

POSITION OF NEST

- In tree, brush or shrub willow
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

- No. of eggs hatched
- No. of unhatched eggs.....
- Cause of non-hatching of eggs.....
-
- No. of chicks that left nest.....
- Cause of death of chicks not leaving nest.....
-

2
1
7
4
2
1
7
4
2
1

110 109 108 107 106 105 104 103 102 101

27
4
26
2
25
1
24
7
23
4
22
2
21
1
20
7
19
4
18
2
17
1
16
7
15
4
14
2
13
1
12
7
11
4
10
2
9
1
8
7
7
4
6
2
5
1
4
7
3
4
2
2
1

UNISORT

Box 425 College

ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer: R. Weeden
~~DATE: 10/28/55~~

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
3	6	4	-	♀	3:45 pm
16	6	-	4	♀	9:20 am
young are 3-4 days old					

REMARKS: e.g. Birds banded, pertinent weather information, etc.

UNISORT

1 1
2 2
4 4
7 7
1 1
2 2
4 4
7 7
1 1
2 2
4 4
7 7

on ditch, close to #1

#2

upper Eagle Cr.

Name of Bird	Common Redpoll	Year	1968
--------------	----------------	------	------

Locality of Nest Eagle Creek
mile 105 Steese

Latitude..... Longitude.....

Altitude. 2850... Direction slope faces. N.....

Nest. C.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

scattered spruce; alder & willow

POSITION OF NEST

In tree, brush or shrub spruce

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

2 1 7 4 2 1 7 4 2 1
110 109 108 107 106 105 104 103 102 101

ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and
address
of observer

R. Weeden
Box 425 College

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
2	6	4	1	♀	8:25 am
	yg. just hatching				
12	6	-	5	-	9:35 am
	yg almost ready to leave				

REMARKS: e.g. Birds banded, pertinent weather information, etc.

309 308 307 306 305 304 303 302 301

1 2 4 7 1 2 4 7 1 2 4 7 1

UNISORT

in first Bully

Name of Bird	Common Redpoll	Year	1968
--------------	----------------	------	------

Locality of Nest Grenac Road
College AK

Latitude..... Longitude.....

Altitude... 800... Direction slope faces.....

Nest... 8...ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

Aspen overstory. Willow scattered in woods, thicker in openings. Rose, viburnum, Shepherdia

POSITION OF NEST

- In tree, brush or shrub willow
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

No. of eggs hatched

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

.....

near jet. main drive

Name of Bird	Common Redpoll	Year	1968
--------------	----------------	------	------

Locality of Nest	Grenac Rd. College AK
------------------	--------------------------

Latitude..... Longitude.....

Altitude... 800 Direction slope faces... E....

Nest..... 7.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants: In grass-rose-

Viburnum opening, with willow clumps & scattered birch, in predominantly aspen forest.

POSITION OF NEST

In tree, brush or shrub willow with broken top.

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

.....

S side of driveway near house

Name of Bird <i>Common Redpoll</i>	Year <i>1968</i>
---------------------------------------	---------------------

Locality of Nest <i>Grenac Rd. College AK</i>
--

Latitude..... Longitude.....

Altitude...*800*... Direction slope faces...*SW*.....

Nest.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

*Aspen + birch overstory.
Willows, Viburnum, rose.*

POSITION OF NEST

In tree, brush or shrub *willow with broken top*

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

.....

ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer Weeden Box 425 College

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
18	5	0	-	f on	11:20 pm
19	5	0	-	f on	2:10 pm
21	5	2	-	f on	8:00 a.m.
22	5	3	-	f on	8:00 a.m.
18	6	-	-	-	-
<i>young hatched + gone</i>					

REMARKS: e.g. Birds banded, pertinent weather information, etc.

UNISORT

by drumming leg.

Name of Bird	Common Redpoll	Year	1968
--------------	----------------	------	------

Locality of Nest	Grunac Rd. College Alaska
------------------	------------------------------

Latitude..... Longitude.....

Altitude... 800... Direction slope faces... S

Nest... 8...ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

Aspen overstory.

Willow, rose, Viburnum.

POSITION OF NEST

In tree, brush or shrub willow

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

.....

2 1 7 4 2 1 7 4 2 1
 110 109 108 107 106 105 104 103 102 101

4
27 2
26 1
25 7
24 4
23 2
22 1
21 7
20 4
19 2
18 1
17 7
16 4
15 2
14 1
13 7
12 4
11 2
10 1
9 7
8 4
7 2
6 1
5 7
4 4
3 2
2 2
1 1

ALASKA NEST RECORD CARD
 University of Alaska, College, Alaska

Name and address of observer *Weeden Box 425 College*

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
18	5	1	-	-	10:30 am
19	5	2	-	♂ on	11:15 am
21	5	4	-	♀ on	8:00 am
22	5	4	-	♀ on	8:00 a.m.

8 6 - - -
Young hatched + gone

REMARKS: e.g. Birds banded, pertinent weather information, etc.

201
202
203
204
205
206
207
208
209
210
211
212
212
212
212
215
216
217
218
219
220
221
222
222
223
224
225
226
227

309 308 307 306 305 304 303 302 301
 1 7 4 2 1 7 4 2 1
 UNISORT

Name of Bird REDPOLL (A. flammea) | Year 1961

Locality of Nest Eagle Summit, at Mastadon-creek

Latitude _____ Longitude _____

Altitude _____ Direction slope faces _____

Nest 3/4 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky Tundra Field Marsh

Other rocky, gold trenches

List abundant plants: willow, alder.

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched 5

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving nest _____

Eastbranch Miller Fork

Name of Bird Acanthis linaria | Year 1961

Locality of Nest Eagle Creek, Steese Highway

Latitude _____ Longitude _____

Altitude 3400 Direction slope faces south

Nest 1' ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

- Forest Tall brush (4-10') Shrub (1-4')
- Moist tundra Rocky tundra Marsh

Other _____

List abundant plants:
Willow, grass, Anemone

POSITION OF NEST

- In tree, brush, or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat

FATE OF NEST

No. of eggs hatched _____

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving _____

Nest _____

Name of Bird ACANTHIS LINARIA | Year 1961

Locality EAGLE CREEK. MILE 105
Nest STEESE HIGHWAY

Latitude _____ Longitude _____

Altitude 3100' Direction slope faces N. WEST.

Nest 1/2 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')
Moist tundra Rocky tundra Marsh

Other _____

List abundant plants: GRASS, SEDGE,
ALDER, WILLOW, MOSS.

LOCATED ON LEFT SIDE OF
GULLEY ON S. HILL BACK OF
BERRY CAMP.

POSITION OF NEST

- In tree, brush, or shrub
On ground, under tree, brush or shrub
On ground, not under tree, brush or shrub
On ground, in open on sand or rocks
On cliff or bank On floating mat

FATE OF NEST

No. of eggs hatched _____

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving _____

Nest _____

2 1 7 4 2 1 7 4 2 1
 110 109 108 107 106 105 104 103 102 101

27
4
26
25
24
23
22
21
20
19
18
17
16
15
14
13
12
11
10
9
8
7
6
5
4
3
2
1

ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer: *R. HERRICK
 ADFG College*

FOR OBSERVATIONS ON ONE NEST

DAY	MONTH	No. of Eggs	No. of Young	ADULT ON NEST? SEX?	TIME
<i>2</i>	<i>6</i>	<i>1</i>	<i>0</i>	<i>ON.</i>	<i>12:30 P.M.</i>
<i>19</i>	<i>6</i>	<i>0</i>	<i>5</i>	<i>—</i>	<i>7:00 A.M.</i>

REMARKS: e.g. Birds banded, pertinent weather information, etc.

On 19/6, young with light down, eyes open.

UNISORT
 309 308 307 306 305 304 303 302 301
 1 7 4 2 1 7 4 2 1

201 202 203 204 205 206 207 208 209 210 211 212 213 214 215 216 217 218 219 220 221 222 223 224 225 226 227

UNISORT ANALYSIS CARD STD. FORM Y 12

nameless Brook

Name of Bird Acanthis linaria | Year 1961

Locality of Nest Eagle Creek, Steese Highway

Latitude _____ Longitude _____

Altitude 3000 Direction slope faces east

Nest 1 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky tundra Marsh

Other _____

List abundant plants:

Stunted spruce, Dryas,
moss, Parrya, Vaccinium,
Betula nana, graminoids,
Cassiope

POSITION OF NEST

In tree, brush, or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

FATE OF NEST

No. of eggs hatched _____

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving _____

Nest _____

ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer R. Weeden
ADFG College

FOR OBSERVATIONS ON ONE NEST

DAY	MONTH	No. of Eggs	No. of Young	ADULT ON NEST? SEX?	TIME
6	6	4	0	on	4:15 a.m.
18	6	0	4	-	5:45 a.m.
28	6	0	0	-	12:30 p.m.

REMARKS: e.g. Birds banded, pertinent weather information, etc.

Young 4-5 days old on 18/6/61

Tailings, head of Eagle Cr.

Name of Bird Acanthis linaria Year 1961

Locality of Nest Eagle Creek, Steese Highway

Latitude _____ Longitude _____

Altitude 2900 Direction slope faces west

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky tundra Marsh

Other Riparian shrub

List abundant plants:

Dwarfed Fireweed,
Grass, Willows.

POSITION OF NEST

In tree, brush, or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub under fireweed

On ground, in open on sand or rocks

On cliff or bank On floating mat

FATE OF NEST

No. of eggs hatched _____

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving _____

Nest _____

2 1 7 4 2 1 7 4 2 1
110 109 108 107 106 105 104 103 102 101

1 201
2 202
4 203
7 204
1 205
2 206
4 207
7 208
1 209
2 210
4 211
7 212
1 213
2 214
4 215
7 216
1 217
2 218
4 219
7 220
1 221
2 222
4 223
7 224
1 225
2 226
4 227

ALASKA NEST RECORD CARD

UNISORT University of Alaska, College, Alaska

Name and address of observer *R. Weeden ADFG College*

FOR OBSERVATIONS ON ONE NEST

DAY	MONTH	No. of Eggs	No. of Young	ADULT ON NEST? SEX?	TIME
<i>18</i>	<i>6</i>	<i>0</i>	<i>4</i>	<i>♀ on</i>	<i>6:00 a.m.</i>
<i>28</i>	<i>6</i>	<i>0</i>	<i>4</i>		<i>10:20 a.m.</i>
<i>Young now ready to leave nest.</i>					

REMARKS: e.g. Birds banded, pertinent weather information, etc.
Young small, downy.

27 4
26 7
25 7
24 4
23 4
22 1
21 7
20 4
19 2
18 1
17 4
16 2
15 1
14 7
13 4
12 2
11 1
10 7
9 4
8 2
7 1
6 4
5 2
4 1
3 4
2 2
1 1
UNISORT

309 1
308 7
307 4
306 2
305 1
304 7
303 4
302 2
301 1

Foot of South Hill Gully

Name of Bird Acanthis linaria | Year 1961

Locality of Nest Eagle Creek, Steese Highway

Latitude _____ Longitude _____

Altitude 2900 Direction slope faces north

Nest 1/2 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky Tundra Field Marsh

Other _____

List abundant plants:

Willow, birch, blueberry,
grasses, moss, Equisetum.

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched _____

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving nest _____

Name of Bird Acanthù linaria | Year 1961

Locality of Nest ~~Rock~~ Eagle Fork, mouth.
Eagle Creek, Steese Highway

Latitude _____ Longitude _____

Altitude 2900 Direction slope faces south

Nest 4 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky tundra Marsh

Other _____

List abundant plants:

Dwarfed spruce
Dwarfed birch
Willow
Ledum
Vaccinium

POSITION OF NEST

In tree, brush, or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

FATE OF NEST

No. of eggs hatched _____

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving _____

Nest _____

ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer

R. Weeden
 ADFG College

FOR OBSERVATIONS ON ONE NEST

DAY	MONTH	No. of Eggs	No. of Young	ADULT ON NEST? SEX?	TIME
8	6	0	0	-	10:00 a.m.
18	6	4	0	♀	11:45 a.m.
30	6	4	0	♀	4:00 a.m.

REMARKS: e.g. Birds banded, pertinent weather information, etc.
Bleeding on ~~July~~ June 8.

UNISORT
 309 1
 308 7
 307 4
 306 2
 305 1
 304 7
 303 4
 302 2
 301 1

camp

Name of Bird Common Redpoll | Year 1964

Locality of Nest Eagle Creek
mile 105 Steese H.

Latitude _____ Longitude _____

Altitude 2700 Direction slope faces flat

Nest 5 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky Tundra Field Marsh

Other _____

List abundant plants:

Riparian willows, grassy openings.

POSITION OF NEST

In tree, brush or shrub in poplar 10' tall

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched _____

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving nest _____

2 1 7 4 2 1 7 4 2 1
110 109 108 107 106 105 104 103 102 101

ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer R. Weeden
Box 425 College

FOR OBSERVATIONS ON ONE NEST

DAY	MONTH	NO. OF EGGS	NO. OF YOUNG	ADULT ON NEST? SEX?	TIME
23	6	building almost complete			9:15 am
23	6	-	-	-	4:00 p.m.
25	6	2	-	-	7:15 a.m.
25	6	2	-	♀ on	7:45 p.m.
26	6	2	-	♀	10:10 p.m.
27	6	3	-	♀	4:20 p.m.
28	6	3	-	♀	7:45 am
(♀ knocked 1 egg out of nest)					
1	7	2	-	♀	11:50 am
4	7	2	-	♀	2:30 p.m.
9	7	-	2	♀	1:45 p.m.
18	7	-	2	-	5:50 p.m.
20	7	-	2	-	7:00 am
20	7	-	-	-	8:30 am

REMARKS: e.g. Birds banded, pertinent weather information, etc.

♂ seen at nest 6/23 at 1:00 p.m.

1/8. 1 day old on 9/7

309 308 307 306 305 304 303 302 301
1 7 4 2 1 7 4 2 1

UNISORT

Stream bottom of Bates above jct

Name of Bird Common Redpoll | Year 1964

Locality of Nest Eagle Creek, mile 105 Steese Highway

Latitude _____ Longitude _____

Altitude 3000 Direction slope faces east

Nest 3 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky Tundra Field Marsh

Other _____

List abundant plants:

Salix
dwarf birch
grasses

POSITION OF NEST

In tree, brush or shrub willow

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched _____

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving nest _____

2 1 7 4 2 1 7 4 2 1
110 109 108 107 106 105 104 103 102 101

27 4
26 2
25 1
24 7
23 4
22 2
21 1
20 7
19 4
18 2
17 1
16 7
15 4
14 2
13 1
12 7
11 4
10 2
9 1
8 7
7 4
6 2
5 1
4 7
3 4
2 2
1 1

ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer

Jim Erickson
Univ. of Alaska

FOR OBSERVATIONS ON ONE NEST

DAY	MONTH	NO. OF EGGS	NO. OF YOUNG	ADULT ON NEST? SEX?	TIME
15	June	5	—	ov, ♀	6:00 a.m.

REMARKS: e.g. Birds banded, pertinent weather information, etc.

1 201
2 202
4 203
7 204
7 205
1 206
2 207
4 208
7 209
1 210
2 211
4 212
7 213
1 214
2 215
4 216
7 217
1 218
2 219
4 220
7 221
1 222
2 223
4 224
7 225
1 226
2 227
4 228

309 1
308 7
307 4
306 2
305 1
304 7
303 4
302 2
301 1

UNISORT

east of Bates Inct.

Name of Bird Common Redpoll | Year 1964

Locality of Nest Eagle Creek, Mile 105 Steese Highway

Latitude _____ Longitude 71.44

Altitude 3100 Direction slope faces n.w.

Nest 4 1/2 to ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')
Moist tundra Rocky Tundra Field Marsh

Other _____

List abundant plants:

Salix
grasses
dwarf birch
(musked)
spruce

POSITION OF NEST

In tree, brush or shrub = spruce
On ground, under tree, brush or shrub
On ground, not under tree, brush or shrub
On ground, in open on sand or rocks
On cliff or bank On floating mat
On building

FATE OF NEST

No. of eggs hatched _____

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving nest _____

2 1 7 4 2 1 7 4 2 1
110 109 108 107 106 105 104 103 102 101

ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer

*Jim Erickson
Univ. of Alaska*

FOR OBSERVATIONS ON ONE NEST

DAY	MONTH	NO. OF EGGS	NO. OF YOUNG	ADULT ON NEST? SEX?	TIME
13	June	4	—	on ♀	4:20 am

REMARKS: e.g. Birds banded, pertinent weather information, etc.

3 pieces of "tinsel" in nest lining. (Tinsel dropped from airplane to block radar)

1 201 2 202 4 203 7 204 1 205 2 206 4 207 7 208 1 209 2 210 4 211 7 212 1 213 2 214 4 215 7 216 1 217 2 218 4 219 7 220 1 221 2 222 4 223 7 224 1 225 2 226 4 227

27 4 26 2 25 1 24 7 23 4 22 2 21 1 20 7 19 4 18 2 17 1 16 7 15 4 14 2 13 1 12 7 11 4 10 2 9 1 8 7 7 4 6 2 5 1 4 7 3 4 2 2 1

309 308 307 306 305 304 303 302 301

W branch miller Fk

Name of Bird Common Redpoll | Year 1964

Locality of Nest Eagle Creek
mile 105 Steese

Latitude _____ Longitude _____

Altitude 3000 Direction slope faces ESE

Nest 1 1/2 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky Tundra Field Marsh

Other _____

List abundant plants:

Willow, grass, dwarf birch
moist area near stream.

POSITION OF NEST

In tree, brush or shrub in willow

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched 5

No. of unhatched eggs —

Cause of non-hatching of eggs —

No. of chicks that left nest _____

Cause of death of chicks not leaving nest _____

along rd 100 yds above camp #4

Name of Bird	Common Redpoll	Year	1966
--------------	----------------	------	------

Locality of Nest Eagle Creek
mile 105 Steese Highway

Latitude..... Longitude.....

Altitude 2700... Direction slope faces flat...

Nest 1.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other mined area, campsite.....

List abundant plants:

Willow, grass

POSITION OF NEST

In tree, brush or shrub in low willow

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched 1.....

No. of unhatched eggs 3.....

Cause of non-hatching of eggs predation (2)

abandonment (1).....

No. of chicks that left nest 0.....

Cause of death of chicks not leaving nest.....

unknown - possibly predator.
(chick with blood on head + back
below nest)

2 1 7 4 2 1 7 4 2 1
110 109 108 107 106 105 104 103 102 101

ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer

R. Weeden
Box 425 College

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
2	6	4	-	♀ on	8:30 a.m.
13	6	3	1	♀	2:30 a.m.
14	6	3	1	♀	7:45 a.m.
18	6	1	1 (dead)	near 9:00 a.m.	

REMARKS: e.g. Birds banded, pertinent weather information, etc.

309 308 307 306 305 304 303 302 301
1 7 4 2 1 7 4 2 1

27 4
26 2
25 1
24 7
23 4
22 2
21 1
20 7
19 4
18 2
17 1
16 7
15 4
14 2
13 1
12 7
11 4
10 2
9 1
8 7
7 4
6 2
5 1
4 7
3 4
2 2
1 1

UNISORT AND BIRDS CARD BURROUGHS CORPORATION - TODD DIVISION - 1

UNISORT

#5 below lower ditch, w of Judy's plot

Name of Bird	Common Redpoll	Year	1966
--------------	----------------	------	------

Locality of Nest Eagle Creek
 mile 105 Steese

Latitude..... Longitude.....

Altitude 2750.. Direction slope faces N.....

Nest 1 1/2 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

Ledum, Eriophorum,
 dwarf birch, blueberry.

POSITION OF NEST

In tree, brush or shrub in 2 1/2' spruce

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

.....

2 1 7 4 2 1 7 4 2 1
110 109 108 107 106 105 104 103 102 101

27 4
26 2
25 1
24 7
23 4
22 2
21 1
20 7
19 4
18 2
17 1
16 7
15 4
14 2
13 1
12 7
11 4
10 2
9 1
8 7
7 4
6 2
5 1
4 7
3 4
2 2
1 1

UNISOFT AND EXHIBITS CARD

ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer R. Weeden
Box 425 College

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
1	6			being built	8:15 p.m.
2					
3					
4					
5					
6					
7					
8					
9					
10					
11					
12					
13					
14					
15					
16					
17					
18					
19					
20					
21					
22					
23					
24					
25					
26					
27					

REMARKS: e.g. Birds banded, pertinent weather information, etc.

on 6/1, nest still incomplete. Bottom thin, no lining.

309 308 307 306 305 304 303 302 301
1 7 4 2 1 7 4 2 1

UNISOFT

#7 Blueberry Point

Name of Bird <i>Common Raven</i>	Year <i>1966</i>
-------------------------------------	---------------------

Locality of Nest
*Eagle Creek
mile 105 Steese H.*

Latitude..... Longitude.....

Altitude... *2800*... Direction slope faces... *S*...

Nest.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

Spruce, willow,

dwarf birch, moss

POSITION OF NEST

In tree, brush or shrub *10' up in
18' spruce.*

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched *2*.....

No. of unhatched eggs... *0*.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

.....

2 1 7 4 2 1 7 4 2 1
110 109 108 107 106 105 104 103 102 101

27 4
26 2
25 1
24 7
23 4
22 2
21 1
20 7
19 4
18 2
17 1
16 7
15 4
14 2
13 1
12 7
11 4
10 2
9 1
8 7
7 4
6 2
5 1
4 7
3 4
2 2
1 1

ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer: R. Weeden
Box 425 College

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
16	6	1	2	1	11:30 AM

REMARKS: e.g. Birds banded, pertinent weather information, etc.

Yg - quite large 16/2
No shells in nests

309 308 307 306 305 304 303 302 301
1 7 4 2 1 7 4 2 1

UNISORT

below gravel pit #8

Name of Bird	Common Redpoll	Year	1966
--------------	----------------	------	------

Locality of Nest Eagle Creek
mile 105 Steese Highway

Latitude..... Longitude.....

Altitude 3300..... Direction slope faces. W.....

Nest..... 3.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

Willow, sedge, dwarf birch.

moist area, solifluction lobe.

POSITION OF NEST

In tree, brush or shrub willow

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

.....

2 1 7 4 2 1 7 4 2 1
110 109 108 107 106 105 104 103 102 101

ALASKA NEST RECORD CARD
University of Alaska, College, Alaska

Name and address of observer R. Weeden
Box 425 College

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
17	6	5	-	♀	2:55 am.
24	6	1	4	♀	8:45 am
y ₈ very small.					

REMARKS: e.g. Birds banded, pertinent weather information, etc.

309 308 307 306 305 304 303 302 301
1 7 4 2 1 7 4 2 1

UNISORT ANATOMICAL CARD
BURROUGHS CORP CORPORATION - TODD DIVISION - 1

1 201
2 202
4 203
7 204
1 205
2 206
4 207
7 208
1 209
2 210
4 211
7 212
1 213
2 214
4 215
7 216
1 217
2 218
4 219
7 220
1 221
2 222
4 223
7 224
1 225
2 226
4 227
7 228

27 4
26 2
25 1
24 7
23 4
22 2
21 1
20 7
19 4
18 2
17 1
16 7
15 4
14 2
13 1
12 7
11 4
10 2
9 1
8 7
7 4
6 2
5 1
4 7
3 4
2 2
1 1

UNISORT

9 First Gulch, head.

Name	Common	Year
of Bird	Redpoll	1966

Locality of Nest Eagle Creek,
mile 105 Steese

Latitude..... Longitude.....

Altitude.. 3300.. Direction slope faces... NW

Nest.... 2.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

Willow, dwarf birch,
blueberry, moss, Ledum,
Cassiope, cranberry.

POSITION OF NEST

In tree, brush or shrub spruce 3' tall

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

2 1 7 4 2 1 7 4 2 1
 110 109 108 107 106 105 104 103 102 101

ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer

R. Weeden
 Box 425 College

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
17	6	5	-	on	7:00 a.m.
24	6	5	-	on	10:10 a.m.

REMARKS: e.g. Birds banded, pertinent weather information, etc.

309 308 307 306 305 304 303 302 301
 1 7 4 2 1 7 4 2 1

1 2 4 7 1 2 4 7 1 2 4 7 1 2 4 7 1 2 4 7 1 2 4 7 1 2 4 7 1 2 4 7 1 2 4 7

27 4 2 1 7 4 2 1 7 4 2 1 7 4 2 1 7 4 2 1 7 4 2 1 7 4 2 1 7 4 2 1 7 4 2 1 7 4 2 1

UNISORT ANALYSIS CARD BURROUGHS CORPORATION - TODD DIVISION - L

UNISORT

#1 2nd Boiler

Name of Bird	Common Redpoll	Year	1966
--------------	----------------	------	------

Locality of Nest Eagle Creek
mile 105 Steese Highway

Latitude..... Longitude.....

Altitude... 2900... Direction slope faces... SW...

Nest... 1 1/2...ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other... mined area with tailings

List abundant plants:

Alder, willow, birch

POSITION OF NEST

In tree, brush or shrub in low alder

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

.....

#2 Eagle Fk.

Name of Bird	Common Redpoll	Year	1966
--------------	----------------	------	------

Locality of Nest Eagle Creek
mile 105 Steese

Latitude..... Longitude.....

Altitude...2950... Direction slope faces...SE...

Nest...3...ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

Alder, willow, birch, sedge, cranberry

POSITION OF NEST

In tree, brush or shrub in scrub spruce

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

2 1 7 4 2 1 7 4 2 1
110 109 108 107 106 105 104 103 102 101

27 4
26 2
25 1
24 7
23 4
22 2
21 1
20 7
19 4
18 2
17 1
16 7
15 4
14 2
13 1
12 7
11 4
10 2
9 1
8 7
7 4
6 2
5 1
4 7
3 4
2 2
1 1

UNISORT
ANALYSIS CARD

ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer R. Weeden
Box 425 College

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
30	5	-	-	near	6:45 am
22	5	-	-	-	11:30 am
nest does not look used.					
BURROUGHS CORPORATION					
TODD DIVISION - 1					

REMARKS: e.g. Birds banded, pertinent weather information, etc.

309 308 307 306 305 304 303 302 301
1 7 4 2 1 7 4 2 1

UNISORT

camp

#3

Name of Bird	Common Redpoll	Year	1966
--------------	----------------	------	------

Locality of Nest Eagle Creek
mile 105 Stese

Latitude..... Longitude.....

Altitude 2700... Direction slope faces flat..

Nest 3.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other camp yard.....

List abundant plants:

willow, grass,
fireweed, yarrow

POSITION OF NEST Sedix pulchra

In tree, brush or shrub in willow

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched 0.....

No. of unhatched eggs 4.....

Cause of non-hatching of eggs infertile.....

(no visible embryo).....

No. of chicks that left nest 0.....

Cause of death of chicks not leaving nest.....

2 1 7 4 2 1 7 4 2 1
110 109 108 107 106 105 104 103 102 101

27 4
26 2
25 1
24 7
23 4
22 2
21 1
20 7
19 4
18 2
17 1
16 7
15 4
14 2
13 1
12 7
11 4
10 2
9 1
8 7
7 4
6 2
5 1
4 7
3 4
2 2
1 1

UNISORT ANALYSIS CARD

ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer *R. Weeden*
Box 425 College

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
31	5	2	-	♀	7:00 pm
1	6	3	-	♀	5:00 p.m.
2	6	4	-	-	7:20 a.m.
4	6	4	-	♀	5:30 a.m.
13	6	4	-	♀	3:10 a.m.
17	6	4	-	♀	noon
20	6	4	-	-	8:15 pm
deserted - will look at					
eggs later.					
22	6	4	-	-	noon
eggs all infertile					

REMARKS: e.g. Birds banded, pertinent weather information, etc.

309 308 307 306 305 304 303 302 301
1 7 4 2 1 7 4 2 1

UNISORT

Name of Bird ACANTHIS FLAMMEA | Year 1962

Locality of Nest Smith Lake 6/COLLEGE

Latitude _____ Longitude _____

Altitude _____ Direction slope faces _____

Nest 1.0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky Tundra Field Marsh

Other _____

List abundant plants:

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched 4

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest 4

Cause of death of chicks not leaving nest _____

2 1 7 4 2 1 7 4 2 1
110 109 108 107 106 105 104 103 102 101

ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer: *Heinrich Springer*
18th Expt - Co, Ft. Wainwright

FOR OBSERVATIONS ON ONE NEST

DAY	MONTH	NO. OF EGGS	NO. OF YOUNG	ADULT ON NEST? SEX?	TIME
26	May	0	0	-	1600
27	"	1		♀	0800
29	"	3		♀	0500
6	June	4		♀	1430
10	"	2	2	♀	1700
20	"		4	flew off	
				the nest while approaching	afternoon

REMARKS: e.g. Birds banded, pertinent weather information, etc.

UNISORT
ANALYSIS CARD
STANDARD FORM 111

27 4
26 2
25 1
24 7
23 4
22 2
21 1
20 7
19 4
18 2
17 1
16 7
15 4
14 2
13 1
12 7
11 4
10 2
9 1
8 7
7 4
6 2
5 1
4 7
3 4
2 2
1 1

309 308 307 306 305 304 303 302 301
1 7 4 2 1 7 4 2 1

UNISORT

Name of Bird ACANTHIS FLAMMEA | Year 1962

Locality of Nest Ft. Wainwright
Aero med - field lab.

Latitude _____ Longitude _____

Altitude _____ Direction slope faces _____

Nest 22 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky Tundra Field Marsh

Other _____

List abundant plants:

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched 4

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest 3

Cause of death of chicks not leaving nest 1

fell out of nest and was collected

2 1 7 4 2 1 7 4 2 1
110 109 108 107 106 105 104 103 102 101

ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer: Heinrich K. Springer
18th Eyer - Co, Ft. Wainwright

FOR OBSERVATIONS ON ONE NEST

DAY	MONTH	NO. OF EGGS	NO. OF YOUNG	ADULT ON NEST? SEX?	TIME
16	May	♀ carrying nesting material, bottom of nest finished			
17	"	nest finished			1700
19	"	2.		♀	2000
22	"	?	?	♀	
7	June		4	♀	
9	June		4	♀	1500
10	"			♀ feed.	
	"	#66-60082 fell out of nest; coll.			1900
15	"	young flew out forenoon			

REMARKS: e.g. Birds banded, pertinent weather information, etc.

9 June 62 young banded # 66-60080-83

309 308 307 306 305 304 303 302 301
1 7 4 2 1 7 4 2 1

UNISORT

Name of Bird ACANTHIS FLAMMEA | Year 1962

Locality of Nest Fort Wainwright

Latitude _____ Longitude _____

Altitude _____ Direction slope faces _____

Nest 3 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky Tundra Field Marsh

Other garden

List abundant plants:

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched 4

No. of unhatched eggs 0

Cause of non-hatching of eggs -

No. of chicks that left nest 1

Cause of death of chicks not leaving nest starved.

seen often, ♀ only fed oldest pullus

2 1 7 4 2 1 7 4 2 1
110 109 108 107 106 105 104 103 102 101

ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer: *Heinrich K. Springer*
18th Eng. - Co, Ft. Wainwright

FOR OBSERVATIONS ON ONE NEST

DAY	MONTH	NO. OF EGGS	NO. OF YOUNG	ADULT ON NEST? SEX?	TIME
3	Aug	4		♀	1500
4	"	4 (1230)		♀	aftern.
5	"	-		♀	2030
6	"	1	3 (1300)	♀	aftern.
7	"	-	4	-	2040
8	"		4	♀	930 2000
9	"		4	♀	
11	"		3 1 dead in nest	♀	coll
12	"		2	♀	all day
13	"		1	♀	0930 1230
14	"		1	♀	1930
15	"		1	♀	1200
16	"		1	♀	0900 in nest 1200 gone
					full grown.

REMARKS: e.g. Birds banded, pertinent weather information, etc.

9. Aug. ♀ banded #66-60084
13. Aug. 1 young ♀ #66-60085

309 308 307 306 305 304 303 302 301
1 2 4 7 1 2 4 7 1

UNISORT
27 4
26 2
25 1
24 7
23 4
22 2
21 1
20 7
19 4
18 2
17 1
16 7
15 4
14 2
13 1
12 7
11 4
10 2
9 1
8 7
7 4
6 2
5 1
4 7
3 4
2 2
1 1

6 nest. 21 month
nameless

Name of Bird	Common Redpoll	Year	1966
--------------	----------------	------	------

Locality of Nest Eagle Creek
mile 105 Steese H.

Latitude..... Longitude.....

Altitude... 3000... Direction slope faces.....

Nest... 1...ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

willow, dwarf birch

POSITION OF NEST

In tree, brush or shrub willow 3' high

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

Name of Bird **COMMON RED POLL** Year **1963**

Locality of Nest **marshy flat along "no name" creek east of Camp Denali**

Latitude..... Longitude.....

Altitude **2000**..... Direction slope faces.....

Nest.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants: **ALDER**
WILLOWS } **6"-18" high**
GRASSES
a few 24" to 48" spruce

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

No. of eggs hatched

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

.....

27 4
 26 2
 25 1
 24 7
 23 4
 22 2
 21 1
 20 7
 19 4
 18 2
 17 1
 16 7
 15 4
 14 2
 13 1
 12 7
 11 4
 10 2
 9 1
 8 7
 7 4
 6 2
 5 1
 4 7
 3 4
 2 2
 1 1

UNISORT ANALYTICAL SERVICES CARD NO. FORM Y 12 BUREAU OF BIRDS - T. M. BURROUGHS CORPORATION - T. M. BURROUGHS CORPORATION - T. M. BURROUGHS CORPORATION - T. M. BURROUGHS CORPORATION

ALASKA NEST RECORD CARD
 University of Alaska, College, Alaska

Name and address observer **CLARENCE POOR**
1241 WESTVIEW DR.
BERKELEY 5, CALIF

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
23	6		3	yes ♀	5 P.M.

REMARKS: e.g. Birds banded, pertinent weather information, etc.

♀ flushed from nest by accident. young not yet feathered all appeared vigorous and healthy.

Castle Brook

Name of Bird: Common Redpoll Year: 1966

Locality of Nest: Eagle Creek Mile 105, Steese Hwy

Latitude..... Longitude.....

Altitude... 3000... Direction slope faces... N.....

Nest..... 4..... ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest [] Tall brush (4-10') [] Shrub (1-4') []

Moist Tundra [x] Rocky Tundra [x] Field [] Marsh []

Other

List abundant plants:

Picea glauca, Dwarf Birch,

Sphagnum sp, LGrasses

POSITION OF NEST

In tree, brush or shrub [x] 4' up in a small, solitary spruce,

On ground, under tree, brush or shrub []

On ground, not under tree, brush or shrub []

On ground, in open on sand or rocks []

On cliff or bank [] On floating mat []

On building []

FATE OF NEST

No. of eggs hatched: presumably 4.....

No. of unhatched eggs..... 0.....

Cause of non-hatching of eggs.....

No. of chicks that left nest..... 4.....

Cause of death of chicks not leaving nest.....

Name of Bird ACANTHIS FLAMMEA Year 1962

Locality of Nest FORT WAINWRIGHT
AERO - FIELD LAB

Latitude _____ Longitude _____

Altitude _____ Direction slope faces _____

Nest 1.2 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky Tundra Field Marsh

Other _____

List abundant plants:

3 young banded July 9th
101-36195-197
by J. CRACKRAFT.
Some dates by Ray COUSER

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

No. of eggs hatched 3

No. of unhatched eggs 6

Cause of non-hatching of eggs ? (infertile)

No. of chicks that left nest 3

Cause of death of chicks not leaving nest _____

2 1 7 4 2 1 7 4 2 1
 110 109 108 107 106 105 104 103 102 101

ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer: *Reinrich K. SPRINGER*
18th Expr Co FFWAINWRIGHT

FOR OBSERVATIONS ON ONE NEST

DAY	MONTH	NO. OF EGGS	NO. OF YOUNG	ADULT ON NEST? SEX?	TIME
29	May	6		♀	1400
From 7. - 17 JUNE DAILY					
CHECKED, THE SAME ♀ INCUBATING					
18	June	7 (!)		♀	800 1400
21	"	-		♀	-
22	"	8 (!)		♀	2000
23	"	8		-	1500
25	"	7 (2 on ground)		♀	1300
27	"	7		♀	1645
1	July	6	1	♀	1600
2	"	5	2	♀	1200
2	"	4	3	♀	1930
4	"	4	3	♀	2200
10	"	4	1	♀	
11	"	4	1	nearly full grown	

REMARKS: e.g. Birds banded, pertinent weather information, etc.

♀ banded June 10/1962
 #102-95 257 ♀ color bands
 eggs measure, 9 June [mm]
 16.3 x 13.0 17.0 x 13.6
 17.1 x 13.8 16.2 x 13.3
 16.2 x 12.9 16.7 x 13.3

309 308 307 306 305 304 303 302 301
 1 7 4 2 1 7 4 2 1

UNISORT
 27 4
 26 2
 25 1
 24 7
 23 4
 22 2
 21 1
 20 7
 19 4
 18 2
 17 1
 16 7
 15 4
 14 2
 13 1
 12 7
 11 4
 10 2
 9 1
 8 7
 7 4
 6 2
 5 1
 4 7
 3 4
 2 2
 1 1
 UNISORT

3

Name of Bird	Common REDPOLL	Year	1968
--------------	-------------------	------	------

Locality of Nest
COHOE, ALASKA

Latitude... 151..... Longitude... 61.....

Altitude... ~~20~~ 10..... Direction slope faces.....

Nest... 2 1/2.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other... RIVER FLATS.....

List abundant plants:

WILLOW-
GRASSES
BLACK SPRUCE

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

.....

2 1 7 4 2 1 7 4 2 1
110 109 108 107 106 105 104 103 102 101

27 4
26 2
25 1
24 7
23 4
22 2
21 1
20 7
19 4
18 2
17 1
16 7
15 4
14 2
13 1
12 7
11 4
10 2
9 1
8 7
7 4
6 2
5 1
4 7
3 4
2 2
1 1

UNISORT
ANALYSIS
CARD
NO. FORM Y 12
BIRROUSHS CORPORATION - TODD DIV. - L

ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer MARY. A MILLER
KASILOF, ALASKA

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
20	JULY		3	F	12:45 pm

REMARKS: e.g. Birds banded, pertinent weather information, etc.

809 808 807 806 805 804 803 802 801
1 7 4 2 1 7 4 2 1

UNISORT

#2

Name of Bird COMMON REPPOLL	Year 1968
---------------------------------------	---------------------

Locality of Nest
COHOG ALASKA

Latitude... **151** Longitude... **61**

Altitude... **80** Direction slope faces.....

Nest... **1**ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other **NEAR ABANDONED HOUSE**

List abundant plants:

**BIRCH
ASPEN
WILLOW
GRASS.**

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

No. of eggs hatched **5**

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest..... **5**

Cause of death of chicks not leaving nest.....

.....

Name of Bird common redpoll | Year 1961
Acanthis flammea

Locality of Nest & brush strip between Post Rd.
Alaska R.R., Elmendorf AFB

Latitude 61° 14' 15" Longitude 149° 48' 30"

Altitude 150 Direction slope faces south

Nest 2 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky Tundra Field Marsh

Other _____

List abundant plants:

black cottonwood, Populus tricocarp
willow, Salix

Dutch clover, Trifolium repens

prickly rose, Rosa aciculata

n. scouring-rush, E. variegatum

dandelion, Taraxacum sp.

grass

POSITION OF NEST

~~In tree~~, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched 3 (at least)

No. of unhatched eggs --

Cause of non-hatching of eggs --

No. of chicks that left nest 0

Cause of death of chicks not leaving nest nest

abnd. (see remarks on obverse)

#1

Name of Bird COMMON REDPOLL	Year 1968
---------------------------------------	---------------------

Locality of Nest
KASLOF, ALASKA

Latitude... **157** Longitude... **61**

Altitude... **120** Direction slope faces.....

Nest... **3**ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other **NEXT TO PUBLIC LIBRARY.**

List abundant plants:

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

No. of eggs hatched **4**

No. of unhatched eggs... ~~.....~~ **none**

Cause of non-hatching of eggs.....

No. of chicks that left nest..... **4**

Cause of death of chicks not leaving nest.....

2 1 7 4 2 1 7 4 2 1
110 109 108 107 106 105 104 103 102 101

ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer *MARY A. MILLER*
KASLOF, AK

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
19	JUNE	1			6:05 p.m.
25	✓	?		F	9:14 A.M.
28	✓	4		F	6:06 p.m.
3	July			F	7:15 p.m.
7	✓		4		10:17 AM
9	✓		4		7:50 p.m.
17	✓		3 or 4		6:30 p.m.
4	✓		3		5:39 p.m.
5	✓		3*		6:20 p.m.
16					9:00 p.m.

REMARKS: e.g. Birds banded, pertinent weather information, etc.
* 2 left nest when I was there

309 308 307 306 305 304 303 302 301
1 2 4 7 1 2 4 7 1

1 201 202 203 204 205 206 207 208 209 210 211 212 213 214 215 216 217 218 219 220 221 222 223 224 225 226 227

4 27 2 26 1 25 7 24 4 23 2 22 1 21 7 20 4 19 2 18 1 17 7 16 4 15 2 14 1 13 7 12 4 11 2 10 1 9 7 8 4 7 2 6 1 5 7 4 3 2 2 1 1

UNISORT

Name of Bird COMMON RED POLL Year 1963

Locality of Nest COHOE

Latitude 60 Longitude 151

Altitude 80 Direction slope faces _____

Nest 6 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')
Moist tundra Rocky Tundra Field Marsh

Other _____

List abundant plants:

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

No. of eggs hatched NONE

No. of unhatched eggs _____

Cause of non-hatching of eggs -possible loss to PREDATOR

No. of chicks that left nest _____

Cause of death of chicks not leaving nest _____

Name of Bird common redpoll | Year 1962
Acanthis flammea

Locality of Nest marshy overgrown woods by Ship Cr. on Elmendorf A.F.B.

Latitude 61°14' N. Longitude 149°48' W.

Altitude 125 Direction slope faces south

Nest 20 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')
Moist tundra Rocky Tundra Field Marsh

Other _____

List abundant plants: white spruce, black spruce, paper birch, elderberry, cow parsnip, monkeyflower, horse-tail, green alder, labrador tea, black cottonwood, Streptopus, Oxaria

POSITION OF NEST

In tree, ~~brush or shrub~~
On ground, under tree, brush or shrub
On ground, not under tree, brush or shrub
On ground, in open on sand or rocks
On cliff or bank On floating mat
On building

FATE OF NEST

No. of eggs hatched 0
No. of unhatched eggs 3
Cause of non-hatching of eggs nest abandoned

No. of chicks that left nest 0

Cause of death of chicks not leaving nest --

2 1 7 4 2 1 7 4 2 1
110 109 108 107 106 105 104 103 102 101

ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer: **J. Vincent Hoeman
Anchorage, Alaska**

FOR OBSERVATIONS ON ONE NEST

DAY	MONTH	NO. OF EGGS	NO. OF YOUNG	ADULT ON NEST? SEX?	TIME
21	June	3	0	nest abandoned	
				for maybe two weeks	

REMARKS: e.g. Birds banded, pertinent weather information, etc.

UNISORT ANALYSIS CARD STD. FORM Y 12

309 308 307 306 305 304 303 302 301

27 4 26 2 25 1 24 7 23 4 22 2 21 1 20 7 19 4 18 2 17 1 16 7 15 4 14 2 13 1 12 7 11 4 10 2 9 1 8 7 7 4 6 2 5 1 4 7 3 4 2 2 1

UNISORT

Name of Bird common redpoll | Year 1963
Acanthis f. flammea

Locality of Nest brushpatch sw of Anchorage High School, Spenard, Alaska

Latitude 61°12' Longitude 149°55'

Altitude 75 Direction slope faces level

Nest 4 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')
Moist tundra Rocky Tundra Field Marsh

Other residential area near

List abundant plants: white spruce, aspen, paper birch, Calamagrostis, fireweed, willows

POSITION OF NEST

In-tree, brush or shrub
On ground, under tree, brush or shrub
On ground, not under tree, brush or shrub
On ground, in open on sand or rocks
On cliff or bank On floating mat
On building

FATE OF NEST

No. of eggs hatched _____

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving nest _____

2 1 7 4 2 1 7 4 2 1
110 109 108 107 106 105 104 103 102 101

27 4
26 2
25 1
24 7
23 4
22 2
21 1
20 7
19 4
18 2
17 1
16 7
15 4
14 2
13 1
12 7
11 4
10 2
9 1
8 7
7 4
6 2
5 1
4 7
3 4
2 2
1 1

ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer: **J. Vincent Hoeman
Anchorage, Alaska**

FOR OBSERVATIONS ON ONE NEST

DAY	MONTH	NO. OF EGGS	NO. OF YOUNG	ADULT ON NEST? SEX?	TIME
27	May	5	0	female	2200

REMARKS: e.g. Birds banded, pertinent weather information, etc.

309 1
308 7
307 4
306 2
305 1
304 7
303 4
302 2
301 1

1 201
2 202
4 203
7 204
1 205
2 206
4 207
7 208
1 209
2 210
4 211
7 212
1 213
2 214
4 215
7 216
1 217
2 218
4 219
7 220
1 221
2 222
4 223
7 224
1 225
2 226
4 227

UNISORT
ANALYSIS CARD
STD. FORM Y 12

UNISORT

Name of Bird common redpoll | Year 1963
Acanthis f. flammea

Locality of Nest open woodlot of Gambell St.,
s of 4th Ave., Anchorage

Latitude 61°13' N Longitude 149°52' W

Altitude 110 Direction slope faces level

Nest 20 ft. above ground ~~or base of cliff.~~

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky Tundra Field Marsh

Other city streets & buildings

List abundant plants: paper birch, white spruce, willow, fireweed, grasses, dandelion

POSITION OF NEST

In tree, ~~brush or shrub~~ 30' paper birch

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched 2

No. of unhatched eggs 0

Cause of non-hatching of eggs --

No. of chicks that left nest probably 2

Cause of death of chicks not leaving nest --

Name of Bird common redpoll | Year 1963
Acanthis f. flammea

Locality brush along Alaska R.R.
Nest near Ship Creek, Anchorage.

Latitude 61°14' N Longitude 149°51' W

Altitude 80 Direction slope faces south

Nest 6 ft. above ground ~~or base of cliff.~~

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky Tundra Field Marsh

Other Alaska Railroad yards

List abundant plants: willow,
paper birch, fireweed, Equisetum,
Calamagrostis, prickly rose,
black cottonwood, thinleaf alder

POSITION OF NEST

In ~~tree~~, brush ~~or shrub~~ 10' willow

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched 4

No. of unhatched eggs 0

Cause of non-hatching of eggs --

No. of chicks that left nest _____

Cause of death of chicks not leaving nest _____

2 1 7 4 2 1 7 4 2 1
110 109 108 107 106 105 104 103 102 101

27 4
26 2
25 1
24 7
23 4
22 2
21 1
20 7
19 4
18 2
17 1
16 7
15 4
14 2
13 1
12 7
11 4
10 2
9 1
8 7
7 4
6 2
5 1
4 7
3 4
2 2
1 1

ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer: J. Vincent Hoeman Anchorage, Alaska

FOR OBSERVATIONS ON ONE NEST

DAY	MONTH	NO. OF EGGS	NO. OF YOUNG	ADULT ON NEST? SEX?	TIME
24	June	2	2	female	1745
27	June	0	4	female	1245

REMARKS: e.g. Birds banded, pertinent weather information, etc.

309 308 307 306 305 304 303 302 301
1 7 4 2 1 7 4 2 1

UNISORT

UNISORT ADDRESS CARD STD. FORM Y 12

1 201
2 202
4 203
7 204
1 205
2 206
4 207
7 208
1 209
2 210
4 211
7 212
1 213
2 214
4 215
7 216
1 217
2 218
4 219
7 220
1 221
2 222
4 223
7 224
1 225
2 226
4 227

Name of Bird common redpoll | Year 1963
Acanthis f. flammea

Locality woodstrip along Post Road
of near Ship Creek, Anchorage.
Nest

Latitude 61°13' N Longitude 149°51' W

Altitude 70 Direction slope faces level

Nest 4 ft. above ground or ~~base of cliff.~~

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky Tundra Field Marsh

Other warehouses & railroad yards.

List abundant plants: black cottonwood,
willows, Clamagrostis, other
grasses, Equisetum, fireweed,
prickly rose, quaking aspen

POSITION OF NEST

In ~~tree~~, brush or shrub 10' cottonwood sprout

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched _____

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving nest _____

Name of Bird common redpoll | Year 1963
Acanthis f. flammea

Locality of Nest brushy slope of dike along Ship Creek in Anchorage

Latitude 61° 13' N Longitude 149° 53' W

Altitude 40 Direction slope faces south

Nest 2 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky Tundra Field Marsh

Other water and city streets & bldgs. near

List abundant plants: thinleaf alder, Ribes triste, dandelion, red raspberry, Calamagrostis, Equisetum, paper birch

POSITION OF NEST

In ~~tree~~, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched at least 4

No. of unhatched eggs presumably 0

Cause of non-hatching of eggs ---

No. of chicks that left nest ---

Cause of death of chicks not leaving nest ---

2 1 7 4 2 1 7 4 2 1
110 109 108 107 106 105 104 103 102 101

27 4
26 2
25 1
24 7
23 4
22 2
21 1
20 7
19 4
18 2
17 1
16 7
15 4
14 2
13 1
12 7
11 4
10 2
9 1
8 7
7 4
6 2
5 1
4 7
3 4
2 2
1 1

ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and
address
of observer

J. Vincent Hoeman
Anchorage, Alaska

FOR OBSERVATIONS ON ONE NEST

DAY	MONTH	NO. OF EGGS	NO. OF YOUNG	ADULT ON NEST? SEX?	TIME
29	May	0	4	female	1330

REMARKS: e.g. Birds banded, pertinent weather information, etc.

UNISORT
ANALYSIS
CARD
STD. FORM Y 12

1 201
2 202
4 203
7 204
1 205
2 206
4 207
7 208
1 209
2 210
4 211
7 212
1 213
2 214
4 215
7 216
1 217
2 218
4 219
7 220
1 221
2 222
4 223
7 224
1 225
2 226
4 227

UNISORT
309 1
308 7
307 4
306 2
305 1
304 7
303 4
302 2
301 1

Name of Bird common redpoll | Year 1963
Bird Acanthis f. flammea

Locality brushpatch sw of Anchorage
of Nest high school, Spenard, Alaska

Latitude 61°12' Longitude 149°55'

Altitude 75 Direction slope faces level

Nest 3 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')
Moist tundra Rocky Tundra Field Marsh

Other residential area near

List abundant plants: white spruce, aspen, willows, paper birch, fireweed, Calamagrostis, bluegrass, high-bush cranberry, prickly rose.

POSITION OF NEST

In ~~tree~~, brush or shrub
On ground, under tree, brush or shrub
On ground, not under tree, brush or shrub
On ground, in open on sand or rocks
On cliff or bank On floating mat
On building

FATE OF NEST

No. of eggs hatched _____
No. of unhatched eggs _____
Cause of non-hatching of eggs _____

No. of chicks that left nest _____
Cause of death of chicks not leaving nest _____

Name of Bird common redpoll | Year 1963
Acanthis flammea

Locality of Nest woodpatch east of Chester Flats in Anchorage, Alaska

Latitude 61°12' Longitude 149°54'

Altitude 25' Direction slope faces south

Nest 18' ft. above ground ~~or base of cliff.~~

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')
Moist tundra Rocky Tundra Field Marsh

Other residential area near

List abundant plants: white spruce, paper birch, black spruce, labrador tea, crowberry, lichens & mosses, fireweed, Calamagrostis, willows.

POSITION OF NEST

In tree, ~~brush or shrub~~
On ground, under tree, brush or shrub
On ground, not under tree, brush or shrub
On ground, in open on sand or rocks
On cliff or bank On floating mat
On building

FATE OF NEST

No. of eggs hatched _____

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving nest _____

2 1 7 4 2 1 7 4 2 1
 110 109 108 107 106 105 104 103 102 101

4
27 2 26 2 25 1 24 7 23 4 22 2 21 1 20 7 19 4 18 2 17 1 16 7 15 4 14 2 13 1 12 7 11 4 10 2 9 1 8 7 7 4 6 2 5 1 4 7 3 4 2 2 1 1

ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer **J. Vincent Hoeman**
Anchorage, Alaska

FOR OBSERVATIONS ON ONE NEST

DAY	MONTH	NO. OF EGGS	NO. OF YOUNG	ADULT ON NEST? SEX?	TIME
27	May	5	0	female	2000

REMARKS: e.g. Birds banded, pertinent weather information, etc.

309 308 307 306 305 304 303 302 301
 1 2 4 1 2 4 1

UNISORT
 ANALYSIS CARD
 STD. FORM Y 12

Name of Bird common rødpoll | Year 1963
Acanthis f. flammea

Locality of Nest edge of forest w. of Turn-
again Hts. along Knik Arm.

Latitude 61°11' Longitude 149°57'

Altitude 65 Direction slope faces level

Nest 9 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky Tundra Field Marsh

Other tideflats of Knik Arm near

List abundant plants: white spruce, black spruce, Labrador tea, crowberry, paper birch, aspen, highbush cranberry, fireweed, Calamagrostis, elderberry, green alder.

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched _____

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving nest _____

ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer: J. Vincent Hoeman, Anchorage, Alaska

FOR OBSERVATIONS ON ONE NEST

DAY	MONTH	NO. OF EGGS	NO. OF YOUNG	ADULT ON NEST? SEX?	TIME
28	May	5	0	female	0430

REMARKS: e.g. Birds banded, pertinent weather information, etc.

1 201 2 202 4 203 7 204 1 205 2 206 4 207 7 208 1 209 2 210 4 211 7 212 1 213 2 214 4 215 7 216 1 217 2 218 4 219 7 220 1 221 2 222 4 223 7 224 1 225 2 226 4 227

309 308 307 306 305 304 303 302 301
1 7 4 2 1 7 4 2 1

Name of Bird common redpoll | Year 1961
Acanthis flammea

Locality of Nest understory of open birch stand near powerline & Fossil Lakes

Latitude 61° 18' 00" Longitude 149° 40' 30"

Altitude 50 Direction slope faces level

Nest 2 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')
Moist tundra Rocky Tundra Field Marsh

Other open lake nearby

List abundant plants:

white spruce, Picea glauca
paper birch, Betula papyrifera
willow, Salix
cranberry, Viburnum edule
wild pea, Lathyrus palustris
star flower, Orientalis europea
black cottonwood, Pop. tricocarpa

POSITION OF NEST

In tree, ~~brush or shrub~~
On ground, under tree, brush or shrub
On ground, not under tree, brush or shrub
On ground, in open on sand or rocks
On cliff or bank On floating mat
On building

FATE OF NEST

No. of eggs hatched 0
No. of unhatched eggs 3

Cause of non-hatching of eggs nest abandoned

No. of chicks that left nest - -

Cause of death of chicks not leaving nest - -

2 1 7 4 2 1 7 4 2 1
110 109 108 107 106 105 104 103 102 101

27 4
26 2
25 1
24 7
23 4
22 2
21 1
20 7
19 4
18 2
17 1
16 7
15 4
14 2
13 1
12 7
11 4
10 2
9 1
8 7
7 4
6 2
5 1
4 7
3 4
2 2
1 1

ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer **J. Vincent Hoeman**
Ft. Richardson, Alaska

FOR OBSERVATIONS ON ONE NEST

DAY	MONTH	NO. OF EGGS	NO. OF YOUNG	ADULT ON NEST? SEX?	TIME
28	June	3	nest abandoned		2045
			for some time,		
			eggs cracked & stuck		
			to nest		

REMARKS: e.g. Birds banded, pertinent weather information, etc.

309 308 307 306 305 304 303 302 301
1 7 4 2 1 7 4 2 1

UNISORT

UNISORT ANALYSIS CARD HD: FORM Y 12

1 2 4 7 1 2 4 7 1 2 4 7 1 2 4 7 1 2 4 7 1 2 4 7 1 2 4 7

201 202 203 204 205 206 207 208 209 210 211 212 213 214 215 216 217 218 219 220 221 222 223 224 225 226 227

Name of Bird common redpoll | Year 1961
Acanthis flammea
Locality of Nest Alaska R.R. grade across Chester Flats, Anchorage

Latitude 61° 12' 30" Longitude 149° 55' 30"

Altitude 25 Direction slope faces nw

Nest 4 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky Tundra Field Marsh

Other tideflats

List abundant plants:

black cottonwood, Populus tricocarp

horsetail, Equisetum palustre

beachgrass, Elymus mollis ?

red raspberry, Rubus strigosus

willow, Salix

paper birch, Betula papyrifera

beach pea, Lathyrus maritimus

wild pea, Lathyrus palustris

POSITION OF NEST

In ~~tree, brush or shrub~~

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched 4 or 5

No. of unhatched eggs 0 or 1

Cause of non-hatching of eggs --

No. of chicks that left nest presumably none

Cause of death of chicks not leaving nest brush

removal along Alaska Railroad

2 1 7 4 2 1 7 4 2 1
 110 109 108 107 106 105 104 103 102 101

27 4
26 2
25 1
24 7
23 4
22 2
21 1
20 7
19 4
18 2
17 1
16 4
15 4
14 2
13 1
12 7
11 4
10 2
9 1
8 7
7 4
6 2
5 1
4 7
3 4
2 2
1 1

ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer: **J. Vincent Hoeman Ft. Richardson, Alaska**

FOR OBSERVATIONS ON ONE NEST

DAY	MONTH	NO. OF EGGS	NO. OF YOUNG	ADULT ON NEST? SEX?	TIME
26	June	5	0	female	1930
30	June	1	4	female	1430
15	July	nest destroyed			1000

UNISORT ALASKA NEST RECORD CARD 12

REMARKS: e.g. Birds banded, pertinent weather information, etc.

brush along rr had been cut at least 10 days on my last visit. Nest had been within 10 feet of main Anchorage-Seward line.

309 308 307 306 305 304 303 302 301
 1 7 4 2 1 7 4 2 1

UNISORT

Name of Bird Common redpoll Year 1961
Acanthis flammea

Locality of Nest Woodpatch north of Chester Flats, city of Anchorage

Latitude 61° 12' 30" Longitude 149° 55' 15"

Altitude 30 Direction slope faces south

Nest 9 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')
Moist tundra Rocky Tundra Field Marsh

Other residential

List abundant plants:

black spruce, Picea mariana
white spruce, Picea glauca
Paper birch, Betula papyrifera
willow, Salix
scouring rush, Equisetum
Labrador tea, Ledum groenlandicum
moss, ferns, grass, sedge

POSITION OF NEST

In tree, ~~brush or shrub~~
On ground, under tree, brush or shrub
On ground, not under tree, brush or shrub
On ground, in open on sand or rocks
On cliff or bank On floating mat
On building

FATE OF NEST

No. of eggs hatched at least 3
No. of unhatched eggs --
Cause of non-hatching of eggs --

No. of chicks that left nest at least 3

Cause of death of chicks not leaving nest --

2 1 7 4 2 1 7 4 2 1
110 109 108 107 106 105 104 103 102 101

27 4
26 2
25 1
24 7
23 4
22 2
21 1
20 7
19 4
18 2
17 1
16 7
15 4
14 2
13 1
12 7
11 4
10 2
9 1
8 7
7 4
6 2
5 1
4 7
3 4
2 2
1 1

UNISORT
ANALYSIS
CARD
NO. FORM
12

ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer: J. Vincent Hoeman
Ft. Richardson, Alaska

FOR OBSERVATIONS ON ONE NEST

DAY	MONTH	NO. OF EGGS	NO. OF YOUNG	ADULT ON NEST? SEX?	TIME
19	May	0	0	female	1430
3	June	5	0	none	1300
17	June	0	3	none	1730

REMARKS: e.g. Birds banded, pertinent weather information, etc.
The 3 chicks left the nest on my last visit

UNISORT
309 1
308 7
307 4
306 2
305 1
304 7
303 4
302 2
301 1

1 201
2 202
4 203
7 204
1 205
2 206
4 207
7 208
1 209
2 210
4 211
7 212
1 213
2 214
4 215
7 216
1 217
2 218
4 219
7 220
1 221
2 222
4 223
7 224
1 225
2 226
4 227

Name of Bird common redpoll | Year 1961
Acanthis flammea
Locality of Nest railroad spur cut between Fed. Prison Camp & Elmendorf AFB

Latitude 61° 14' 30" Longitude 149° 47' 30"

Altitude 170 Direction slope faces se

Nest 1 $\frac{1}{2}$ ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky Tundra Field Marsh

Other _____

List abundant plants:

black cottonwood, P. tricocarpa
prickly rose, Rosa aciculata

willow, Salix

fireweed, Epilobium angustifolium

green alder, Alnus crispa

northern yarrow, Achillea borealis

Ken. bluegrass, Poa pratensis

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched 0

No. of unhatched eggs 5

Cause of non-hatching of eggs nest abandoned

No. of chicks that left nest _____

Cause of death of chicks not leaving nest _____

2 1 7 4 2 1 7 4 2 1
110 109 108 107 106 105 104 103 102 101

ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer J. Vincent Hoeman
Ft. Richardson, Alaska

FOR OBSERVATIONS ON ONE NEST

DAY	MONTH	NO. OF EGGS	NO. OF YOUNG	ADULT ON NEST? SEX?	TIME
10	June	5	0	female	1035
11	June	5	0	female	0735
13	June	5	0	female	1900
17	June	5	0	no	1100
24	June	5		Nest Abandoned	1330

REMARKS: e.g. Birds banded, pertinent weather information, etc.
 adult female redpoll noted dead on road 1/4 mile distant on 22 June
 Abandoned nest & eggs collected 25 June.

UNISORT
 ANALYSIS CARD
 STUDY FORM 12
 1 201
 2 202
 4 203
 7 204
 1 205
 2 206
 4 207
 7 208
 1 209
 2 210
 4 211
 7 212
 1 213
 2 214
 4 215
 7 216
 1 217
 2 218
 4 219
 7 220
 1 221
 2 222
 4 223
 7 224
 1 225
 2 226
 4 227

UNISORT
 309 308 307 306 305 304 303 302 301
 1 7 4 2 1 7 4 2 1

27 4
 26 2
 25 1
 24 7
 23 4
 22 2
 21 1
 20 7
 19 4
 18 2
 17 1
 16 7
 15 4
 14 2
 13 1
 12 7
 11 4
 10 2
 9 1
 8 7
 7 4
 6 2
 5 1
 4 7
 3 4
 2 2
 1 1

Name Common redpoll Year _____
of _____
Bird Acanthis flammea 1961

Locality e. of Signal Maint. Bldg.
of _____
Nest Fort Richardson, Alaska

Latitude 61°15'45" Longitude 149°42'15"

Altitude 310 Direction slope faces level

Nest 9 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')
Moist tundra Rocky Tundra Field Marsh

Other _____

List abundant plants:
white spruce, Picea glauca
paper birch, Betula papyrifera
quaking aspen, Populus tremuloides
bunchberry, Cornus canadensis
Jacobs lad., Polemonium boreale
fireweed, Epilobium angustifolium
grasses

POSITION OF NEST

In tree, ~~brush or shrub~~
On ground, under tree, brush or shrub
On ground, not under tree, brush or shrub
On ground, in open on sand or rocks
On cliff or bank On floating mat
On building

FATE OF NEST

No. of eggs hatched 4
No. of unhatched eggs 0
Cause of non-hatching of eggs --

No. of chicks that left nest 3

Cause of death of chicks not leaving nest 1 chick
was puniest on my 23 June visit

2 1 7 4 2 1 7 4 2 1
 110 109 108 107 106 105 104 103 102 101

27 4
 26 2
 25 1
 24 7
 23 4
 22 2
 21 1
 20 7
 19 4
 18 2
 17 1
 16 7
 15 4
 14 2
 13 1
 12 7
 11 4
 10 2
 9 1
 8 7
 7 4
 6 2
 5 1
 4 7
 3 4
 2 2
 1 1

UNISORT
 ANALYSIS CARD
 STD. FORM 15

ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer **J. Vincent Hoeman
 Ft. Richardson, Alaska**

FOR OBSERVATIONS ON ONE NEST

DAY	MONTH	NO. OF EGGS	NO. OF YOUNG	ADULT ON NEST? SEX?	TIME
12	June	4	0	female	1505
15	June	4	0	female	1500
23	June	0	4	no	1600
26	June	0	3	no	1215

REMARKS: e.g. Birds banded, pertinent weather information, etc.
 young left nest on my final visit

UNISORT
 309 308 307 306 305 304 303 302 301
 1 7 4 2 1 7 4 2 1

1 201
 2 202
 4 203
 7 204
 1 205
 2 206
 4 207
 7 208
 1 209
 2 210
 4 211
 7 212
 1 213
 2 214
 4 215
 7 216
 1 217
 2 218
 4 219
 7 220
 1 221
 2 222
 4 223
 7 224
 1 225
 2 226
 4 227

Name of Bird COMMON REDPOLK Year 1963

Locality of Nest COHOE

Latitude 60 Longitude 152

Altitude 80 Direction slope faces

Nest 2 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

SCRUB COTTONWOOD
white spruce

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched 4

No. of unhatched eggs

Cause of non-hatching of eggs

No. of chicks that left nest 4?

Cause of death of chicks not leaving nest

2 1 7 4 2 1 7 4 2 1
110 109 108 107 106 105 104 103 102 101

ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer: **MARY. A. SMITH**
COHOE, ALASKA

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
11	JULY	4		F	
12	"	4		F	7:00 A.M.
13	"	4		F	8:00 A.M.
14	"	4		F	1:25 P.M.
19	"	1	3		7:25 A.M.
24	"		4		
28	"				

REMARKS: e.g. Birds banded, pertinent weather information, etc.

FLEDGING OF YOUNG POSSIBLE - PARENT BIRDS GAVE ALARM NEAR NEST

309 308 307 306 305 304 303 302 301
1 7 4 2 1 7 4 2 1

27 4
26 2
25 1
24 7
23 4
22 2
21 1
20 7
19 4
18 2
17 1
16 7
15 4
14 2
13 1
12 7
11 4
10 2
9 1
8 7
7 4
6 2
5 1
4 7
3 4
2 2
1 1

UNISOFT ANALYSIS CARD
STANDARD FORM 112
BURROUGHS CORPORATION
TODD DIVISION - 1

UNISOFT

Name of Bird common redpoll | Year 1961
Acanthis flammea

Locality of Nest brush stringer by road north of gas chamber, Ft. Richardson

Latitude 61° 15' 45" Longitude 149° 43' 00"

Altitude 300 Direction slope faces level

Nest 6 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky Tundra Field Marsh

Other buildings & equipment storage area near

List abundant plants:

willow, Salix
n. scouring-rush, E. variegatum
green alder, Alnus crispa
quaking aspen, Populus tremuloides
paper birch, Betula papyrifera
fireweed, Epilobium angustifolia
no. yarrow, Achillea borealis
lupine, Lupinus polyphyllus

POSITION OF NEST

In ~~tree~~, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched presumably 4

No. of unhatched eggs presumably none

Cause of non-hatching of eggs --

No. of chicks that left nest presumably 4

Cause of death of chicks not leaving nest --

2 1 7 4 2 1 7 4 2 1
 110 109 108 107 106 105 104 103 102 101

ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer

**J. Vincent Hoeman
 Ft. Richardson, Alaska**

UNISORT ANALYSIS CARD STD. FORM 12

FOR OBSERVATIONS ON ONE NEST

DAY	MONTH	NO. OF EGGS	NO. OF YOUNG	ADULT ON NEST? SEX?	TIME
25	June	3	0	no	0815
28	June	4	0	female	1830
13	July	0	0	no	1330

REMARKS: e.g. Birds banded, pertinent weather information, etc.

UNISORT
 309 308 307 306 305 304 303 302 301
 1 7 4 2 1 7 4 2 1

27 4 26 2 25 1 24 7 23 4 22 2 21 1 20 7 19 4 18 2 17 1 16 7 15 4 14 2 13 1 12 7 11 4 10 2 9 1 8 7 7 4 4 2 2 5 1 4 7 3 4 2 2 1

1 201 2 202 4 203 7 204 1 205 2 206 4 207 7 208 1 209 2 210 4 211 7 212 1 213 2 214 4 215 7 216 1 217 2 218 4 219 7 220 1 221 2 222 4 223 7 224 1 225 2 226 4 227

Name of Bird COMMON REDPOLL Year 1964

Locality of Nest COHOE

Latitude... 60° Longitude... 152°

Altitude... 80 Direction slope faces.....

Nest... 2 1/2ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other not far from lake

List abundant plants:

SCRUB COTTONWOOD

WHITE SPRUCE

L. groenlandicum

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched NONE

No. of unhatched eggs..... 3

Cause of non-hatching of eggs... nest

abandoned

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

.....

2 1 7 4 2 1 7 4 2 1
 110 109 108 107 106 105 104 103 102 101

UNISO
 AN L
 S CA
 D
 S
 R
 O
 U
 G
 H
 S
 C
 O
 R
 P
 O
 R
 A
 T
 I
 O
 N
 -
 T
 O
 D
 D
 I
 V
 I
 S
 I
 O
 N
 -
 L

ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and Address of observer MARY A. SMITH COHOOG. ALASKA

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
20	JULY		nest cup		
26	"	3			9:00 AM
27	"	3.			9:45 AM.
5	AUG	3.			

REMARKS: e.g. Birds banded, pertinent weather information, etc.

UNISO
 R
 T
 809 808 807 806 805 804 803 802 801
 1 2 4 7 1 2 4 7 1

27 4
 26 2
 25 1
 24 7
 23 4
 22 2
 21 1
 20 7
 19 4
 18 2
 17 1
 16 7
 15 4
 14 2
 13 1
 12 7
 11 4
 10 2
 9 1
 8 7
 7 4
 6 2
 5 1
 4 7
 3 4
 2 2
 1 1

1 201
 2 202
 4 203
 7 204
 1 205
 2 206
 4 207
 7 208
 1 209
 2 210
 4 211
 7 212
 1 213
 2 214
 4 215
 7 216
 1 217
 2 218
 4 219
 7 220
 1 221
 2 222
 4 223
 7 224
 1 225
 2 226
 4 227

Name of Bird Common Redpoll | Year 1960
Acanthis linaria

Locality Miller's Landing
of Nest Homer Area Alaska

Latitude 54° 40 1/2' N Longitude 151° 25'

Altitude 100' Direction slope faces _____

Nest 24 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky tundra Marsh

Other pasture

List abundant plants:

Nest in Birch
Alders
Pussy Willow
tame pasture

POSITION OF NEST

- in tree, brush, or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat

FATE OF NEST

No. of eggs hatched none

No. of unhatched eggs 5

Cause of non-hatching of eggs ? The nest was empty.

No. of chicks that left nest _____

Cause of death of chicks not leaving _____

Nest _____

2 1 7 4 2 1 7 4 2 1
 110 109 108 107 106 105 104 103 102 101

ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer **Bruce H. Anderson**
Star. Pt. Homer Alaska

FOR OBSERVATIONS ON ONE NEST

DAY	MONTH	No. of Eggs	No. of Young	ADULT ON NEST? SEX?	TIME
18	May	BL			5:45 am
19	"	BF			2:30 pm
20	"	1			5:00 pm
22	"	3			7:45 am
24	"			F. on	8:30 am
26	"	5W			7:30 am
30	"	-	-		

REMARKS: e.g. Birds banded, pertinent weather information, etc.

When abandoned, the nest was intact, but the eggs were missing

309 308 307 306 305 304 303 302 301
 1 7 4 2 1 7 4 2 1

UNISORT

Acanthis flammea

Name
of
Bird

Year

1962

Locality
of
Nest

Anchorage, Alaska

Latitude

Longitude

Altitude 200 ft. Direction slope faces

Nest 9 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky Tundra Field Marsh

Other

List abundant plants:

Betula papyrifera

Picea mariana

Alnus sp.

Salix sp.

Eleagnus sp.

POSITION OF NEST

In tree, brush or shrub Picea mariana

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched 3

No. of unhatched eggs 2

Cause of non-hatching of eggs Infertile?

No. of chicks that left nest 3

Cause of death of chicks not leaving nest

2 1 7 4 2 1 7 4 2 1
 110 109 108 107 106 105 104 103 102 101

ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer: *J.E. Hemming*
Box 960 Anchorage, Alaska

FOR OBSERVATIONS ON ONE NEST

DAY	MONTH	NO. OF EGGS	NO. OF YOUNG	ADULT ON NEST? SEX?	TIME
24	May	Building			12:30 PM
25	May	Building			12:30 PM
31	May	2	0	Yes ♀	12:30 P.M.
1	June	3	0	Yes ♀	12:30 P.M.
4	June	5	0	No	12:15 P.M.
5	June	5	0	Yes ♀	12:05 P.M.
6	June	5	0	Yes ♀	12:05 P.M.
7	June	5	0	Yes ♀	1:00 P.M.
8	June	5	0	Yes ♀	12:45 P.M.
11	June	5	0	Yes ♀	12:30 P.M.
13	June	3	2	Yes ♀	
14	June	2	3	Yes ♀	12:30 PM
15	June	2	3	Yes ♀	12:30 PM
18	June	2	3	No	12:30 PM
19	June	2	3	Yes ♀	12:30 PM
20	June	2	3		12:30 PM
21	June	2	3		9:00 AM
22	June	0	3		
25	June	0	3		12:30 PM

REMARKS: e.g. Birds banded, pertinent weather information, etc.

21 June 3 yng banded and 2 infertile eggs removed.
25 June 3 yng. fledged when approached.

309 308 307 306 305 304 303 302 301
 1 7 4 2 1 7 4 2 1

UNISORT

Name of Bird common redpoll | Year 1961
Acanthis flammea

Locality of Nest open spruce-birch-aspen grove
betw. 23rd Inf & Glenn Hwy., Ft. E.

Latitude 61°15'45" Longitude 149°41'45"

Altitude 300 Direction slope faces level

Nest 13 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')
Moist tundra Rocky Tundra Field Marsh

Other _____

List abundant plants:

white spruce, Picea glauca
paper birch, Betula papyrifera
quaking aspen, Populus tremuloides
kinnikinnick, Arctostaphylos uva-ursi
bunchberry, Cornus canadensis
fireweed, Epilobium angustifolium
big-lvd. lupine, Lupinus polyphyllus
horsetail, Equisetum, sp.

POSITION OF NEST

In tree, brush or shrub
On ground, under tree, brush or shrub
On ground, not under tree, brush or shrub
On ground, in open on sand or rocks
On cliff or bank On floating mat
On building

FATE OF NEST

No. of eggs hatched _____

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving nest _____

2 1 7 4 2 1 7 4 2 1
110 109 108 107 106 105 104 103 102 101

27 4
26 2
25 1
24 7
23 4
22 2
21 1
20 7
19 4
18 2
17 1
16 7
15 4
14 2
13 1
12 7
11 4
10 2
9 1
8 7
7 4
6 2
5 1
4 7
3 4
2 2
1 1

ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer **J. Vincent Hoeman**
Ft. Richardson, Alaska

FOR OBSERVATIONS ON ONE NEST

DAY	MONTH	NO. OF EGGS	NO. OF YOUNG	ADULT ON NEST? SEX?	TIME
4	July	5	0	female	2015
		not	revisited		

REMARKS: e.g. Birds banded, pertinent weather information, etc.

UNISORT
ANALYSIS CARD STD. FORM Y 12

1 201
2 202
4 203
7 204
1 205
2 206
4 207
7 208
1 209
2 210
4 211
7 212
1 213
2 214
4 215
7 216
1 217
2 218
4 219
7 220
1 221
2 222
4 223
7 224
1 225
2 226
4 227

309 308 307 306 305 304 303 302 301
1 7 4 2 1 7 4 2 1

UNISORT

Name of Bird common redpoll | Year 1961
Acanthis flammea

Locality lone yard tree alongside A Co.
Nest barracks, 23rd Inf., Ft. Rich.

Latitude 61° 15' 30" Longitude 149° 42' 00"

Altitude 300 Direction slope faces level
s. side of bldg.

Nest 9 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky Tundra Field Marsh

Other yard in barracks area

List abundant plants:

paper birch, Betula papyrifera
Kentucky bluegrass, Poa pratensis
Dandelion, Taraxacum sp.
white clover, Trifolium repens
shepherds purse, Capsella bursa-
pastoris

POSITION OF NEST

- In tree, ~~brush or shrub~~
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

No. of eggs hatched 4

No. of unhatched eggs 0

Cause of non-hatching of eggs --

No. of chicks that left nest 4

Cause of death of chicks not leaving nest --

2 1 7 4 2 1 7 4 2 1
 110 109 108 107 106 105 104 103 102 101

ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer: **J. Vincent Hoeman Ft. Richardson, Alaska**

FOR OBSERVATIONS ON ONE NEST

DAY	MONTH	NO. OF EGGS	NO. OF YOUNG	ADULT ON NEST? SEX?	TIME
25	June	4	0	female	1830
2	July	0	4	female	0645
13	July	0	4?	no	1730
15	July	0	0	no	1700

REMARKS: e.g. Birds banded, pertinent weather information, etc.

309 308 307 306 305 304 303 302 301
 1 7 4 2 1 7 4 2 1

27 4
 26 2
 25 1
 24 7
 23 4
 22 2
 21 1
 20 7
 19 4
 18 2
 17 1
 16 7
 15 4
 14 2
 13 1
 12 7
 11 4
 10 2
 9 1
 8 7
 7 4
 6 2
 5 1
 4 7
 3 4
 2 2
 1 1

UNISORT ANALYSIS CARD STD. FORM 12

UNISORT

201 202 203 204 205 206 207 208 209 210 211 212 213 214 215 216 217 218 219 220 221 222 223 224 225 226 227
 1 2 4 7 1 2 7 1 2 4 7 1 2 4 7 1 2 4 7 1 2 4 7 1 2 4

Name of Bird	Common Redpoll <i>Acatthis flammea</i>	Year	1964
--------------	---	------	------

Locality of Nest West of airport
Nome, Alaska

Latitude 64° 30' 15" N Longitude 164° 26' W

Altitude 50' Direction slope faces N

Nest 3 1/2 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other gravel road 50 feet distant

List abundant plants: willow

dwarf labrador tea
mosses + lichens
grass

POSITION OF NEST

In tree, brush or shrub 8' tall willow

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched -

No. of unhatched eggs -

Cause of non-hatching of eggs -

No. of chicks that left nest -

Cause of death of chicks not leaving nest -

1 201
2 202
4 203
7 204
1 205
2 206
4 207
7 208
1 209
2 210
4 211
7 212
1 213
2 214
4 215
7 216
1 217
2 218
4 219
7 220
1 221
2 222
4 223
7 224
1 225
2 226
4 227

UNISORT ANTHERS CARD
 12
 BIRROUGHS CORPORATION - TODD DIVISION - L

ALASKA NEST RECORD CARD
 University of Alaska, College, Alaska

Name and address of observer J. Vincent Hoeman
Div. of Birds
Smithsonian Institution

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
12	June	3	0	female	1000
15	June	4	0	female	1415

REMARKS: e.g. Birds banded, pertinent weather information, etc.

27 4
26 2
25 1
24 7
23 4
22 2
21 1
20 7
19 4
18 2
17 1
16 7
15 4
14 2
13 1
12 7
11 4
10 2
9 1
8 7
7 4
6 2
5 1
4 7
3 4
2 2
1 1

Name of Bird Common Redpoll | Year 1971

Locality of Nest willow - 700yds. S. of Munz Hanger - Nome Alaska

Latitude _____ Longitude _____

Altitude _____ Direction slope faces _____

Nest 4 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other _____

List abundant plants:

willow (Salix spp), Eriophorum,
other graminiae

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST - unknown

No. of eggs hatched _____

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving nest _____

2 1 7 4 2 1 7 4 2 1
110 109 108 107 106 105 104 103 102 101

4
27 26 25 24 23 22 21 20 19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1

ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer S. R. JOHNSON, I. A. B.
U. of A, College, Alaska
99701

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
1	July	4	—	♀	1:30pm
2					
3					
4					
5					
6					
7					
8					
9					
10					
11					
12					
13					
14					
15					
16					
17					
18					
19					
20					
21					
22					
23					
24					
25					
26					
27					

REMARKS: e.g. Birds banded, pertinent weather information, etc.

cool, clear, breezy

308 307 306 305 304 303 302 301
1 7 4 2 1 7 4 1

UNISORT ANALYSIS CARD

Burroughs business forms

PRINTED IN U.S.A.

Name of Bird *Acanthis flammea* Year 1963

Locality of Nest NE confluence Noatak / Kigunuk

Latitude 67°59'N Longitude 161°55'W

Altitude _____ Direction slope faces SE

Nest 1 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky Tundra Field Marsh

Other _____

List abundant plants:

alder - willow groups
in moist tundra

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched _____

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving nest _____

2 1 7 4 2 1 7 4 2 1
110 109 108 107 106 105 104 103 102 101

27 4

25 1

24 7

23 4

22 2

21 1

20 7

19 4

18 2

17 1

16 7

15 4

14 2

13 1

12 7

11 4

10 2

9 1

8 7

7 4

6 2

5 1

4 7

3 4

2 2

1 1

UNISORT

ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and
address
of observer

H. K. SPRINGER

FOR OBSERVATIONS ON ONE NEST

DAY	MONTH	NO. OF EGGS	NO. OF YOUNG	ADULT ON NEST? SEX?	TIME
05	07	5	-	♀	

REMARKS: e.g. Birds banded, pertinent weather information, etc.

ad ♀ A-flammea (#186/63)
+ eggs + nest collected
♂ not seen

309 308 307 306 305 304 303 302 301
1 2 4 7 1 2 4 7 1

UNISORT

Name of Bird Common Redpoll Year 1960

Locality of Nest S. of Igiak Bay (just N of Hooper Bay)

Latitude 61°38'N Longitude 166°10'W

Altitude 40 Direction slope faces _____

Nest 3 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')
Moist tundra Rocky tundra Marsh

Other _____

List abundant plants:

POSITION OF NEST

In tree, brush, or shrub
On ground, under tree, brush or shrub
On ground, not under tree, brush or shrub
On ground, in open on sand or rocks
On cliff or bank On floating mat

FATE OF NEST

No. of eggs hatched _____

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving

Nest _____

ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

R. G. B. Brown,
 Name and address of observer
Dept. of Zoology,
University Museum,
Oxford

FOR OBSERVATIONS ON ONE NEST

CARD	DAY	MONTH	No. of Eggs	No. of Young	ADULT ON NEST? SEX?	TIME
12	6	6	3			1645
13						
14						
15						
16						
17						
18						
19						
20						
21						
22						
23						
24						
25						
26						
27						

REMARKS: e.g. Birds banded, pertinent weather information, etc.

201 202 203 204 205 206 207 208 209 210 211 212 213 214 215 216 217 218 219 220 221 222 223 224 225 226 227

4 27 26 25 24 23 22 21 20 19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1

Name of Bird Common Redpoll | Year 1965

Locality of Nest Umait, Alaska

Latitude _____ Longitude _____

Altitude _____ Direction slope faces _____

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky Tundra Field Marsh

Other _____

List abundant plants: Salix spp.

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched 5

No. of unhatched eggs 0

Cause of non-hatching of eggs -

No. of chicks that left nest probably 5

Cause of death of chicks not leaving nest -

Name of Bird Common Redpoll | Year 1965

Locality of Nest Umait, Alaska

Latitude _____ Longitude _____

Altitude _____ Direction slope faces _____

Nest 2 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky Tundra Field Marsh

Other _____

List abundant plants: Salix spp.

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

No. of eggs hatched 5

No. of unhatched eggs 0

Cause of non-hatching of eggs -

No. of chicks that left nest probably 2

Cause of death of chicks not leaving nest 2 possibly

removed by predator, 1 killed + left.

2 1 7 4 2 1 7 4 2 1
 110 109 108 107 106 105 104 103 102 101

27 4
26 2
25 1
24 7
23 4
22 2
21 1
20 7
19 4
18 2
17 1
16 7
15 4
14 2
13 1
12 7
11 4
10 2
9 1
8 7
7 4
6 2
5 1
4 7
3 4
2 2
1 1

ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer: DR. GEO. C. WEST
 LAB ZOO PHYSIOLOGY
 U. ALASKA, COLLEGE

FOR OBSERVATIONS ON ONE NEST

DAY	MONTH	NO. OF EGGS	NO. OF YOUNG	ADULT ON NEST? SEX?	TIME
20	June	4	1	♀?	1135
22	June	0	5	-	1000
25	June	0	5	-	2100
		wing quills 1/2" long,			
27	June	0	5	-	2030
		wing quills 1" long, banded 5			
28	June	0	5	-	1300
30	June	0	2	-	2230
		ready to leave nest, one dead at base of nest bush, skull crushed			
30	June	0	1	-	2250
1	July	0	1	-	1700
2	July	0	0	-	1630

REMARKS: e.g. Birds banded, pertinent weather information, etc.

84 young banded alive

1 201
2 202
4 203
7 204
1 205
2 206
4 207
7 208
1 209
2 210
4 211
7 212
1 213
2 214
4 215
7 216
1 217
2 218
4 219
7 220
1 221
2 222
4 223
7 224
1 225
2 226
4 227

309 308 307 306 305 304 303 302 301
 1 7 4 2 1 7 4 2 1

UNISORT

Name of Bird Common Redpoll | Year 1965

Locality of Nest Umia, Alaska

Latitude _____ Longitude _____

Altitude _____ Direction slope faces _____

Nest 1 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

- Forest Tall brush (4-10') Shrub (1-4')
- Moist tundra Rocky Tundra Field Marsh

Other _____

List abundant plants: Alnus crispa

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

No. of eggs hatched _____

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving nest _____

