

Above penstock. ✓

Name of Bird Redpoll Year 1965

Locality of Nest Eagle Creek  
105 mi. stees

Latitude..... Longitude.....

Altitude... 2,800... Direction slope faces... N.W.

Nest... 2... ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other .....

List abundant plants:

Betula sp.

Salix

Empetrum

POSITION OF NEST

In the low fork of a solitary Willow

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST

No. of eggs hatched .....

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....





Above penstock. ✓

Name of Bird	Redpoll	Year	1965
--------------	---------	------	------

Locality of Nest Eagle Creek Area,  
Mile 105, Steese Hwy,

Latitude..... Longitude.....

Altitude. 2,800..... Direction slope faces. N. W...

Nest.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other .....

List abundant plants:

Willow

Sphagnum

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST

No. of eggs hatched .....

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

.....



Opposite 1st Tailings on Mastodon. ✓

Name of Bird Redpoll Year 1965

Locality of Nest Eagle Creek  
Mi. 105 Steese Hwy.

Latitude ~~2, 570'~~ Longitude .....

Altitude 2, 670' Direction slope faces NE

Nest ..... 3 ..... ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other .....

List abundant plants:

Salix, Alnus, grass

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat
- On building

FATE OF NEST

No. of eggs hatched ..... 3 .....

No. of unhatched eggs ..... 1 .....

Cause of non-hatching of eggs ..... ? .....

.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

.....





Name of Bird REDDOLL | Year 1962

Locality of Nest EAGLE CREEK, VICINITY MI. 105 STEESE HIGHWAY, ALASKA

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude 2700 Direction slope faces \_\_\_\_\_

Nest 2 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')   
Moist tundra  Rocky Tundra  Field  Marsh

Other \_\_\_\_\_

List abundant plants:

ALNUS, SALIX, GRASSES +  
SEDGES

POSITION OF NEST

In tree, brush or shrub   
On ground, under tree, brush or shrub   
On ground, not under tree, brush or shrub   
On ground, in open on sand or rocks   
On cliff or bank  On floating mat   
On building

FATE OF NEST

No. of eggs hatched NONE  
No. of unhatched eggs 4  
Cause of non-hatching of eggs ABANDONED

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving nest \_\_\_\_\_





Name of Bird Ped Poll Year 1962

Locality of Nest 105 miles Steese Hwy Eagle Creek.

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude \_\_\_\_\_ Direction slope faces \_\_\_\_\_

Nest 12 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky Tundra  Field  Marsh

Other Part of a Tongue of Trees

List abundant plants:

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat
- On building

FATE OF NEST

No. of eggs hatched 4

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest 4

Cause of death of chicks not leaving nest \_\_\_\_\_



✓

Name of Bird Red Poll | Year 1967

Locality of Nest 105 miles Steese Hwy Eagle Creek

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude 511 Direction slope faces \_\_\_\_\_

Nest \_\_\_\_\_ ft. above ground or base of cliff.

**TYPE OF VEGETATION IN AREA** (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky Tundra  Field  Marsh

Other \_\_\_\_\_

List abundant plants:

**POSITION OF NEST**

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

**FATE OF NEST**

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving nest \_\_\_\_\_





Name of Bird Red Poll | Year 1962

Locality of Nest 105 miles above New Eagle Creek

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude \_\_\_\_\_ Direction slope faces \_\_\_\_\_

Nest 7 ft. above ground or base of cliff.

**TYPE OF VEGETATION IN AREA (check one or more)**

Forest  Tall brush (4-10')  Shrub (1-4')   
Moist tundra  Rocky Tundra  Field  Marsh

Other \_\_\_\_\_

List abundant plants:

**POSITION OF NEST**

In tree, brush or shrub   
On ground, under tree, brush or shrub   
On ground, not under tree, brush or shrub   
On ground, in open on sand or rocks   
On cliff or bank  On floating mat   
On building

**FATE OF NEST**

No. of eggs hatched 2

No. of unhatched eggs 3

Cause of non-hatching of eggs ?

No. of chicks that left nest 2

Cause of death of chicks not leaving nest \_\_\_\_\_

2 1 7 4 2 1 7 4 2 1  
 110 109 108 107 106 105 104 103 102 101

27 4  
 26 2  
 25 1  
 24 7  
 23 4  
 22 2  
 21 1  
 20 7  
 19 4  
 18 2  
 17 1  
 16 7  
 15 4  
 14 2  
 13 1  
 12 7  
 11 4  
 10 2  
 9 1  
 8 7  
 7 4  
 6 2  
 5 1  
 4 7  
 3 4  
 2 2  
 1 1

# ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer: *D. ANDERSON*  
*400 BARON OF U.A.*

## FOR OBSERVATIONS ON ONE NEST

DAY	MONTH	NO. OF EGGS	NO. OF YOUNG	ADULT ON NEST? SEX?	TIME
6	June	4	1	♀	
10	"	3	2	♀	
10	4	3	2	♀	
20		3	2	♀	
23		3	-2 y out of nest		

REMARKS: e.g. Birds banded, pertinent weather information, etc.  
*Tangle of trees*

1 201  
 2 202  
 4 203  
 7 204  
 1 205  
 2 206  
 4 207  
 7 208  
 1 209  
 2 210  
 4 211  
 7 212  
 1 212  
 2 412  
 4 512  
 7 216  
 1 217  
 2 218  
 4 219  
 7 220  
 1 221  
 2 222  
 4 222  
 7 422  
 1 225  
 2 226  
 4 227

309 308 307 306 305 304 303 302 301  
 1 7 4 2 1 7 4 2 1

UNISORT



23 Head W. - running Brook ✓

Name of Bird	Redpoll	Year	1963
--------------	---------	------	------

Locality of Nest Eagle Creek  
mile 105 Steese

Latitude..... Longitude.....

Altitude... 3400... Direction slope faces... N.....

Nest..... 1.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other .....

List abundant plants:

Willow, Patentilla fruticosa  
grass, moss, Anemone  
Dryas

POSITION OF NEST

- In tree, brush or shrub  in willow
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat
- On building

FATE OF NEST

No. of eggs hatched ..... 4 .....

No. of unhatched eggs... 0 .....

Cause of non-hatching of eggs..... — .....

No. of chicks that left nest..... 4 .....

Cause of death of chicks not leaving nest.....

2 1 7 4 2 1 7 4 2 1  
 110 109 108 107 106 105 104 103 102 101

27 4  
 26 2  
 25 1  
 24 7  
 23 4  
 22 2  
 21 1  
 20 7  
 19 4  
 18 2  
 17 1  
 16 7  
 15 4  
 14 2  
 13 1  
 12 7  
 11 4  
 10 2  
 9 1  
 8 7  
 7 4  
 6 2  
 5 1  
 4 7  
 3 4  
 2 2  
 1 1

UNISO  
 A N I S O R T  
 C A R D

# ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer R. Weeden  
Box 425 College

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
207	6	1	4	♀	6:10 a.m.
208	6	1	1	—	6:20 a.m.
209					
210					
211					
212					
213					
214					
215					
216					
217					
218					
219					
220					
221					
222					
223					
224					
225					
226					
227					

REMARKS: e.g. Birds banded, pertinent weather information, etc.

Yg - 4-6 days old  
June 12.

309 308 307 306 305 304 303 302 301  
 1 7 4 2 1 7 4 2 1

UNISO  
 R T

15 Slope opposite 3<sup>rd</sup> trailing pile

Name of Bird	Redpoll	Year	1963
--------------	---------	------	------

Locality of Nest Eagle Creek  
mile 105 Steese Highway

Latitude..... Longitude.....

Altitude.. 3000... Direction slope faces... N....

Nest..... 3.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other .....

List abundant plants:

Alder, birch, willow

Some grass - moss - dryas  
openings.

POSITION OF NEST

In tree, brush or shrub  in alder

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST

No. of eggs hatched .....

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

.....



2 1 7 4 2 1 7 4 2 1  
 110 109 108 107 106 105 104 103 102 101

27 4  
 26 2  
 25 1  
 24 7  
 23 4  
 22 2  
 21 1  
 20 7  
 19 4  
 18 2  
 17 1  
 16 7  
 15 4  
 14 2  
 13 1  
 12 7  
 11 4  
 10 2  
 9 1  
 8 7  
 7 4  
 6 2  
 5 1  
 4 7  
 3 4  
 2 2  
 1 1

UNISORT ANALYSIS CARD

# ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer R. Weeden  
Box 425 College

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
207	9	6	5	♂	8:30 P.M.
208					
209					
210					
211					
212					
213					
214					
215					
216					
217					
218					
219					
220					
221					
222					
223					
224					
225					
226					
227					

REMARKS: e.g. Birds banded, pertinent weather information, etc.

*1/2 about ready to fly June 9*

UNISORT

309 308 307 306 305 304 303 302 301  
 1 7 4 2 1 7 4 2 1

N side Road Ridge  
2/3 way to Bates

5

Name of Bird	Redpoll	Year	1963
--------------	---------	------	------

Locality of Nest Eagle Creek  
mile 105 Steese Highway

Latitude..... Longitude.....

Altitude... 2800... Direction slope faces... N...

Nest...!.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other .....

List abundant plants:

Sedge and heath tundra  
with scattered clusters of  
alder, tiny spruce.

POSITION OF NEST

In tree, brush or shrub  in spruce 2' tall,  
wind-shaped.

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST

No. of eggs hatched .....

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

.....





18 Road to Lower Camp

Name of Bird	Redpoll	Year	1963
--------------	---------	------	------

Locality of Nest Eagle Creek  
mile 105 Steese Highway

Latitude..... Longitude.....

Altitude... 2600... Direction slope faces... flat.

Nest... 2...ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other .....

List abundant plants:

Willow, low birch, spruce,  
moss, Empetrum

POSITION OF NEST

In tree, brush or shrub  in willows

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST

No. of eggs hatched .....

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

.....



Name of Bird Redpoll | Year 1960

Locality of Nest Mastodon Fork of Eagle Creek,  
Mile 105 Steese Highway

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude 3500 Direction slope faces south

Nest 3 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

- Forest  Tall brush (4-10')  Shrub (1-4')   
Moist tundra  Rocky tundra  Marsh

Other \_\_\_\_\_

List abundant plants:

- Salix* spp.
- Betula nana*
- Vaccinium vitis-idaea*
- " *uliginosum*
- Dryas*
- Alnus* spp.

POSITION OF NEST

- In tree, brush, or shrub   
On ground, under tree, brush or shrub   
On ground, not under tree, brush or shrub   
On ground, in open on sand or rocks   
On cliff or bank  On floating mat

FATE OF NEST

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

\_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving \_\_\_\_\_

Nest \_\_\_\_\_

\_\_\_\_\_





Miller Fk. W branch

Name of Bird Redpoll Year 1962

Locality of Nest Eagle Creek, mile 105 Steese Highway

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude 3300 Direction slope faces E

Nest 2' ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky Tundra  Field  Marsh

Other \_\_\_\_\_

List abundant plants:

Willow, dwarfed birch,  
Valeriana, Pedicularis  
verticillata

POSITION OF NEST

In tree, brush or shrub  low willow

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest 4

Cause of death of chicks not leaving nest \_\_\_\_\_





Name of Bird Redpoll | Year 1962

Locality of Nest Hiyu Mine FAIRBANKS CR.

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude \_\_\_\_\_ Direction slope faces \_\_\_\_\_

Nest 5 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')   
Moist tundra  Rocky Tundra  Field  Marsh

Other \_\_\_\_\_

List abundant plants:

POSITION OF NEST

In tree, brush or shrub   
On ground, under tree, brush or shrub   
On ground, not under tree, brush or shrub   
On ground, in open on sand or rocks   
On cliff or bank  On floating mat   
On building

FATE OF NEST

No. of eggs hatched 2

No. of unhatched eggs 1

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving nest \_\_\_\_\_



near Starbuck nest R 15-62

Name of Bird Redpoll | Year 1962

Locality of Nest Eagle Creek, mile 105 Steese Highway

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude 3400 Direction slope faces N

Nest 4 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky Tundra  Field  Marsh

Other \_\_\_\_\_

List abundant plants:

Tall willow, moss,  
Equisetum, Anemone

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat
- On building

FATE OF NEST

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving nest \_\_\_\_\_



2 1 7 4 2 1 7 4 2 1  
110 109 108 107 106 105 104 103 102 101

27 4  
26 2  
25 1  
24 7  
23 4  
22 2  
21 1  
20 7  
19 4  
18 2  
17 1  
16 7  
15 4  
14 2  
13 1  
12 7  
11 4  
10 2  
9 1  
8 7  
7 4  
6 2  
5 1  
4 7  
3 4  
2 2  
1 1

# ALASKA NEST RECORD CARD

UNISORT  
University of Alaska, College, Alaska

Name and address of observer **Red Herrick**  
**ADFG College**

**FOR OBSERVATIONS ON ONE NEST**

DAY	MONTH	NO. OF EGGS	NO. OF YOUNG	ADULT ON NEST? SEX?	TIME
17	6	4	-	♀	5:30 am

REMARKS: e.g. Birds banded, pertinent weather information, etc.

UNISORT  
ANALYSIS  
CARD STD. FORM Y 12

1 201  
2 202  
4 203  
7 204  
1 205  
2 206  
4 207  
7 208  
1 209  
2 210  
4 211  
7 212  
1 213  
2 214  
4 215  
7 216  
1 217  
2 218  
4 219  
7 220  
1 221  
2 222  
4 223  
7 224  
1 225  
2 226  
4 227

UNISORT

309 1  
308 7  
307 4  
306 2  
305 1  
304 7  
303 4  
302 2  
301 1

Name of Bird RED DOLL | Year 1962

Locality of Nest EAGLE CREEK, MI. 105  
STEESE HIGHWAY, ALASKA

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude \_\_\_\_\_ Direction slope faces \_\_\_\_\_

Nest 2 ft. above ground or base of cliff.

**TYPE OF VEGETATION IN AREA (check one or more)**

Forest  Tall brush (4-10')  Shrub (1-4')   
Moist tundra  Rocky Tundra  Field  Marsh

Other \_\_\_\_\_

List abundant plants:

**POSITION OF NEST**

In tree, brush or shrub   
On ground, under tree, brush or shrub   
On ground, not under tree, brush or shrub   
On ground, in open on sand or rocks   
On cliff or bank  On floating mat   
On building

**FATE OF NEST**

No. of eggs hatched NONE

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs ABANDONED,  
BAD WEATHER, ?

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving nest \_\_\_\_\_

# ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer

R. HERRICK

A. D. F. B.

## FOR OBSERVATIONS ON ONE NEST

DAY	MONTH	NO. OF EGGS	NO. OF YOUNG	ADULT ON NEST? SEX?	TIME
16	JUNE	4	0	YES	6.30 A.M.
24	JUNE	4	0	NO.	6.30 A.M.

REMARKS: e.g. Birds banded, pertinent weather information, etc.

25 1  
24 7  
23 4  
22 2  
21 1  
20 7  
19 4  
18 2  
17 1  
16 7  
15 4  
14 2  
13 1  
12 7  
11 4  
10 2  
9 1  
8 7  
7 4  
6 2  
5 1  
4 7  
3 4  
2 2  
1 1



Name of Bird RED POLL | Year 1962

Locality of Nest EAGLE CREEK - MILE 105 STEESE HIGHWAY, ALASKA

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude 2800 Direction slope faces WEST

Nest 4 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky tundra  Marsh

Other \_\_\_\_\_

List abundant plants:

**POSITION OF NEST**

- In tree, brush, or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat

**FATE OF NEST**

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving

Nest \_\_\_\_\_



Name of Bird Red Poll | Year 1962

Locality of Nest 105 Steese Hwy Eagle Creek

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude \_\_\_\_\_ Direction slope faces \_\_\_\_\_

Nest 5' ft. above ground or base of cliff.

**TYPE OF VEGETATION IN AREA (check one or more)**

Forest  Tall brush (4-10')  Shrub (1-4')   
Moist tundra  Rocky Tundra  Field  Marsh

Other \_\_\_\_\_

List abundant plants:

**POSITION OF NEST**

In tree, brush or shrub   
On ground, under tree, brush or shrub   
On ground, not under tree, brush or shrub   
On ground, in open on sand or rocks   
On cliff or bank  On floating mat   
On building

**FATE OF NEST**

No. of eggs hatched 5

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving nest \_\_\_\_\_





27

South Hill E of Gully  
1/2 way up

Name of Bird Redpoll | Year 1963

Locality of Nest Eagle Creek  
mile 105 Steese Highway

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude 3200 Direction slope faces N

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')   
Moist tundra  Rocky Tundra  Field  Marsh

Other \_\_\_\_\_

List abundant plants:

Alder, willow, birch, blueberry

}  
}  
}  
}  
}

Cassiope.

POSITION OF NEST

In tree, brush or shrub  *resting on alder stem and on ground*  
On ground, under tree, brush or shrub   
On ground, not under tree, brush or shrub   
On ground, in open on sand or rocks   
On cliff or bank  On floating mat   
On building

FATE OF NEST

No. of eggs hatched 5

No. of unhatched eggs 0

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving nest \_\_\_\_\_





25 Island in Mastodon Fork

Name of Bird Redpoll | Year 1963

Locality of Nest Eagle Creek  
mile 105 Steese Highway

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude 3000 Direction slope faces W

Nest 3 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky Tundra  Field  Marsh

Other \_\_\_\_\_

List abundant plants:

Riparian willow association  
at timberline

POSITION OF NEST

In tree, brush or shrub  in willow.

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST

No. of eggs hatched 5

No. of unhatched eggs 0

Cause of non-hatching of eggs —

No. of chicks that left nest 4

Cause of death of chicks not leaving nest ?



41 head of W branch Miller Fk,  
beginning of stream

Name of Bird Redpoll | Year 1963

Locality of Nest Eagle Creek  
mile 105 Steese Highway

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude 3500 Direction slope faces S

Nest 4" ~~ft.~~ above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky Tundra  Field  Marsh

Other \_\_\_\_\_

List abundant plants:

*Willow, grass,*  
*moss, Parrya,*  
*Potentilla fruticosa*

POSITION OF NEST

In tree, brush or shrub  in 2' willow

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving nest \_\_\_\_\_





40 Bates on near R19-63

Name of Bird Redpoll Year 1963

Locality of Nest Eagle Creek  
mile 105 Steese Highway

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude 3200 Direction slope faces W

Nest 1 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky Tundra  Field  Marsh

Other \_\_\_\_\_

List abundant plants:

dwarf birch, Lycopodium,  
moss, grass, lichen

POSITION OF NEST

In tree, brush or shrub  in low spruce <sup>2'</sup> tall

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving nest \_\_\_\_\_





Name of Bird Redpoll Year 1963

Locality of Nest Just below Nameless Brook, Eagle Crk., Alaska.

Latitude..... Longitude.....  
Altitude...2900..... Direction slope faces.....

Nest.....|.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other .....

List abundant plants:

POSITION OF NEST

In <sup>small</sup> tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST

No. of eggs hatched .....5.....

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest.....5.....

Cause of death of chicks not leaving nest.....

.....

2 1 7 4 2 1 7 4 2 1  
110 109 108 107 106 105 104 103 102 101

27 4  
26 2  
25 1  
24 7  
23 4  
22 2  
21 1  
20 7  
19 4  
18 2  
17 1  
16 7  
15 4  
14 2  
13 1  
12 7  
11 4  
10 2  
9 1  
8 7  
7 4  
6 2  
5 1  
4 7  
3 4  
2 2  
1 1

UNISORT ANALYSIS CARD  
STANDARD FORM Y 12  
BURROUGHS CORPORATION - TODD DIVISION -

# ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer: *Dave Hatler*  
*Box 646, College*

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
15	JUNE	0	5	off	5:55 a.m.
25	JUNE	0	0	off	11:30 a.m.

REMARKS: e.g. Birds banded, pertinent weather information, etc.

*615 young so big they're almost crowding each other from the nest.*

309 308 307 306 305 304 303 302 301  
1 7 4 2 1 7 4 2 1

UNISORT

Name of Bird Redpoll Year 1963

Locality of Nest S. Eriksen V.C. 1/4 mi. McKinley Park

Latitude ≈ 63° 29' Longitude ≈ 150° 20'

Altitude 3400' Direction slope faces SW

Nest 6 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other .....

List abundant plants:

Willow!

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat
- On building

FATE OF NEST

No. of eggs hatched 4

No. of unhatched eggs 0

Cause of non-hatching of eggs —

.....

No. of chicks that left nest ?

Cause of death of chicks not leaving nest ?

.....





Name of Bird Rudpoll | Year 1961

Locality of Nest Tetlin River near Tetlin, Alaska

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude 1650 Direction slope faces —

Nest 4 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky Tundra  Field  Marsh

Other \_\_\_\_\_

List abundant plants:

Aspen, willow  
grass, Mertensia

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving nest \_\_\_\_\_





#62

Name of Bird	Redpoll	Year	1968
--------------------	---------	------	------

Locality BROOKS RANGE, Folly Lake.  
 of Head of Unakserak River  
 Nest

Latitude...67° 52' N... Longitude...154° W....

Altitude...3400'... Direction slope face South.

Nest...1.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other slope of high valley.....

List abundant plants:

POSITION OF NEST 12" up in crotch

In tree, brush or shrub  3' Salix glauca

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST

No. of eggs hatched ... unknown.....

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest.. unknown.....

Cause of death of chicks not leaving nest.....

.....

110 109 108 107 106 105 104 103 102 101

4 27  
2 26  
1 25  
7 24  
4 23  
2 22  
1 21  
7 20  
4 19  
2 18  
1 17  
7 16  
4 15  
2 14  
1 13  
7 12  
4 11  
2 10  
1 9  
7 8  
4 7  
2 6  
1 5  
7 4  
4 3  
2 2  
1 1

UNISORT  
ALASKA  
BIRDS  
CARD  
STD. FORM  
Y 12  
BARRON'S  
CORPORATION  
- TODD DIV. - L

# ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer **Mr. & Mrs. Gilbert Staender**  
**13900 Southwest Sundeleaf Dr.**  
**Lake Oswego, Oregon 97034**

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
28	6	1			

REMARKS: e.g. Birds banded, pertinent weather information, etc.

1 201  
2 202  
4 203  
7 204  
1 205  
2 206  
4 207  
7 208  
1 209  
2 210  
4 211  
7 212  
1 213  
2 214  
4 215  
7 216  
1 217  
2 218  
4 219  
7 220  
1 221  
2 222  
4 223  
7 224  
1 225  
2 226  
4 227

309 301  
308 302  
7 303  
4 304  
1 305  
2 306  
4 307  
7 308  
1 309

UNISORT

#57

Name of Bird Redpoll Year 1965

Locality of Nest Lonely Lake  
Brooks Range

Latitude 67° 57' N Longitude 153° 10' W

Altitude 3700' Direction slope faces flat

Nest 2 1/2' ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other near stream

List abundant plants:

taller willows (feltleaf)  
moss

POSITION OF NEST

In tree, brush or shrub  in crotch

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST

No. of eggs hatched 3

No. of unhatched eggs unknown

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest 3

Cause of death of chicks not leaving nest.....

.....





#13

Name of Bird Redpoll Year 1965

Locality of Nest Lovely Lake Brooks Range

Latitude 67°57'W Longitude 153°10'W

Altitude 3600' Direction slope faces flat

Nest 15" above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other near stream

List abundant plants:

felthead willow  
grass

POSITION OF NEST

In tree, brush or shrub  in crotch

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST

No. of eggs hatched none

No. of unhatched eggs sterile

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest none

Cause of death of chicks not leaving nest.....

.....

2 1 7 4 2 1 7 4 2 1  
 110 109 108 107 106 105 104 103 102 101

**ALASKA NEST RECORD CARD**

University of Alaska, College, Alaska

Name and address of observer **GILBERT F. STAENDER**  
**13900 S. W. Sundleaf Dr**  
**Oswego, Oregon**

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
17	6	4		♀	
19	6	4		♀	
4	7	4		♀	

REMARKS: e.g. Birds banded, pertinent weather information, etc.

7-4 collected eggs for analysis as had been incubated 17 days

309 308 307 306 305 304 303 302 301  
 1 7 4 2 1 7 4 2 1

27 4  
 26 2  
 25 1  
 24 7  
 23 4  
 22 2  
 21 1  
 20 7  
 19 4  
 18 2  
 17 1  
 16 7  
 15 4  
 14 2  
 13 1  
 12 7  
 11 4  
 10 2  
 9 1  
 8 7  
 7 4  
 6 2  
 5 1  
 4 7  
 3 4  
 2 2  
 1 1

UNISORT ANTHERS CARD  
 BURROUGHS CORPORATION - TODD DIVISION - IL

UNISORT



Name (common?) of Bird Redpoll Year 1964

Locality of Nest Loon Lake

Latitude 67°55'N Longitude 155°30'W

Altitude 2450 Direction slope faces West

Nest 4 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other .....

List abundant plants:

tall willows 10'-15' tall

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat
- On building

FATE OF NEST

No. of eggs hatched 4

No. of unhatched eggs 1

Cause of non-hatching of eggs unknown

No. of chicks that left nest 4

Cause of death of chicks not leaving nest .....

2 1 7 4 2 1 7 4 2 1  
110 109 108 107 106 105 104 103 102 101

27 4  
26 2  
25 1  
24 7  
23 4  
22 2  
21 1  
20 7  
19 4  
18 2  
17 1  
16 7  
15 4  
14 2  
13 1  
12 7  
11 4  
10 2  
9 1  
8 7  
7 4  
6 2  
5 1  
4 7  
3 4  
2 2  
1 1

UNISORT ANALYSIS CARD

## ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer **GILBERT F. STAENDER**  
**13900 S. W Sundeleaf Dr.**  
**Oswego Oregon**

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
28	6	5		♀	
5	7	4	1	♀	
22	7	<i>fledged</i>			

REMARKS: e.g. Birds banded, pertinent weather information, etc.  
*female on nest so tame we could stroke her - she pecked our hand*

UNISORT ANALYSIS CARD

309 308 307 306 305 304 303 302 301  
1 7 4 2 1 7 4 2 1

UNISORT

Name of Bird (Common?) Redpoll Year 1964

Locality of Nest Loon Lake

Latitude 67°55'N Longitude 155°30'W

Altitude 2400 Direction slope faces East

Nest 12 ft, above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other .....

List abundant plants:

Tall willows

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST

No. of eggs hatched none

No. of unhatched eggs.....

Cause of non-hatching of eggs nest

abandoned ~~eggs sterile~~

No. of chicks that left nest none

Cause of death of chicks not leaving nest.....

nest abandoned





Name of Bird (Common?) Redpoll Year 1964

Locality of Nest LOON LAKE

Latitude 67°55'N Longitude 155°30'W

Altitude 3350' Direction slope faces

Nest 2 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest [ ] Tall brush (4-10') [x] Shrub (1-4') [x]

Moist Tundra [ ] Rocky Tundra [ ] Field [ ] Marsh [ ]

Other

List abundant plants:

Tall and shrubby willows

POSITION OF NEST

- In tree, brush or shrub [x]
On ground, under tree, brush or shrub [ ]
On ground, not under tree, brush or shrub [ ]
On ground, in open on sand or rocks [ ]
On cliff or bank [ ] On floating mat [ ]
On building [ ]

FATE OF NEST

No. of eggs hatched ... none

No. of unhatched eggs

Cause of non-hatching of eggs. unknown (no embryos)

No. of chicks that left nest ... none

Cause of death of chicks not leaving nest





Name of Bird (Common?) Redpoll | Year 1964

Locality of Nest Loon Lake

Latitude 67°55'N Longitude 152°30'W

Altitude 2400 Direction slope faces.....

Nest.....1.0.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other .....

List abundant plants:

willows

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST

No. of eggs hatched ..... 3 .....

No. of unhatched eggs..... 1 .....

Cause of non-hatching of eggs..... unknown .....

.....

No. of chicks that left nest..... none .....

Cause of death of chicks not leaving nest..... died .....

from unknown causes .....

UNISON T ANALYSIS CARD

# ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and **GILBERT F. STAENDER**  
address **13900 S W Sundeleaf Dr.**  
observer **Oswego, Oregon**

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
29	6		3		
30	6		3 dead		

REMARKS: e.g. Birds banded, pertinent weather information, etc.

*collected dead birds for analysis (sample #?)*

Name of Bird **REDPOLL** Year **1966**

Locality of Nest **Loon Lake, Brooks Range**

Latitude **67° 55' N** Longitude **152° 30' W**

Altitude **2400'** Direction slope faces **level**

Nest **5** ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other **willow patch on valley floor**

List abundant plants:

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST

No. of eggs hatched **4**

No. of unhatched eggs **none**

Cause of non-hatching of eggs.....

No. of chicks that left nest **none**

Cause of death of chicks not leaving nest **unknown**

**perhaps starved**





Name  
of  
Bird

REDPOLL

Year

1966

Locality  
of  
Nest

Loon Lake, Brooks Range

Latitude

68° N

Longitude

152° 30' W

Altitude

3500'

Direction slope faces

level

Nest .....!.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other .....

List abundant plants:

*low willows  
dry tundra vegetation*

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST

No. of eggs hatched *unknown*

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

110 109 108 107 106 105 104 103 102 101

# ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer *Mrs.* **GILBERT F. STAENDER**  
**13900 S. W. Sundeleaf Dr.**  
**Oswego, Oregon**

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
29	6	4		♀	

REMARKS: e.g. Birds banded, pertinent weather information, etc.

1 2 4 7 1 2 4 7 1 2 4 7 1 2 4 7 1 2 4 7 1 2 4 7 1 2 4 7 1 2 4 7 1 2 4 7

27 26 25 24 23 22 21 20 19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1 4 2 1 7 4 2 1 7 4 2 1 7 4 2 1

309 308 307 306 305 304 303 302 301  
 1 7 4 2 1 7 4 2 1

UNISORT



11 Pretty Gully

Name of Bird	Redpoll	Year	1963
--------------	---------	------	------

Locality of Nest	Eagle Creek, mile 105 Steese Highway
------------------	---

Latitude..... Longitude.....

Altitude... 3100... Direction slope faces... SW...

Nest... 3 1/2...ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other .....

List abundant plants:

low spruce, blueberry,  
moss, Anemone, Cassiope,  
Pedicularis

POSITION OF NEST

In tree, brush or shrub  in spruce

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST

No. of eggs hatched .....

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

2 1 7 4 2 1 7 4 2 1  
110 109 108 107 106 105 104 103 102 101

27 4  
26 2  
25 1  
24 7  
23 4  
22 2  
21 1  
20 7  
19 4  
18 2  
17 1  
16 7  
15 4  
14 2  
13 1  
12 7  
11 4  
10 2  
9 1  
8 7  
7 4  
6 2  
5 1  
4 7  
3 4  
2 2  
1 1

# ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer **R. Weeden**  
**Box 425 College**

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
31	5	5	-	fclose	9:30 a.m.
11	6	3	2	fon	3:10 pm

REMARKS: e.g. Birds banded, pertinent weather information, etc.

309 308 307 306 305 304 303 302 301  
1 7 4 2 1 7 4 2 1

UNISOR

20 Castle Brook E-facing slope

Name of Bird	Redpoll	Year	1963
--------------	---------	------	------

Locality of Nest Eagle Creek  
mile 105 Steese Highway

Latitude..... Longitude.....

Altitude... 3100... Direction slope faces... ENE

Nest... 3...ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other .....

List abundant plants:

Low spruce, alder. Open moist tundra with moss, Ledum, Empetrum, Vaccinium

POSITION OF NEST

In tree, brush or shrub  in spruce

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST

No. of eggs hatched .....

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

.....





9 Ditch across from sign pole

Name of Bird	Redpoll	Year	1963
--------------	---------	------	------

Locality of Nest Eagle Creek  
mile 105 Steese Highway

Latitude..... Longitude.....

Altitude... 2850... Direction slope faces... N....

Nest..... 3.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other .....

List abundant plants:

Willow, low birch, moss,  
blueberry, Empetrum

POSITION OF NEST

In tree, brush or shrub  on willow  
(no leaves 30/5)

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST

No. of eggs hatched .....

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....





Center Hill 100 yds above ditch

Name of Bird	Redpoll	Year	1963
--------------	---------	------	------

Locality of Nest	Eagle Creek mile 105 Steese Highway
------------------	--

Latitude..... Longitude.....

Altitude. 2800... Direction slope faces. W.....

Nest.... 3.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other .....

List abundant plants:

Low, stunted spruce. Dwarf birch. Ledum, blueberry, moss, cranberry, Cassiope

POSITION OF NEST

In tree, brush or shrub  in spruce

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST

No. of eggs hatched .....

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

.....

## ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer: R. Weeden  
Box 425 College

### FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
30	5	5	—	♀	7:50 a.m.
12	6	1	4	♀	4:10 a.m.
19	6	2	4	—	1:45 p.m.
certain of count -					♀
must have laid another egg.					

REMARKS: e.g. Birds banded, pertinent weather information, etc.

Yg. 3-4 days old  
June 12.

Bates Creek W slope #7

Name of Bird	Redpoll	Year	1963
--------------	---------	------	------

Locality of Nest Eagle Creek  
mile 105 Steese Highway

Latitude..... Longitude.....

Altitude... 3000 ... Direction slope faces... W ...

Nest... 4 ...ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other .....

List abundant plants:

Blueberry, dwarfed birch,  
alder, willow, stunted  
spruce.

POSITION OF NEST

In tree, brush or shrub  in spruce

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST

No. of eggs hatched .....

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

.....



2 1 7 4 2 1 7 4 2 1  
110 109 108 107 106 105 104 103 102 101

27 4  
26 2  
25 1  
24 7  
23 4  
22 2  
21 1  
20 7  
19 4  
18 2  
17 1  
16 7  
15 4  
14 2  
13 1  
12 7  
11 4  
10 2  
9 1  
8 7  
7 4  
6 2  
5 1  
4 7  
3 4  
2 2  
1 1

UNISORT ANNEALS CARD

## ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer: *R. Weeden  
Box 425 College*

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
28	5	3	-	♀	6:15 a.m.
8	6	2	3	-	9:15 a.m.
18	6	-	5	-	7:45 a.m.
<i>yg. ready to leave nest</i>					

**REMARKS:** e.g. Birds banded, pertinent weather information, etc.  
*Yg. just hatching  
June 8.  
Only about 10-day incubation*

UNISORT

309 308 307 306 305 304 303 302 301  
1 7 4 2 1 7 4 2 1

BURROUGHS CORPORATION - TODD DIVISION - L

201 202 203 204 205 206 207 208 209 210 211 212 213 214 215 216 217 218 219 220 221 222 223 224 225 226 227 228 229

#6 Bates Creek ESE slope

Name of Bird	Redpoll	Year	1963
--------------	---------	------	------

Locality of Nest Eagle Creek  
mile 105 Steese Highway

Latitude..... Longitude.....

Altitude. ~~3000~~ 3100.. Direction slope faces. ESE..

Nest... 3.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other .....

List abundant plants:

dwarfed birch, cranberry,  
blueberry, Cassiope,  
Empetrum, stunted spruce

POSITION OF NEST

In tree, brush or shrub  in spruce

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST

No. of eggs hatched .....

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

.....





Name of Bird	Year
Redpoll	1963

Locality of Nest Eagle Creek  
mile 605 Steese Highway

Latitude..... Longitude.....  
 Altitude 2700..... Direction slope faces slight NW.....

Nest.....3.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')   
 Moist Tundra  Rocky Tundra  Field  Marsh

Other .....

List abundant plants:

Willow scrub. Snow  
 1-2' deep under nest.

POSITION OF NEST

In tree, brush or shrub  in willow  
 On ground, under tree, brush or shrub   
 On ground, not under tree, brush or shrub   
 On ground, in open on sand or rocks   
 On cliff or bank  On floating mat   
 On building

FATE OF NEST

No. of eggs hatched .....

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

.....

2 1 7 4 2 1 7 4 2 1  
110 109 108 107 106 105 104 103 102 101

27 4  
26 2  
25 1  
24 7  
23 4  
22 2  
21 1  
20 7  
19 4  
18 2  
17 1  
16 7  
15 4  
14 2  
13 1  
12 7  
11 4  
10 2  
9 1  
8 7  
7 4  
6 2  
5 1  
4 7  
3 4  
2 2  
1 1

UNISORT  
ANNALS  
CARD  
SIX  
FORM  
Y  
BUREAUS  
CORPORATION  
- TODD  
DIVISION  
- L

# ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer R. Weeden  
Box 425 College

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
27	5	2	-	♀	5:30 p.m.
28	5	3	-	♀	1:30 pm
30	5	4	-	♀	7:30 a.m.
8	6	2	2	♀	1:50 pm
17	6	0	4	-	7:30 p.m.

REMARKS: e.g. Birds banded, pertinent weather information, etc.  
2 ♂♂ attending ♀ at  
+ close to nest on 5/27  
Yg. probably began hatching  
June 7.

227 4  
226 2  
225 1  
224 7  
223 4  
222 2  
221 1  
220 7  
219 4  
218 2  
217 1  
216 7  
215 4  
214 2  
213 1  
212 7  
211 4  
210 2  
209 1  
208 7  
207 4  
206 2  
205 1  
204 7  
203 4  
202 2  
201 1

UNISORT

309 308 307 306 305 304 303 302 301  
1 7 4 2 1 7 4 2 1

3 Ford of Eagle Cr.

Name of Bird	Redpoll	Year	1963
--------------	---------	------	------

Locality of Nest	Eagle Creek mile 105 Steese Highway
------------------	--

Latitude..... Longitude.....

Altitude. 2700..... Direction slope faces. slight W.....

Nest.....!.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other .....

List abundant plants:

Riparian willow community  
on tailings.

POSITION OF NEST

In tree, brush or shrub  near base of  
clump of 10' willows

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST

No. of eggs hatched .....

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....





On road above 2<sup>nd</sup> boiler 2

Name of Bird	Redpoll	Year	1963
--------------	---------	------	------

Locality of Nest Eagle Creek  
mile 105 Steese Highway

Latitude..... Longitude.....  
Altitude 2950.... Direction slope faces..... <sup>slight</sup> W

Nest..... 1 1/2.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')   
Moist Tundra  Rocky Tundra  Field  Marsh

Other .....

List abundant plants:

Alder, willow, dwarf birch,  
grass.  
In old mined area,  
much gravel, forbs

POSITION OF NEST

In tree, brush or shrub  in alder  
On ground, under tree, brush or shrub   
On ground, not under tree, brush or shrub   
On ground, in open on sand or rocks   
On cliff or bank  On floating mat   
On building

FATE OF NEST

No. of eggs hatched ..... 5.....  
No. of unhatched eggs... 0.....  
Cause of non-hatching of eggs.....  
.....  
No. of chicks that left nest... 5.....  
Cause of death of chicks not leaving nest.....  
.....

UNISORT AN EGG CARD

## ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer R. Weeden  
Box 425 College

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest?	Sex?	Time
22	5	1	-	-		7:25 am
28	5	5	-	♀		7:45 pm
30	5	?	-	♀		12:10 p.m.
30	5	5	-	-		5:00 p.m.
9	6	-	5	♀		5:25 am
11	6	-	5	-		4:40 pm
15	6	-	5	-		4:00 p.m.
18	6	-	-	-		2:30 p.m.

REMARKS: e.g. Birds banded, pertinent weather information, etc.

Pair close to nest  
Young quite big on June 6.  
Perhaps 4-6 days old.

27 4  
26 2  
25 1  
24 7  
23 4  
22 2  
21 1  
20 7  
19 4  
18 2  
17 1  
16 7  
15 4  
14 2  
13 1  
12 7  
11 4  
10 2  
9 1  
8 7  
7 4  
6 2  
5 1  
4 7  
3 4  
2 2  
1 1



Eagle Creek, head of road 1

Name of Bird	Redpoll	Year	1963
--------------	---------	------	------

Locality of Nest Eagle Creek  
mile 105 Steese Highway

Latitude..... Longitude.....

Altitude... 3000... Direction slope faces... flat...

Nest... 6...ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other .....

List abundant plants:

Dwarfed willow, birch,  
grasses, moss, blueberry,  
Ledum

POSITION OF NEST

In tree, brush or shrub  at edge of  
tailings

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST

No. of eggs hatched ... 0 .....

No. of unhatched eggs... 5 .....

Cause of non-hatching of eggs... Abandoned .....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....



Name  
of  
Bird

redpoll

Year

1963

Locality  
of  
Nest

Along Eagle Fork about half  
way up toward E. running brook  
Stroose Valley

Latitude..... Longitude.....

Altitude...2700... Direction slope faces.....

Nest.....2.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other .....

List abundant plants:

willow  
sedge  
moss

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST

No. of eggs hatched .....

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....





#57

Name of Bird Redpoll Year 1965

Locality of Nest Lonely Lake Brooks Range

Latitude 67°57'N Longitude 153°10'W

Altitude 3700' Direction slope faces flat

Nest 15" above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other near stream

List abundant plants:

feltleaf willow  
shubby willow

POSITION OF NEST

- In tree, brush or shrub  in crotch
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat
- On building

FATE OF NEST

No. of eggs hatched unknown

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest unknown

Cause of death of chicks not leaving nest.....

.....





Name of Bird Redpoll, sp.? Year 1963

Locality of Nest Igiak Bay

Latitude... 61°44' Longitude... 165°43'

Altitude... 400... Direction slope faces... SW...

Nest... 10"...ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other .....

List abundant plants:

Nest in stunted 18" willow.  
Grass cup lined with ptarmigan feathers

POSITION OF NEST

In tree, brush or shrub  -- very low!

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

On building

FATE OF NEST

No. of eggs hatched .....

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

.....



Name of Bird RED POLL Year 1961

Locality of Nest COHOE

Latitude 60° Longitude 151°

Altitude 80 Direction slope faces \_\_\_\_\_

Nest 8 inches ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')   
Moist tundra  Rocky tundra  Marsh

Other \_\_\_\_\_

List abundant plants:

LABRADOR TEA.  
NATIVE GRASS.  
DWARFED WILLOW + POPLAR.

POSITION OF NEST

In tree, brush, or shrub   
On ground, under tree, brush or shrub   
On ground, not under tree, brush or shrub   
On ground, in open on sand or rocks   
On cliff or bank  On floating mat

FATE OF NEST

No. of eggs hatched 4

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest 4

Cause of death of chicks not leaving \_\_\_\_\_

Nest \_\_\_\_\_





Name of Bird REBPOLL Year 1961

Locality of Nest COHOE

Latitude 60° Longitude 151°

Altitude 85 Direction slope faces \_\_\_\_\_

Nest 5 1/2 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')   
Moist tundra  Rocky tundra  Marsh

Other \_\_\_\_\_

List abundant plants:

POSITION OF NEST

In tree, brush, or shrub   
On ground, under tree, brush or shrub   
On ground, not under tree, brush or shrub   
On ground, in open on sand or rocks   
On cliff or bank  On floating mat

FATE OF NEST

No. of eggs hatched THREE

No. of unhatched eggs ONE.

Cause of non-hatching of eggs APPARENT  
desertion of loss of female

No. of chicks that left nest NONE.

Cause of death of chicks not leaving

Nest SAME AS ABOVE





Name of Bird RED POLL Year 1961

Locality wooded lot at corner of 15th + C St. Anchorage

Latitude 61° 12' 30" Longitude 149° 53' 10"

Altitude 100 Direction slope faces south

Nest 13 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky tundra  Marsh

Other residential area, streets

List abundant plants:  
Bitch spruce, birch, willow, aspen  
white/black spruce  
clonberry  
labrador tea  
willow  
aspen

POSITION OF NEST  
In tree, brush, or shrub  (spruce)

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

FATE OF NEST  
No. of eggs hatched unknown -

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs the wooded lot was partially destroyed by land clearing project

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving \_\_\_\_\_

Nest \_\_\_\_\_



Name of Bird REDPOLL | Year 1960

Locality of Nest ANCHORAGE (CITY)  
3rd + E ST.

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude 200 Direction slope faces N

Nest 9 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky tundra  Marsh

Other CITY HEDGE

List abundant plants:

CILAC BUSHES  
BIRCH

POSITION OF NEST

In tree, brush, or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

FATE OF NEST

No. of eggs hatched 3

No. of unhatched eggs 0

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest 3

Cause of death of chicks not leaving \_\_\_\_\_

Nest \_\_\_\_\_





Name of Bird RED POLL Year 1960

Locality of Nest 3rd + C<sup>ST</sup>, ANCHORAGE

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude 100 Direction slope faces N

Nest 20 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')   
Moist tundra  Rocky tundra  Marsh

Other CITY LOT, TREES <sup>1/4</sup> Acre

List abundant plants:

Birds  
  
Grass  
Shrubbery

POSITION OF NEST

In tree, brush, or shrub   
On ground, under tree, brush or shrub   
On ground, not under tree, brush or shrub   
On ground, in open on sand or rocks   
On cliff or bank  On floating mat

FATE OF NEST

~~NOT RE-VISITED~~

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest all of them

Cause of death of chicks not leaving \_\_\_\_\_

Nest \_\_\_\_\_





Name of Bird REDPOLL Year 1961

Locality of Nest West Anchorage High School grounds by No. Lites Blvd. (30' away) Spenard Alaska

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude ? Direction slope faces level

Nest 1 1/2 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')   
Moist tundra  Rocky tundra  Marsh

Other \_\_\_\_\_

List abundant plants:

alder,  
birch (young stand)  
willow  
spruce (" ")  
fireweed

POSITION OF NEST  
In tree, brush, or shrub  (5' spruce)

On ground, under tree, brush or shrub   
On ground, not under tree, brush or shrub   
On ground, in open on sand or rocks   
On cliff or bank  On floating mat

FATE OF NEST not re-visited

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving \_\_\_\_\_

Nest \_\_\_\_\_



Name of Bird RED POLL Year 1961

Locality Wooded lot, edge of Chester Cr. valley, 30' from highway (15th st.) between A and B st, Anchorage

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude ? Direction slope faces S

Nest 12 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky tundra  Marsh

Other Residential area, busy streets

List abundant plants:

Spruce - birch  
Cinquefoil,  
Labrador tea  
Willows

POSITION OF NEST

In tree, brush, or shrub  (spruce)

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

FATE OF NEST

not re-visited -

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving \_\_\_\_\_

Nest \_\_\_\_\_





Name of Bird RED POLL Year 1961

Locality of Nest Anchorage - (Boottlegger's Cove - Chester Cr. flats)

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude 50 Direction slope faces SW?

Nest 17 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist tundra  Rocky tundra  Marsh

Other tide flats, residential

List abundant plants: area, roads, lots

spruce  
birch  
cinquefoil  
fireweed

POSITION OF NEST

In tree, brush, or shrub  (spruce)

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank  On floating mat

FATE OF NEST

not re-visited

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving \_\_\_\_\_

Nest \_\_\_\_\_

# ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer  
*M. K. ...*  
*Box 353 Homer*

FOR OBSERVATIONS ON ONE NEST

DAY	MONTH	No. of Eggs	No. of Young	ADULT ON NEST	SEX	TIME
3	JUNE	5		NO		1:15 PM

21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1

REMARKS: e.g. Birds banded, pertinent weather information, etc.

*Redpoll*  
*Redpoll*

227	226	225	224	223	222	221	220	219	218	217	216	215	214	213	212	211	210	209	208	207	206	205	204	203	202	201
4	2	1	7	4	2	1	7	4	2	1	7	4	2	1	7	4	2	1	7	4	2	1	7	4	2	1

309	308	307	306	305	304	303	302	301
1	7	4	2	1	7	4	2	1

UNISIN

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	-----

110	109	108	107	106	105	104	103	102	101
2	1	7	4	2	1	7	4	2	1



Name of Bird Red Poll Year 1960

Locality of Nest Ogotoruk Valley south of Cape Thompson, Alaska

Latitude 68° 09' 00" N Longitude 165° 35' 30" W

Altitude 300' Direction slope faces S

Nest 1 1/2 ft. above ground ~~or base of cliff.~~

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')   
Moist tundra  Rocky tundra  Marsh

Other Mudstone Talus slope

List abundant plants:

Salix pulchra

POSITION OF NEST

In tree, brush, or shrub  Salix pulchra  
On ground, under tree, brush or shrub   
On ground, not under tree, brush or shrub   
On ground, in open on sand or rocks   
On cliff or bank  On floating mat

FATE OF NEST

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving \_\_\_\_\_

Nest \_\_\_\_\_



Name of Bird Redpoll Year 1963

Locality of Nest Manopiknak River

Latitude 61° Longitude 165°

Altitude 300 ft. Direction slope faces none

Nest 6 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')

Moist Tundra  Rocky Tundra  Field  Marsh

Other .....

List abundant plants:

Sedge  
Grass  
Willow  
Alder

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank  On floating mat
- On building

FATE OF NEST

No. of eggs hatched .....

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

.....





Name of Bird *Acanthis spec.* | Year 1963

Locality of Nest *NE confluence Noatak / Kugururok*

Latitude *67°59'* Longitude *161°55'*

Altitude \_\_\_\_\_ Direction slope faces \_\_\_\_\_

Nest *1* ft. above ground or base of cliff.

**TYPE OF VEGETATION IN AREA (check one or more)**

- Forest  Tall brush (4-10')  Shrub (1-4')   
Moist tundra  Rocky Tundra  Field  Marsh

Other \_\_\_\_\_

**List abundant plants:**

*groups of small willows in  
tussock / tundra*

**POSITION OF NEST**

- In tree, brush or shrub   
On ground, under tree, brush or shrub   
On ground, not under tree, brush or shrub   
On ground, in open on sand or rocks   
On cliff or bank  On floating mat   
On building

**FATE OF NEST**

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving nest \_\_\_\_\_





Name of Bird Redpoll | Year 1961

Locality of Nest Oqotoruk Creek, Alaska

Latitude 68° Longitude 165°

Altitude 200 Direction slope faces 0

Nest 4 ft. above ground or base of cliff.

**TYPE OF VEGETATION IN AREA (check one or more)**

Forest  Tall brush (4-10')  Shrub (1-4')   
Moist tundra  Rocky Tundra  Field  Marsh

Other \_\_\_\_\_

List abundant plants:

Willow

**POSITION OF NEST**

In tree, brush or shrub   
On ground, under tree, brush or shrub   
On ground, not under tree, brush or shrub   
On ground, in open on sand or rocks   
On cliff or bank  On floating mat   
On building

**FATE OF NEST** unknown

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving nest \_\_\_\_\_



Name of Bird Redpoll | Year 1960

Locality 120 yds from east shore Peters  
of Nest Lake, Brooks Range

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude 3000 Direction slope faces west

Nest 1 1/2 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')   
Moist tundra  Rocky tundra  Marsh

Other old outwash fan

List abundant plants:

Willow, vetch, Jacobs Ladder,  
Petasites, birch, Saxifraga,  
blueberries, etc.

POSITION OF NEST

In tree, brush, or shrub   
On ground, under tree, brush or shrub   
On ground, not under tree, brush or shrub   
On ground, in open on sand or rocks   
On cliff or bank  On floating mat

FATE OF NEST

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving \_\_\_\_\_

Nest \_\_\_\_\_





Name of Bird Redpoll Year 1960

Locality of Nest 1/2 mile east of Umiat, along Colville River bank

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

Altitude \_\_\_\_\_ Direction slope faces flat

Nest 1 1/2 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest  Tall brush (4-10')  Shrub (1-4')   
Moist tundra  Rocky tundra  Marsh

Other \_\_\_\_\_

List abundant plants:

- Alder
- Willow
- Sedge
- Blueberry
- Pedicularis sp.
- Buttercups

POSITION OF NEST

In tree, brush, or shrub   
On ground, under tree, brush or shrub   
On ground, not under tree, brush or shrub   
On ground, in open on sand or rocks   
On cliff or bank  On floating mat

FATE OF NEST

No. of eggs hatched \_\_\_\_\_

No. of unhatched eggs \_\_\_\_\_

Cause of non-hatching of eggs \_\_\_\_\_

No. of chicks that left nest \_\_\_\_\_

Cause of death of chicks not leaving \_\_\_\_\_

Nest \_\_\_\_\_

