

Name of Bird semipalmated Sandpiper | Year 1975
Locality of Nest Kotzebue

Latitude _____ Longitude _____
Altitude 5 Direction slope faces _____
Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)
Forest Tall brush (4-10') Shrub (1-4')
Moist Tundra Rocky Tundra Field Marsh
Other _____

List abundant plants:

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

No. of eggs hatched _____
No. of unhatched eggs _____
Cause of non-hatching of eggs _____

No. of chicks that left nest _____
Cause of death of chicks not leaving nest _____

Name SEMI-PALMATED Year 72
of SANDPIPER

Locality OLD DEW LINE SITE
of BEAUFORT LAGOON, ARCTIC COAST
Nest (DEMARCATION BAY)

Latitude 69° 50' Longitude 142° 15'

Altitude 15' Direction slope faces -

Nestft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other OLD ROAD BED GRAVEL

List abundant plants:

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

No. of eggs hatched 4

No. of unhatched eggs 0

Cause of non-hatching of eggs.....

No. of chicks that left nest ?

Cause of death of chicks not leaving nest.....

Name of Bird Semipalmated Sandpiper | Year 1959

Locality of Nest Bremner River, Alaska

Latitude _____ Longitude _____

Altitude _____ Direction slope faces ↖

Nest ○ ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')
Moist tundra Rocky Tundra Field Marsh

Other gravel bar

List abundant plants:

400' from river, next to driftwood.

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

No. of eggs hatched _____
No. of unhatched eggs _____
Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving nest _____

Name of Bird Semipalmated Sandpiper | Year 1960

Locality of Nest 1/2 mile up from mouth of Pitmegea River, Cape Sabine

Latitude _____ Longitude _____

Altitude 40' Direction slope faces north

Nest _____ ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky tundra Marsh

Other _____

List abundant plants:

- Prostrate willows
- Pedicularis
- Dryas
- Grasses
- Moss

POSITION OF NEST — not found

- In tree, brush, or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat

FATE OF NEST

No. of eggs hatched _____

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving _____

Nest _____

Name of Bird Semipalmated Sandpiper | Year 1963

Locality of Nest Kukruk River NW Alaska

Latitude 68° 16' Longitude 165° 35'

Altitude 175' Direction slope faces flat

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')
Moist tundra Rocky Tundra Field Marsh

Other _____

List abundant plants:

Carex aquatilis
Eriophorum angustifolium
Salix pulchra

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

No. of eggs hatched _____

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving nest _____

Name of Bird Semipalmated Sandpiper | Year 1960

Locality of Nest 1 mile up Pitmegea River Cape Sabine, Alaska

Latitude _____ Longitude _____

Altitude 10' Direction slope faces flat

Nest _____ ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky tundra Marsh

Other Gravel bar

List abundant plants:
Willow (Salix reticulata et al)
sedge
Androsace
Oxytropis

POSITION OF NEST not found

In tree, brush, or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

FATE OF NEST

No. of eggs hatched _____

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest At least 4

Cause of death of chicks not leaving _____

Nest _____

Name of Bird Semi palmeted sand piper | Year 1963

Locality of Nest Kukpak River, NW Alaska

Latitude 68° 16' Longitude 165° 35'

Altitude 150' Direction slope faces 0°

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')
Moist tundra Rocky Tundra Field Marsh

Other Sedge-willow meadow

List abundant plants:
Carex aquatilis
Eriophorum angustifolium
Salix pulchra
mosses

POSITION OF NEST

In tree, brush or shrub
On ground, under tree, brush or shrub
On ground, not under tree, brush or shrub
On ground, in open on sand or rocks
On cliff or bank On floating mat
On building

FATE OF NEST

No. of eggs hatched _____
No. of unhatched eggs _____
Cause of non-hatching of eggs _____

No. of chicks that left nest _____
Cause of death of chicks not leaving nest _____

Name of Bird Ereunetes pusillus SEMIPALMATED S. Year 6/25/64

Locality of Nest ACROSS RIVER OLD CHEVAK, ALASKA

Latitude 61° 25' N. Longitude 166° 33' W.

Altitude SEALEVEL Direction slope faces WEST

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky Tundra Field Marsh

Other _____

List abundant plants: lichen mosses dwarf Birch, berry bushes.

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched _____

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving nest _____

Name Ereunetes pusillus | Year 6/27/64
of
Bird SEMIPALMATED S.

Locality S.E. of CABIN ACROSS KASHUNUK R.
of
Nest Old CHEVAK, ALASKA

Latitude 61°25' Longitude 166°33'

Altitude SEALEVEL Direction slope faces WEST

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')
Moist tundra Rocky Tundra Field Marsh

Other CAREX

List abundant plants:

POSITION OF NEST

- In tree, brush or shrub
- On ground, ~~under tree, brush or shrub~~
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

No. of eggs hatched _____
No. of unhatched eggs _____
Cause of non-hatching of eggs _____

No. of chicks that left nest _____
Cause of death of chicks not leaving nest _____

Name of Bird Ereunetes pusillus SEMIPALMATED S. Year 6/28/64

Locality of Nest Old CHEVAK, ALASKA

Latitude 61° 25' N Longitude 166° 33' W

Altitude SEALEVEL Direction slope faces WEST

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')
Moist tundra Rocky Tundra Field Marsh

Other DWARF BIRCH

List abundant plants:

POSITION OF NEST

In tree, brush or shrub
On ground, under tree, brush or shrub
On ground, not under tree, brush or shrub
On ground, in open on sand or rocks
On cliff or bank On floating mat
On building

FATE OF NEST

No. of eggs hatched _____

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving nest _____

Name Ereunetes pusillus | Year _____
of _____
Bird SEMIPALMATED 5 | 1964

Locality
of
Nest Old CHEVAK, ALASKA

Latitude 61° 25' N. Longitude 166° 33' W.

Altitude SEA LEVEL Direction slope faces WEST

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub ^{6"} ~~(4-10')~~
Moist tundra Rocky Tundra Field Marsh

Other _____

List abundant plants: DWARF BIRCH

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

No. of eggs hatched _____

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving nest _____

Name of Bird Semipalmated Sandpiper Year 1960

Locality of Nest Inland of Point Dall

Latitude 61° 35' N Longitude 166° 10' W

Altitude 5' Direction slope faces _____

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')
Moist tundra Rocky tundra Marsh

Other Sandy habitat.

List abundant plants:

POSITION OF NEST

In free, brush, or shrub
On ground, under tree, brush or shrub
On ground, not under tree, brush or shrub
On ground, in open on sand or rocks
On cliff or bank On floating mat

FATE OF NEST

No. of eggs hatched _____

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving

Nest _____

Name *Ereunetes pusillus* | Year
of Bird SEMIPALMATED S. | 6/27/64

Locality E. of cabin
of Nest Old CHEVAK

Latitude 61°25' Longitude 166°33'

Altitude SEA LEVEL Direction slope faces WEST

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky Tundra Field Marsh

Other CAREX DWARF Birch

List abundant plants: (SPECIES)

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched _____

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving nest _____

Name of Bird Semi Palmated Sandpiper Year 1964

Locality of Nest Old Chevak

Latitude N 61° 25' Longitude W 166° 33'

Altitude sea level Direction slope faces _____

Nest _____ ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky Tundra Field Marsh

Other Dry Tundra

List abundant plants:

Dwarf birch

Vaccinium

Ledum

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched _____

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving nest _____

Name of Bird Semipalmated sandpiper Year 1966

Locality of Nest Tundra 15 mi SE of Kotzebue

Latitude ~67° Longitude ~163°

Altitude 10' Direction slope faces (level)

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

Carex
Ledum
Cranberry
Sphagnum

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

No. of eggs hatched

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

.....

Name of Bird Semipalmated sandpiper Year 1966

Locality of Nest Tundra 15 mi SE of Kotzebue

Latitude ~67° Longitude ~163°

Altitude 10' Direction slope faces level

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

Carex
Ledum
Cranberry

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

No. of eggs hatched

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

.....

