

#3

Name of Bird SWAINSON'S THRUSS Year 1963

Locality of Nest COHOE.

Latitude 60° Longitude 151°

Altitude 80 Direction slope faces _____

Nest 9 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky Tundra Field Marsh

Other near shore of lake

List abundant plants:

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched 4

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest NONE

Cause of death of chicks not leaving nest NEST

ROBBED

Name of Bird Swainsons thrush | Year 1961
Hylocichla ustulata

Locality of Nest narrow string of woods along
Davis Hwy., Ft. Richardson

Latitude 61° 15' 45" Longitude 149° 42' 45"

Altitude 275 Direction slope faces level

Nest 4½ ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky Tundra Field Marsh

Other newly cleared land nearby

List abundant plants:

white spruce, Picea glauca
paper birch, Betula papyrifera
quaking aspen, Populus tremuloides
willow, Salix
Labrador tea, Ledum groenlandicum
black cottonwood, Populus tricocarpa
mosses, herbs, grasses, lichens

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched 4

No. of unhatched eggs 0

Cause of non-hatching of eggs **

No. of chicks that left nest apparently 3

Cause of death of chicks not leaving nest failure
to leave nest(?) chick well de-
veloped

Name of Bird SWAINSON'S THRUSH Year 1961

Locality of Nest COHOE

Latitude 60° Longitude 151°

Altitude 80 Direction slope faces _____

Nest 4 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky tundra Marsh

Other _____

List abundant plants:

POSITION OF NEST

In tree, brush, or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

FATE OF NEST

No. of eggs hatched 4

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest 4

Cause of death of chicks not leaving _____

Nest _____

Name of Bird SWAINSON'S THRUSS Year 1961

Locality of Nest COHOE.

Latitude 60° Longitude 151°

Altitude 85 Direction slope faces _____

Nest 6 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')
Moist tundra Rocky tundra Marsh

Other _____

List abundant plants:

POSITION OF NEST

In tree, brush, or shrub
On ground, under tree, brush or shrub
On ground, not under tree, brush or shrub
On ground, in open on sand or rocks
On cliff or bank On floating mat

FATE OF NEST

No. of eggs hatched 4

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest 4

Cause of death of chicks not leaving _____

Nest _____

Name of Bird SWAINSON'S THROSH | Year 1961

Locality of Nest COHOE

Latitude 60° Longitude 151°

Altitude 80 Direction slope faces _____

Nest 3 1/2 - 4 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky Tundra Field Marsh

Other _____

List abundant plants:

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched 4

No. of unhatched eggs NONE

Cause of non-hatching of eggs _____

No. of chicks that left nest 4

Cause of death of chicks not leaving nest _____

110 109 108 107 106 105 104 103 102 101
 2 1 7 4 2 1 7 4 2 1

ALASKA NEST RECORD CARD
 University of Alaska, College, Alaska

Name and address of observer **MARY, A. SMITH**
COHOE, ALASKA

FOR OBSERVATIONS ON ONE NEST

DAY	MONTH	NO. OF EGGS	NO. OF YOUNG	ADULT ON NEST? SEX?	TIME
10	JUNE	3			11:30 A.M.
11	"	4		F	8:45 A.M.
17	"			F	11:30 A.M.
27	"		4.		4:00 P.M.
4	JULY	<hr/>			

REMARKS: e.g. Birds banded, pertinent weather information, etc.

YOUNG IN VICINITY ON JULY 4

201 202 203 204 205 206 207 208 209 210 211 212 213 214 215 216 217 218 219 220 221 222 223 224 225 226 227
 1 2 4 7 1 2 4 7 1 2 4 7 1 2 4 7 1 2 4 7 1 2 4 7 1 2 4

27 26 25 24 23 22 21 20 19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1
 4 2 1 7 4 2 7 4 2 7 4 2 1 4 2 1 7 4 2 1 7 4 2 1 4 2 1 7 4 2 1 7 4 2 1 7 4 2 1 7 4 2 1

309 308 307 306 305 304 303 302 301
 1 7 4 2 1 7 4 2 1

UNISORT

Name of Bird SWAINSON'S THRUSH | Year 1961

Locality of Nest COHOE, ALASKA.

Latitude 60° Longitude 151°

Altitude 80 Direction slope faces _____

Nest 3 1/2 - 4 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')
Moist tundra Rocky Tundra Field Marsh

Other _____

List abundant plants:

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

No. of eggs hatched 4

No. of unhatched eggs NONE

Cause of non-hatching of eggs _____

No. of chicks that left nest 4

Cause of death of chicks not leaving nest _____

#13

Name of Bird SWAINSON'S THRUSS Year 1964

Locality of Nest COHOE

Latitude... 60 Longitude... 152

Altitude... 80 Direction slope faces.....

Nest... 52ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

white spruce

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched 3

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest..... 3

Cause of death of chicks not leaving nest.....

.....

Name of Bird	SWAINSON'S THRU SH	Year	1964
--------------	--------------------	------	------

Locality of Nest
COHOE

Latitude... 60..... Longitude... 152.....

Altitude... 80..... Direction slope faces.....

Nest... 6 1/2.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other... beside private ROAD.....

List abundant plants:

white spruce

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

No. of eggs hatched 4

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

No. of chicks that left nest... DNR NOW 7.....

Cause of death of chicks not leaving nest.... ".....

2 1 7 4 2 1 7 4 2 1
110 109 108 107 106 105 104 103 102 101

27 4
26 2
25 1
24 7
23 4
22 2
21 1
20 7
19 4
18 2
17 1
16 7
15 4
14 2
13 1
12 7
11 4
10 2
9 1
8 7
7 4
6 2
5 1
4 7
3 4
2 2
1 1

UNISOFT ANALYSIS CARD
NO. FORM Y-13
BOROUGH'S CORPORATION - TODD DIVISION - 1

ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer MARY. A. SMITH
CONOE, ALASKA

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
25	JUNE	4		F	9:45 AM
26	"	1	3	F	12:40 P.M.
30	"		4		8:03 A.M.
1	JULY	—————			

REMARKS: e.g. Birds banded, pertinent weather information, etc.
NEST EITHER ROBBED
or young left nest
early -

309 308 307 306 305 304 303 302 301
1 7 4 2 1 7 4 2 1

UNISOFT

#14

Name of Bird SWAINSON'S THURSH Year 1964

Locality of Nest COHOE

Latitude 60 Longitude 152

Altitude 80 Direction slope faces

Nest 10 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:
White spruce

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

No. of eggs hatched NONE

No. of unhatched eggs

Cause of non-hatching of eggs

No. of chicks that left nest NONE

Cause of death of chicks not leaving nest

NEST ROBBED

#16

Name of Bird	SWAINSON'S THROUSH	Year	1964
--------------	--------------------	------	------

Locality of Nest
COHOE

Latitude... 60° Longitude... 152°

Altitude... 80 Direction slope faces.....

Nest... 10ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:
white spruce

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

- No. of eggs hatched 4
- No. of unhatched eggs..... ?
- Cause of non-hatching of eggs.....
-
- No. of chicks that left nest..... 4
- Cause of death of chicks not leaving nest.....
-

110 109 108 107 106 105 104 103 102 101

ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer *MARY. A. SMITH*
COHOE, ALASKA

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
25	JUNE		4		
28	JULY		4	(large young)	2:55 p.m.
18	"				

REMARKS: e.g. Birds banded, pertinent weather information, etc.

YOUNG IN VICINITY ON JULY 8

309 308 307 306 305 304 303 302 301

UNISORT AND ENGLISH CARD

BURROUGHS CORPORATION - TODD DIVISION - L

UNISORT

#17

Name of Bird SWAINSON'S THRUSH Year 1964

Locality of Nest COHOE

Latitude 60 Longitude 152

Altitude 80 Direction slope faces

Nest 10 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:
white spruce

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

No. of eggs hatched 4

No. of unhatched eggs 2

Cause of non-hatching of eggs

No. of chicks that left nest 4

Cause of death of chicks not leaving nest

#19

Name of Bird SWAINSON'S THRUSH Year 1964

Locality of Nest COMOE

Latitude 60 Longitude 152

Altitude 80 Direction slope faces

Nest 3 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other LAKE

List abundant plants:

white spruce
SHORT (MOOSE BROWSE) birch
SALIX (sp)

POSITION OF NEST

In tree, brush or shrub

VERY RAGGED CONSTRUCTION

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched 4

No. of unhatched eggs ?

Cause of non-hatching of eggs

.....

No. of chicks that left nest 4

Cause of death of chicks not leaving nest

.....

20

Name of Bird SWAINSON'S THROSH Year 1964

Locality of Nest COHOE

Latitude.....~~60~~..... Longitude...152.....

Altitude...80..... Direction slope faces.....

Nest...4.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

white spruce

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched4.....

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest...UNKNOWN.....

Cause of death of chicks not leaving nest.....

.....

2 1 7 4 2 1 7 4 2 1
 110 109 108 107 106 105 104 103 102 101

27 4
 26 2
 25 1
 24 7
 23 4
 22 2
 21 1
 20 7
 19 4
 18 2
 17 1
 16 7
 15 4
 14 2
 13 1
 12 7
 11 4
 10 2
 9 1
 8 7
 7 4
 6 2
 5 1
 4 7
 3 4
 2 2
 1 1

UNISORT AND DISCARD FORM Y 12 BURGESS CORP. DIVISION - L

ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer MARY, A. SMITH
COHOE, ALASKA

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
30	JUNE		4		12:03 P.M.

REMARKS: e.g. Birds banded, pertinent weather information, etc.

nest not revisited

1 201
 2 202
 4 203
 7 204
 1 205
 2 206
 4 207
 7 208
 1 209
 2 210
 4 211
 7 212
 1 213
 2 214
 4 215
 7 216
 1 217
 2 218
 4 219
 7 220
 1 221
 2 222
 4 223
 7 224
 1 225
 2 226
 4 227

309 1
 308 7
 307 4
 306 2
 305 1
 304 7
 303 4
 302 2
 301 1

UNISORT

#21

Name of Bird	SWAINSON'S THRUSH	Year	1964
--------------	-------------------	------	------

Locality of Nest COHOE

Latitude... 60 Longitude... 152

Altitude... 85 Direction slope faces... E

Nest... 1 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

COTTONWOOD
SCATTERED WHITE SPRUCE

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched 4

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest..... 4

Cause of death of chicks not leaving nest.....

.....

2 1 7 4 2 1 7 4 2 1
110 109 108 107 106 105 104 103 102 101

UNISORT ANALYSIS CARD

ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer MARY. A. SMITH
COHOE ALASKA

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
1	JULY		4		7:30 A.M.
2	"				
3					
4					
5					
6					
7					
8					
9					
10					
11					
12					
13					
14					
15					
16					
17					
18					
19					
20					
21					
22					
23					
24					
25					
26					
27					

REMARKS: e.g. Birds banded, pertinent weather information, etc.

UNISORT ANALYSIS CARD

309 308 307 306 305 304 303 302 301
1 2 4 7 1 2 4 7 1

UNISORT ANALYSIS CARD

UNISORT

10

Name of Bird SWAINSON'S THROSH Year 1964

Locality of Nest COHOE

Latitude 60 Longitude 152

Altitude 80 Direction slope faces

Nest 4 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

White spruce
STUNTED COTTONWOOD, BIRCH
(TYPICAL MOOSE BROWSE)

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched 3

No. of unhatched eggs 1

Cause of non-hatching of eggs N.O.T.

FERTILE

No. of chicks that left nest 3

Cause of death of chicks not leaving nest

2 1 7 4 2 1 7 4 2 1
110 109 108 107 106 105 104 103 102 101

UNISORT ANTLERS CARD

ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address MARY. A. SMITH
 observer COHOE, ALASKA

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
21	JUNE	4		F	12:55 P.M.
23	"	4		F	10:00 A.M.
27	"	4			9:30 A.M.
30	"	4		F	10:05 A.M.
2	JULY	4		F	9:25 A.M.
4	"	1	3.		8:45 A.M.
10	"	1	3		7:58 A.M.
11	"	1	3.		8:30 A.M.
15	"	1	—		

REMARKS: e.g. Birds banded, pertinent weather information, etc.

309 308 307 306 305 304 303 302 301
1 2 4 7 1 2 4 7 1

UNISORT

9

Name of Bird SWAINSON'S THRUSS Year 1964

Locality of Nest COHOE

Latitude 60 Longitude 152

Altitude 80 Direction slope faces

Nest 10 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

white spruce

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched 4

No. of unhatched eggs

Cause of non-hatching of eggs

No. of chicks that left nest 3 or 4

Cause of death of chicks not leaving nest

11

Name of Bird	SWAINSON'S THRU SH	Year	1964
--------------	--------------------	------	------

Locality of Nest
COHOE

Latitude... 60..... Longitude... 152.....

Altitude... 80..... Direction slope faces.....

Nest... 3.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

white spruce

COTTONWOOD } - MOOSE BROWSE
BIRCH }

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched 4

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

No. of chicks that left nest..... 4

Cause of death of chicks not leaving nest.....

ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer MARY A. SMITH
COHOE, ALASKA

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
20	JUNE	4		F	
21	"	4		F	2:18 P.M.
24	"	4		F	12:00 P.M.
20	"		4	F	12:30 P.M.
5	JULY		4		2:00 P.M.
10					

REMARKS: e.g. Birds banded, pertinent weather information, etc.
FOUND BY AL HERMANSEN

#12

Name of Bird	SWAINSON'S THRUSH	Year	1964
--------------	-------------------	------	------

Locality of Nest
COHOE.

Latitude... 60..... Longitude... 152.....

Altitude... 80..... Direction slope faces.....

Nest... 8.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

White spruce

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

No. of eggs hatched 4

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest..... 4 ?

Cause of death of chicks not leaving nest.....

.....

#9

Name of Bird	SWAINSON'S THROUSH	Year	1968
--------------	--------------------	------	------

Locality of Nest COHOE, ALASKA

Latitude... 151 Longitude... 61

Altitude... 80 Direction slope faces.....

Nest... 3ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:
SPRUCE (WHITE)

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

- No. of eggs hatched 4
- No. of unhatched eggs.....
- Cause of non-hatching of eggs.....
-
- No. of chicks that left nest..... 4
- Cause of death of chicks not leaving nest.....
-

110 109 108 107 106 105 104 103 102 101

UNISORT
ALASKA NEST RECORD CARD
 University of Alaska, College, Alaska

Name and address of observer *MARY. H MILLER
 KASLOF. AK*

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
17	JUNE	4		F	5:45 PM
25	JUNE		4		11:55 AM
27	✓		4		9:37 AM
29	✓		4		12:25 p.m
<i>July</i>					

REMARKS: e.g. Birds banded, pertinent weather information, etc.

Young 5-6 days old on 25th June

309 308 307 306 305 304 303 302 301

1 2 4 7 1 2 4 7 1

12

Name of Bird SWAINSON'S THRUSH	Year 1968
--------------------------------------	--------------

Locality of Nest
COHOE. ALASKA

Latitude... 151..... Longitude... 61.....

Altitude... 85..... Direction slope faces.....

Nest... 3.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

WHITE SPRUCE
POPULAR.

POSITION OF NEST

In tree, brush or shrub BETWEEN TWO SPRUCE

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched none

No. of unhatched eggs..... 3

Cause of non-hatching of eggs..... nest

..... Rabbed

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

.....

2 1 7 4 2 1 7 4 2 1
 110 109 108 107 106 105 104 103 102 101

ALASKA NEST RECORD CARD
 University of Alaska, College, Alaska

Name and address of observer MARY A. MILLER
KATSILOF, ALASKA

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
29	JUNE	3.			9:40 AM
4	July	empty			10:45 AM

REMARKS: e.g. Birds banded, pertinent weather information, etc.

UNISORT
 309 308 307 306 305 304 303 302 301
 1 7 4 2 1 7 4 2 1

#10

Name of Bird	SWAINSON'S THROSH	Year	1968
--------------	-------------------	------	------

Locality of Nest COHOE. ALASKA

Latitude... 151..... Longitude... 61.....

Altitude... 80... Direction slope faces.....

Nest... 3 1/2.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

WHITE SPRUCE

POSITION OF NEST

In tree, brush or shrub LOWER DEAD BRANCHES OF SPRUCE

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched 4

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest..... 4

Cause of death of chicks not leaving nest.....

.....

UNISORT
ALASKA
BIRDS
FIELD
STATION
NO. 12
BURROUGHS CO. CORPORATION - TODD DIV. - L

ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer MARY A. MILLER
KASLOF, ALASKA

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
27	JUNE		4	F	10:35 A.M.
29	✓		4		11:50 AM
4	July		4		9:40 AM
13	✓				

REMARKS: e.g. Birds banded, pertinent weather information, etc.

parent + young in vicinity

309 308 307 306 305 304 303 302 301

UNISORT

27 4
26 2
25 1
24 7
23 4
22 2
21 1
20 7
19 4
18 2
17 1
16 7
15 4
14 2
13 1
12 7
11 4
10 2
9 1
8 7
7 4
6 2
5 1
4 7
3 4
2 2
1 1

2 1 7 4 2 1 7 4 2 1
110 109 108 107 106 105 104 103 102 101

1 201
2 202
4 203
7 204
1 205
2 206
4 207
7 208
1 209
2 210
4 211
7 212
1 213
2 214
4 215
7 216
1 217
2 218
4 219
7 220
1 221
2 222
4 223
7 224
1 225
2 226
4 227

11

Name of Bird	SWAINSON'S THRUSH	Year	1968
--------------	-------------------	------	------

Locality of Nest
COHOE. ALASKA

Latitude 151..... Longitude 61.....

Altitude 85..... Direction slope faces.....

Nest 4.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

- No. of eggs hatched 4.....
- No. of unhatched eggs.....
- Cause of non-hatching of eggs.....
-
- No. of chicks that left nest 4.....
- Cause of death of chicks not leaving nest.....
-

2 1 7 4 2 1 7 4 2 1
 110 109 108 107 106 105 104 103 102 101

ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer MARY. A. MILLER
KASILOF. ALASKA

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
27	JUNE	4			1:45 p.m
29	✓	4			1:30 p.m
4	July			F	2:35 p.m
13	July		2		1:30 p.m
20	✓				

REMARKS: e.g. Birds banded, pertinent weather information, etc.

young ready to leave nest on July 13th

309 308 307 306 305 304 303 302 301
 1 7 4 2 1 7 4 2 1

UNISORT

UNISORT
 12 BURROUGHS CORPORATION - TODD DIV. - L

7

Name of Bird SWAINSONS THROSH

Year 1968

Locality of Nest KASILOF, ALASKA

Latitude... 151..... Longitude... 61.....

Altitude... 120... Direction slope faces.....

Nest... 1 1/2.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

BIRCH -
SPELZ { BLACK }
ALDER.
POPLAR.
WILLOW

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

No. of eggs hatched 4

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

No. of chicks that left nest..... 3

Cause of death of chicks not leaving nest.....

13

Name of Bird	SWAINSON'S THRUSH	Year	1968
--------------	-------------------	------	------

Locality of Nest
COHOG ALASKA

Latitude... 157..... Longitude... 61.....

Altitude... 80..... Direction slope faces.....

Nest... 1 1/2.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

No. of eggs hatched 3

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

No. of chicks that left nest..... 3

Cause of death of chicks not leaving nest.....

Name of Bird	SWAINSON'S THRUSSH	Year	1964
--------------	--------------------	------	------

Locality of Nest COHOE.

Latitude.... 60 Longitude.... 152....

Altitude.... 80 Direction slope faces.....

Nest..... 8ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')
 Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

white spruce

POSITION OF NEST

In tree, brush or shrub
 On ground, under tree, brush or shrub
 On ground, not under tree, brush or shrub
 On ground, in open on sand or rocks
 On cliff or bank On floating mat
 On building

FATE OF NEST

No. of eggs hatched 4
 No. of unhatched eggs..... ?

Cause of non-hatching of eggs.....

No. of chicks that left nest..... 4
 Cause of death of chicks not leaving nest.....

24

Name of Bird SWAINSON'S THRUSH Year 1964

Locality of Nest COHOE

Latitude 60 Longitude 152

Altitude 80 Direction slope faces

Nest ~~184-12~~ ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

white spruce

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

No. of eggs hatched 4

No. of unhatched eggs 0

Cause of non-hatching of eggs

No. of chicks that left nest 4

Cause of death of chicks not leaving nest

2 1 7 4 2 1 7 4 2 1
 110 109 108 107 106 105 104 103 102 101

ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer **MARY. A. SMITH**
COHOE ALASKA

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
1	JULY		4		12:30 P.M.
2	"		4		9:15 A.M.
3					
4					
5					
6					
7					
8					
9					
10					
11					
12					
13					
14					
15					
16					
17					
18					
19					
20					
21					
22					
23					
24					
25					
26					
27					

REMARKS: e.g. Birds banded, pertinent weather information, etc.

YOUNG IN VICINITY ON JULY 6

309 308 307 306 305 304 303 302 301
 1 7 4 2 1 7 4 2 1

4
2
1
7
4
2
1
7
4
2
1
4
2
1
7
4
2
1
9
8
7
4
2
1
5
4
3
2
1

UNISORT

#5

Name of Bird	SWAINSON'S THRU SH	Year	1964
--------------	--------------------	------	------

Locality of Nest COHOE

Latitude... 60..... Longitude... 152.....

Altitude... 80..... Direction slope faces.....

Nest... 5 1/2.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:
SPRUCE (white)

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

No. of eggs hatched 4

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest..... 3

Cause of death of chicks not leaving nest.....

... UNKNOWN

2 1 7 4 2 1 7 4 2 1
110 109 108 107 106 105 104 103 102 101

27 4

26 2

25 1

24 7

23 4

22 2

21 1

20 7

19 4

18 2

17 1

16 7

15 4

14 2

13 1

12 7

11 4

10 2

9 1

8 7

7 4

6 2

5 1

4 7

3 4

2 2

1 1

UNISORT
ANDERSONS CARD

ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer: **MARY A. SMITH**
COHOE, ALASKA

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
14	JUNE			F	5:15 A.M.
15	"	4		F	10:05
23	"	4		F	4:15 P.M.
26	JUNE		4		12:30 P.M.
5	JULY		3		10:05 A.M.
9	"				2:30 P.M.

REMARKS: e.g. Birds banded, pertinent weather information, etc.

YOUNG IN VICINITY
ON JULY 9.

1
2
4
7
1
2
4
7
1
2
4
7
1
2
4
7
1
2
4
7
1
2
4
7
1
2
4
7
1
2
4
7
1
2
4
7

309 1
308 7
307 4
306 2
305 1
304 7
303 4
302 2
301 1

UNISORT

#8

Name of Bird SWAINSON'S THRUSH Year 1964

Locality of Nest COHOE

Latitude 60 Longitude 152

Altitude 80 Direction slope faces

Nest 9-10 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:
white spruce

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

No. of eggs hatched NONE

No. of unhatched eggs

Cause of non-hatching of eggs ROBBED

No. of chicks that left nest

Cause of death of chicks not leaving nest

2 1 7 4 2 1 7 4 2 1
110 109 108 107 106 105 104 103 102 101

27 4
26 2
25 1
24 7
23 4
22 2
21 1
20 7
19 4
18 2
17 1
16 7
15 4
14 2
13 1
12 7
11 4
10 2
9 1
8 7
7 4
6 2
5 1
4 7
3 4
2 2
1 1

UNISON
ANALYSIS
CARD

ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer MARY, A. SMITH
COHOE, ALASKA

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
18	JUNE	4		F	1:03 P.M.
23	"			F	9:55 A.M.
25	"	<hr/>			

BURROUGHS CORPORATION - TODD DIVISION - L

REMARKS: e.g. Birds banded, pertinent weather information, etc.

1 201
2 202
4 203
7 204
1 205
2 206
4 207
7 208
1 209
2 210
4 211
7 212
1 213
2 214
4 215
7 216
1 217
2 218
4 219
7 220
1 221
2 222
4 223
7 224
1 225
2 226
4 227

309 308 307 306 305 304 303 302 301
1 7 4 2 1 7 4 2 1

UNISORT

#7

Name of Bird SWAINSON'S THROUSH Year 1964

Locality of Nest COHOE

Latitude 60 Longitude 152

Altitude 80 Direction slope faces

Nest 10 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest [x] Tall brush (4-10') [x] Shrub (1-4') []

Moist Tundra [] Rocky Tundra [] Field [] Marsh []

Other

List abundant plants:

white spruce

POSITION OF NEST

In tree, brush or shrub [x]

On ground, under tree, brush or shrub []

On ground, not under tree, brush or shrub []

On ground, in open on sand or rocks []

On cliff or bank [] On floating mat []

On building []

FATE OF NEST

No. of eggs hatched 3

No. of unhatched eggs

Cause of non-hatching of eggs

No. of chicks that left nest 3

Cause of death of chicks not leaving nest

#26.

Name of Bird SWAINSON'S THRU SH Year 1964

Locality of Nest COHOE

Latitude... 60..... Longitude... 152.....

Altitude... 80.... Direction slope faces.....

Nest..... 12.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

WHITE SPRUCE - NEST IN SPINDLY spruce off tall timber

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched 3.....

No. of unhatched eggs..... ?.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest..... 3.....

Cause of death of chicks not leaving nest.....

.....

Name of Bird SWAINSON'S THRUSH Year 1967

Locality of Nest COHOE, ALASKA

Latitude 60 Longitude 151

Altitude 80 Direction slope faces

Nest 1 1/2 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

WHITE SPRUCE.
DWARF BIRCH.

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

No. of eggs hatched 3

No. of unhatched eggs NONE

Cause of non-hatching of eggs

No. of chicks that left nest 3

Cause of death of chicks not leaving nest

Name of Bird SWAINSON'S THRUSH Year 1967

Locality of Nest COHDE, ALASKA.

Latitude 60 Longitude 151

Altitude 85 Direction slope faces

Nest 3 1/2 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')
Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

No. of eggs hatched 4

No. of unhatched eggs unknown

Cause of non-hatching of eggs

No. of chicks that left nest 4

Cause of death of chicks not leaving nest

#5

Name of Bird SWAINSON'S THRUSH Year 1969

Locality of Nest KASILOF ALASKA

Latitude... 61..... Longitude... 151.....

Altitude 100..... Direction slope faces.....

Nest... 2 1/2.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

SCRUB BIRCH
POPLAR

POSITION OF NEST



- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

No. of eggs hatched... 2 or 3.....

No. of unhatched eggs..... 1 or 2.....

Cause of non-hatching of eggs. EGGS NOT.....

..... FERTILIZED.....

No. of chicks that left nest..... 2.....

Cause of death of chicks not leaving nest.....

.....

4

Name of Bird SWAINSON'S THRUSH

Year 1969

Locality of Nest CONOE. ALASKA

Latitude.....61..... Longitude...151.....

Altitude...80..... Direction slope faces.....

Nest...22.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')


Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

WHITE SPRUCE
SCRUB BIRCH

POSITION OF NEST



- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

No. of eggs hatched4.....

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest.....4.....

Cause of death of chicks not leaving nest.....

.....

ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and *MARY. A. MILLER*

address *PO BOX, ALASKA*

of observer

FOR OBSERVATIONS ON ONE NEST

Day Month No. of No. of Adult on Nest? Sex? Time

28 Young 4

5 July 4 F

16 Y

2:50 pm

3:25 pm

2:50 pm

2:50 pm

2:50 pm

2:50 pm

2:50 pm

2:50 pm

2:50 pm

2:50 pm

2:50 pm

2:50 pm

2:50 pm

2:50 pm

2:50 pm

2:50 pm

2:50 pm

2:50 pm

2:50 pm

2:50 pm

2:50 pm

2:50 pm

110 2

109 1

108 7

107 4

106 2

105 1

104 7

103 4

102 2

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

110 2

109 1

108 7

107 4

106 2

105 1

104 7

103 4

102 2

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

110 2

109 1

108 7

107 4

106 2

105 1

104 7

103 4

102 2

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

110 2

109 1

108 7

107 4

106 2

105 1

104 7

103 4

102 2

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

110 2

109 1

108 7

107 4

106 2

105 1

104 7

103 4

102 2

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

110 2

109 1

108 7

107 4

106 2

105 1

104 7

103 4

102 2

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

101 1

#3

Name of Bird SWAINSON'S THROST

Year 1969

Locality of Nest COHOE, ALASKA

Latitude... 61..... Longitude... 151.....

Altitude... 80..... Direction slope faces.....

Nest... 8 1/2.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants: WHITE SPRUCE POPLAR

POSITION OF NEST

- In tree, brush or shrub
On ground, under tree, brush or shrub
On ground, not under tree, brush or shrub
On ground, in open on sand or rocks
On cliff or bank On floating mat
On building

FATE OF NEST

No. of eggs hatched 4
No. of unhatched eggs.....
Cause of non-hatching of eggs.....
No. of chicks that left nest..... 4
Cause of death of chicks not leaving nest.....

4

Name of Bird	SWAINSON'S THRUSH	Year	1969
--------------	-------------------	------	------

Locality of Nest
COMOE. ALASKA

Latitude.....61..... Longitude...151.....

Altitude...80..... Direction slope faces.....

Nest....22.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

WHITE SPRUCE
SCRUB BIRCH

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

No. of eggs hatched4.....

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest.....4.....

Cause of death of chicks not leaving nest.....

.....

2

Name of Bird SWAINSON'S THROSH Year 1969

Locality of Nest COHOE. ALASKA

Latitude 61 Longitude 151

Altitude 80 Direction slope faces

Nest 9 1/2 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

SPROCB

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched 2

No. of unhatched eggs 2

Cause of non-hatching of eggs UNKNOWN

No. of chicks that left nest 2

Cause of death of chicks not leaving nest

Name of Bird SWAINSON'S THROUSH Year 1964

Locality of Nest COHOE

Latitude 60 Longitude 152

Altitude 80 Direction slope faces

Nest 9-10 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

white spruce

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

No. of eggs hatched 4

No. of unhatched eggs

Cause of non-hatching of eggs

No. of chicks that left nest NONE

Cause of death of chicks not leaving nest

TAKEN BY PREDATOR

1

Name of Bird SWAINSON'S THRUSH Year 1960

Locality of Nest COHOE

Latitude... 60 Longitude... 152

Altitude... 80 Direction slope faces.....

Nest... 9ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched 4

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest... NONE

Cause of death of chicks not leaving nest.....

... NEST ROBBED

3

Name of Bird SWAINSON'S THROST	Year 1968
-----------------------------------	--------------

Locality of Nest
KASILU F ALASKA

Latitude. 151° Longitude. ~~151~~ 61°

Altitude. 120 Direction slope faces. EAST

Nest. 3 1/2ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

BIRCH
WILLOW
SPRUCE

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

No. of eggs hatched 4

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest..... 4

Cause of death of chicks not leaving nest.....

.....

45

Name of Bird	SWAINSON'S THRUSH	Year	1968
--------------	-------------------	------	------

Locality of Nest
 COHOE. ALASKA.

Latitude... 151..... Longitude... 61.....

Altitude... 80..... Direction slope faces.....

Nest... 3 1/2.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

BIRCH
 SPRUCE
 WILLOW



POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

No. of eggs hatched 3.....

No. of unhatched eggs..... 1.....

Cause of non-hatching of eggs. NOT FERTILE.....

No. of chicks that left nest..... 3.....

Cause of death of chicks not leaving nest.....

6.

Name of Bird SWAINSON'S THROSH Year 1968

Locality of Nest KASILOF, ALASKA

Latitude... 151..... Longitude..... 61.....

Altitude... 120..... Direction slope faces.....

Nest... 10.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

SPRUCE

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched 4

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest..... 4

Cause of death of chicks not leaving nest.....

.....

#6

Name of Bird SWAINSON'S THROSH Year 1964

Locality of Nest COHOE

Latitude... 60 Longitude... 152

Altitude... 80 Direction slope faces.....

Nest... 35ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other... not far from lake

List abundant plants:

SPRUCE

COTTONWOOD (nest on LOWEST BOUGH)

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched possibly 4

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

No. of chicks that left nest... 4?

Cause of death of chicks not leaving nest.....

Name of Bird SWAINSON'S THRUSH | Year 1961

Locality of Nest Chester creek valley tundra
between 15th and B, Anchorage
in wooded lot

Latitude _____ Longitude _____

Altitude 200? Direction slope faces _____

Nest 6 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky tundra Marsh

Other _____

List abundant plants:

spruce, willow

birch

tundra plants,

i.e. cinquefoil
Labrador tea
crowberry

POSITION OF NEST

In tree, brush, or shrub (spruce)

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

FATE OF NEST

abandoned during

No. of eggs hatched building stage

No. of unhatched eggs (excess of traffic)

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving _____

Nest _____

* see 2nd note on obverse

Name of Bird Swainson's thrush | Year 1961
Hylocichla ustulata

Locality woodpatch across Davis Hwy.
Nest from Whitney Sta., Elmendorf

Latitude 61°15'15" Longitude 149°46'30"

Altitude 200 Direction slope faces level

Nest 3 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky Tundra Field Marsh

Other airfields, r.r., & roads near

List abundant plants:

white spruce, Picea glauca
paper birch, Betula papyrifera
quaking aspen, Populus tremuloides
prickly rose, Rosa aciculata
bunchberry, Cornus canadensis
black currant, Ribes laxiflorum
willow, Salix

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched ?

No. of unhatched eggs 1

Cause of non-hatching of eggs infertile (?)

No. of chicks that left nest ?

Cause of death of chicks not leaving nest --

* note remarks on obverse

Name of Bird Swainson's thrush | Year 1961
Hylocichla ustulata
Locality of Nest Woods betw. Powerline Rd. & Ship Cr. on Fort Richardson

Latitude 61°14'45" Longitude 149°44'30"

Altitude 225 Direction slope faces level

Nest 8 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky Tundra Field Marsh

Other _____

List abundant plants:

white spruce, Picea glauca
paper birch, Betula papyrifera
highbush cranberry, Viburnum edule
Labrador tea, Ledum groenlandicum
quaking aspen, Populus tremuloide
bunchberry, Cornus canadensis
willow, alder, rose, & moss

POSITION OF NEST

In tree, ~~brush or shrub~~

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched 0

No. of unhatched eggs 4

Cause of non-hatching of eggs nest abandoned

No. of chicks that left nest --

Cause of death of chicks not leaving nest --

* see remark on obverse

Name of Bird Swainsons thrush Year 1961
Hylocichla ustulata
Locality of Nest clump of small spruce by inlet of No Name Lake, Ft. Richardsn

Latitude 61°21'00" Longitude 149°37'45"

Altitude 180 Direction slope faces SW

Nest 4 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky Tundra Field Marsh

Other open lake & muskeg

List abundant plants:

white spruce, Picea glauca
black spruce, Picea mariana
paper birch, Betula papyrifera
Labrador tea, Ledum groenlandicum
crowberry, Epetrum nigrum
willow, Salix
mosses, lichens

POSITION OF NEST

In tree, ~~brush or shrub~~

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched 0

No. of unhatched eggs 3

Cause of non-hatching of eggs nest abandoned

No. of chicks that left nest --

Cause of death of chicks not leaving nest --

22

Name of Bird SWAINSON'S THRU SH Year 1964

Locality of Nest COHOE

Latitude 60 Longitude 152

Altitude 80 Direction slope faces

Nest 1 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other LAKE

List abundant plants:

White Spruce
(MOOSE BROWSE) COTTONWOOD,
BIRCH

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched NONE

No. of unhatched eggs

Cause of non-hatching of eggs NEST

ROBBED

No. of chicks that left nest

Cause of death of chicks not leaving nest

18

Name of Bird	SWAINSON'S THURSH	Year	1964
--------------	-------------------	------	------

Locality of Nest

COHDE

Latitude... 60 Longitude... 152

Altitude... 80 Direction slope faces.....

Nest... 8-9ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

white spruce

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

No. of eggs hatched NONE

No. of unhatched eggs.....

Cause of non-hatching of eggs.. nest

..... ABANDONED

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

.....

3

Name of Bird	SWAINSON'S THRUSH	Year	1964
--------------	-------------------	------	------

Locality of Nest
COHOE

Latitude... 60 Longitude... 152

Altitude... 80 ... Direction slope faces.....

Nest... 5ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

spruce (sp)
mostly white spruce

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

No. of eggs hatched ... NONE

No. of unhatched eggs.....

Cause of non-hatching of eggs... nest

robbed before full clutch laid

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

.....

Name of Bird SWAINSON'S THRUSSH Year 1962

Locality of Nest COHOE

Latitude 61° Longitude 151°

Altitude 80 Direction slope faces _____

Nest 5 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky Tundra Field Marsh

Other _____

List abundant plants:

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched NONE

No. of unhatched eggs _____

Cause of non-hatching of eggs NEST ROBBED

No. of chicks that left nest _____

Cause of death of chicks not leaving nest _____

Name of Bird SWAINSON'S THRUSH Year 1962

Locality of Nest COHOE

Latitude 61° Longitude 157°

Altitude 80° Direction slope faces _____

Nest 6½ ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')
Moist tundra Rocky Tundra Field Marsh

Other _____

List abundant plants:

POSITION OF NEST

In tree, brush or shrub
On ground, under tree, brush or shrub
On ground, not under tree, brush or shrub
On ground, in open on sand or rocks
On cliff or bank On floating mat
On building

FATE OF NEST

No. of eggs hatched 0

No. of unhatched eggs _____

Cause of non-hatching of eggs nest robbed

No. of chicks that left nest _____

Cause of death of chicks not leaving nest _____

#1

Name of Bird SWAINSON'S THRU SH Year 1965

Locality of Nest COHOE

Latitude 62 Longitude 152

Altitude 75 Direction slope faces

Nest 5 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

WHITE SPRUCE
POP LAR

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

No. of eggs hatched NONE

No. of unhatched eggs

Cause of non-hatching of eggs N.E.S.T.

ABANDONED

No. of chicks that left nest

Cause of death of chicks not leaving nest

Name of Bird SWAINSON'S THRUSS Year 1960

Locality of Nest COHOE

Latitude 60°20' Longitude 152°20'

Altitude 120 Direction slope faces _____

Nest 6 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky tundra Marsh

Other _____

List abundant plants:

POSITION OF NEST

In tree, brush, or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

FATE OF NEST

No. of eggs hatched 4

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest 4

Cause of death of chicks not leaving _____

Nest _____

Name of Bird SWAINSON'S THRUSH Year 1961

Locality of Nest COHOE

Latitude 60° Longitude 151°

Altitude 80 Direction slope faces _____

Nest 52' ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky tundra Marsh

Other _____

List abundant plants:

POSITION OF NEST

In tree, brush, or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

FATE OF NEST

No. of eggs hatched 2

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest 2

Cause of death of chicks not leaving _____

Nest _____

#8

Name of Bird SWAINSON'S THRUSH Year 1965

Locality of Nest COHOE

Latitude 60 Longitude 152

Altitude 80 Direction slope faces

Nest 7-8 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest [checked] Tall brush (4-10') [checked] Shrub (1-4') []

Moist tundra [] Rocky Tundra [] Field [] Marsh []

Other

List abundant plants:

white spruces

POSITION OF NEST

In tree, brush or shrub [checked]

On ground, under tree, brush or shrub []

On ground, not under tree, brush or shrub []

On ground, in open on sand or rocks []

On cliff or bank [] On floating mat []

On building []

FATE OF NEST

No. of eggs hatched 4

No. of unhatched eggs

Cause of non-hatching of eggs

No. of chicks that left nest 4

Cause of death of chicks not leaving nest

#9

Name of Bird SWAINSON'S THRUSH Year 1965

Locality of Nest COHOE

Latitude... 60 Longitude... 152

Altitude... 80 Direction slope faces.....

Nest... 1ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

white spruce
scrub birch + poplar

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched... 3 out of 4

No. of unhatched eggs... 1

Cause of non-hatching of eggs... UNKNOWN

No. of chicks that left nest... 3

Cause of death of chicks not leaving nest.....

#6

Name of Bird SWAINSON'S THRUSSH

Year 1965

Locality of Nest COHOE

Latitude 60 Longitude 152

Altitude 80 Direction slope faces

Nest 14 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest [x] Tall brush (4-10') [] Shrub (1-4') []

Moist tundra [] Rocky Tundra [] Field [] Marsh []

Other

List abundant plants:

white spruce
poplar

POSITION OF NEST

In tree, brush or shrub [x]

On ground, under tree, brush or shrub []

On ground, not under tree, brush or shrub []

On ground, in open on sand or rocks []

On cliff or bank [] On floating mat []

On building []

FATE OF NEST

No. of eggs hatched 3

No. of unhatched eggs UNKNOWN

Cause of non-hatching of eggs

No. of chicks that left nest UNKNOWN

Cause of death of chicks not leaving nest

#7

Name of Bird SWAINSON'S THROSH

Year 1965

Locality of Nest KASILOF, ALASKA

Latitude 60 Longitude 152

Altitude 120 Direction slope faces

Nest 4 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest [] Tall brush (4-10') [x] Shrub (1-4') [x]

Moist Tundra [] Rocky Tundra [x] Field [] Marsh []

Other

List abundant plants:

SCRUB BIRCH
POPLAR.

POSITION OF NEST

- In tree, brush or shrub [x]
On ground, under tree, brush or shrub []
On ground, not under tree, brush or shrub []
On ground, in open on sand or rocks []
On cliff or bank [] On floating mat []
On building []

FATE OF NEST

No. of eggs hatched 3

No. of unhatched eggs

Cause of non-hatching of eggs NO

EMBRYONIC DEVELOPMENT

No. of chicks that left nest 3

Cause of death of chicks not leaving nest

#5

Name of Bird SWAINSON'S THRUSH Year 1965

Locality of Nest COHOE, ALASKA

Latitude... 62..... Longitude... 152...

Altitude... 80..... Direction slope faces.....

Nest... 7.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

Spruce (white)

poplar.

POSITION OF NEST

- In tree, brush or shrub
On ground, under tree, brush or shrub
On ground, not under tree, brush or shrub
On ground, in open on sand or rocks
On cliff or bank On floating mat
On building

FATE OF NEST

No. of eggs hatched 4
No. of unhatched eggs.....
Cause of non-hatching of eggs.....
No. of chicks that left nest..... 4
Cause of death of chicks not leaving nest.....

Name of Bird SWAINSON'S THRUSH Year 1962

Locality of Nest COHOE NEAR COHOE BEACH.

Latitude 61° Longitude 157°

Altitude 80 Direction slope faces _____

Nest 5 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky Tundra Field Marsh

Other _____

List abundant plants:

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched 3

No. of unhatched eggs 1

Cause of non-hatching of eggs UNKNOWN

No. of chicks that left nest 3

Cause of death of chicks not leaving nest _____

5

Name of Bird SWAINSON'S THRUSH Year 1965

Locality of Nest COHOE, ALASKA

Latitude... 60 Longitude... 152

Altitude... 80 Direction slope faces.....

Nest... 7ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

spruce (white)
poplar.

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

No. of eggs hatched 4

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest..... 4

Cause of death of chicks not leaving nest.....

.....

Name of Bird SWAINSON'S THRUSH Year 1962

Locality of Nest COHOE BY UPPER TRAP LAKE

Latitude 61° Longitude 157°

Altitude 80 Direction slope faces _____

Nest 6 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')
Moist tundra Rocky Tundra Field Marsh

Other NEAR SHORE OF LAKE

List abundant plants:

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

No. of eggs hatched _____

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving nest _____

#10

Name of Bird SWAINSON'S THRUSH Year 1965

Locality of Nest COHOE.

Latitude... 60 Longitude... 152

Altitude... 80 Direction slope faces.....

Nest... 15ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched 4

No. of unhatched eggs..... UNKNOWN

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest..... 4

Cause of death of chicks not leaving nest.....

.....

11

Name of Bird SWAINSON'S THROUSH Year 1965

Locality of Nest COHOE

Latitude... 60 Longitude... 152

Altitude... 80 Direction slope faces.....

Nest... 7ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

white spruce

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched 4

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest..... 4

Cause of death of chicks not leaving nest.....

.....

#10

Name of Bird SWAINSON'S THRUSH Year 1965

Locality of Nest COHOE.

Latitude... 60 Longitude... 152

Altitude... 80 Direction slope faces.....

Nest... 15ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

No. of eggs hatched 4

No. of unhatched eggs..... UNKNOWN

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest..... 4

Cause of death of chicks not leaving nest.....

.....

#13

Name of Bird SWAINSON'S THROSH | Year 1965

Locality of Nest COHOC, ALASKA

Latitude 60 Longitude 152

Altitude 80 Direction slope faces

Nest 3 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest [x] Tall brush (4-10') [] Shrub (1-4') [x] Moist tundra [] Rocky Tundra [] Field [] Marsh [x]

Other

List abundant plants:

POSITION OF NEST

- In tree, brush or shrub [x]
On ground, under tree, brush or shrub []
On ground, not under tree, brush or shrub []
On ground, in open on sand or rocks []
On cliff or bank [] On floating mat []
On building []

FATE OF NEST

No. of eggs hatched 3
No. of unhatched eggs ?
Cause of non-hatching of eggs

No. of chicks that left nest 3

Cause of death of chicks not leaving nest

#12

Name of Bird SWAINSON'S THROSH Year 1965

Locality of Nest COHOE

Latitude.....60..... Longitude...152.....

Altitude.....80... Direction slope faces.....

Nest.....12.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')


Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

white spruce
poplar

POSITION OF NEST



- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

No. of eggs hatched3.....

No. of unhatched eggs.....0.....

Cause of non-hatching of eggs.....

No. of chicks that left nest.....3.....

Cause of death of chicks not leaving nest.....

#6

Name of Bird	SWAINSON'S THROUSH	Year	1966
--------------	--------------------	------	------

Locality of Nest
COHOE, ALASKA.

Latitude... 60..... Longitude..... 151.....

Altitude... 80..... Direction slope faces.....

Nest... 4.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:
white spruce
cottonwood

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

No. of eggs hatched 3

No. of unhatched eggs..... UNKNOWN

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest..... 3

Cause of death of chicks not leaving nest.....

.....

2 1 7 4 2 1 7 4 2 1
 110 109 108 107 106 105 104 103 102 101

ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer **MARY A. SMITH**
COHOE, ALASKA

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
2	JULY		3		
7	✓		3*		7:05 AM
12					
17					
22					
27					
31					

REMARKS: e.g. Birds banded, pertinent weather information, etc.

YOUNG left nest on THIS VISIT - SAW 2 YOUNG near nest on JULY 9.

309 308 307 306 305 304 303 302 301
 1 2 4 7 1 2 4 7 1

27 4
 26 2
 25 1
 24 7
 23 4
 22 2
 21 1
 20 7
 19 4
 18 2
 17 1
 16 7
 15 4
 14 2
 13 1
 12 7
 11 4
 10 2
 9 1
 8 7
 7 4
 6 2
 5 1
 4 7
 3 4
 2 2
 1 1

UNISORT

#5

Name of Bird SWAINSON'S THROSH Year 1966

Locality of Nest COHOE, ALASKA.

Latitude 60 Longitude 151

Altitude 85 Direction slope faces

Nest 3 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:
white spruce

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

No. of eggs hatched 3

No. of unhatched eggs 0

Cause of non-hatching of eggs

No. of chicks that left nest 3

Cause of death of chicks not leaving nest

ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer

MARY A. SMITH
COHOE, ALASKA

FOR OBSERVATIONS ON ONE NEST

Day Month No. of Eggs No. of Young Adult on Nest? Sex? Time

26 JUNE 3 F 10:40 A.M.

30 JULY 3? F 7:00 P.M.

18 JULY 3 9:15 A.M.

12 JULY 12

REMARKS: e.g. Birds banded, pertinent weather information, etc.

Young ready to leave nest

ON JULY 10 - near nest

ON JULY 12.

UNISORT

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50

#4

Name of Bird SWAINSON'S THRUSH Year 1966

Locality of Nest COHOE, ALASKA

Latitude 60 Longitude 151

Altitude 85 Direction slope faces

Nest 12 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

spruce (white)

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

No. of eggs hatched 3 or 4

No. of unhatched eggs UNKNOWN

Cause of non-hatching of eggs

No. of chicks that left nest 3 or 4

Cause of death of chicks not leaving nest

#5

Name SWAINSON'S
of THRUSH Year 1963

Locality of Nest COHOE

Latitude 60° Longitude 151°

Altitude 80 Direction slope faces

Nest 2 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched 3

No. of unhatched eggs

Cause of non-hatching of eggs

No. of chicks that left nest 3

Cause of death of chicks not leaving nest

Name of Bird	SWAINSON'S THRUSSH	Year	1963
--------------	--------------------	------	------

Locality of Nest COHOE

Latitude 60° Longitude 151°

Altitude 80 Direction slope faces

Nest 22' ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched 5

No. of unhatched eggs

Cause of non-hatching of eggs

.....

No. of chicks that left nest 5

Cause of death of chicks not leaving nest

.....

SWAINSON'S

7

Name of Bird ~~GREY CATSKERD~~
THRUSH

Year 1963

Locality of Nest COHOE

Latitude 60° Longitude 151°

Altitude 80 Direction slope faces

Nest 2 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched 3 or 4

No. of unhatched eggs

Cause of non-hatching of eggs

No. of chicks that left nest 3

Cause of death of chicks not leaving nest

#3

Name of Bird SWAINSON'S THRUSS Year 1966

Locality of Nest COHOE, ALASKA

Latitude 60 Longitude 151

Altitude 80 Direction slope faces

Nest 3 1/2 - 4 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)


Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

POSITION OF NEST



- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

No. of eggs hatched 4

No. of unhatched eggs 0

Cause of non-hatching of eggs

.....

No. of chicks that left nest 4

Cause of death of chicks not leaving nest

.....

#2

Name of Bird SWAINSON'S THRUSH Year 1966

Locality of Nest COHOE, ALASKA

Latitude 60 Longitude 151

Altitude 80 Direction slope faces

Nest 12 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched 3 or 4

No. of unhatched eggs

Cause of non-hatching of eggs

No. of chicks that left nest 2 or 3

Cause of death of chicks not leaving nest

#1

Name of Bird	Year
SWAINSON'S THROSH	1966

Locality of Nest COHOE, ALASKA

Latitude 60 Longitude 151

Altitude 80 Direction slope faces

Nest 4 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

white spruce

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched 5

No. of unhatched eggs NONE

Cause of non-hatching of eggs

.....

No. of chicks that left nest 5

Cause of death of chicks not leaving nest

.....

Name of Bird SWAINSON'S THRUSS Year 1961

Locality of Nest COHOE

Latitude 60° Longitude 151°

Altitude 80 Direction slope faces 1

Nest 3 1/2 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')
Moist tundra Rocky Tundra Field Marsh

Other _____

List abundant plants:

POSITION OF NEST

In tree, brush or shrub *between two dead saplings*
On ground, under tree, brush or shrub
On ground, not under tree, brush or shrub
On ground, in open on sand or rocks
On cliff or bank On floating mat
On building

FATE OF NEST

No. of eggs hatched 4

No. of unhatched eggs NONE

Cause of non-hatching of eggs _____

No. of chicks that left nest 4

Cause of death of chicks not leaving nest _____

Name of Bird SWAINSON'S THRUSS Year 1961

Locality of Nest COHOE.

Latitude 60° Longitude 151°

Altitude 90 Direction slope faces _____

Nest 3 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')
Moist tundra Rocky tundra Marsh

Other _____

List abundant plants:

POSITION OF NEST

In tree, brush, or shrub
On ground, under tree, brush or shrub
On ground, not under tree, brush or shrub
On ground, in open on sand or rocks
On cliff or bank On floating mat

FATE OF NEST

No. of eggs hatched 4

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest UNKNOWN.

Cause of death of chicks not leaving

Nest _____

Name of Bird SWAINSON'S THRUSH | Year 1960

Locality of Nest COHOE

Latitude 60° 20' Longitude 151° 20'

Altitude 80 Direction slope faces _____

Nest 1 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky tundra Marsh

Other _____

List abundant plants:

POSITION OF NEST

In tree, brush, or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

FATE OF NEST

No. of eggs hatched NONE

No. of unhatched eggs NONE

Cause of non-hatching of eggs NEST ROBBED

No. of chicks that left nest _____

Cause of death of chicks not leaving _____

Nest _____

#1

Name of Bird SWAINSON'S THRUSH Year 1968

Locality of Nest KASLOF, ALASKA

Latitude 151 Longitude 61

Altitude 200 Direction slope faces NORTH

Nest 4 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

BIRCH
ALDER
SPRUCE

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

No. of eggs hatched 4

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest 4

Cause of death of chicks not leaving nest.....

.....

Name of Bird Swainsons thrush | Year 1961
Bird Hylocichla ustulata

Locality of Nest Woodlot between Circle Rd. &
Nest r.r. spur, Fort Richardson

Latitude 61°16'00" Longitude 149°42'45"

Altitude 300 Direction slope faces level

Nest 3 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky Tundra Field Marsh

Other _____

List abundant plants:

white spruce, Picea glauca
paper birch, Betula papyrifera
quaking aspen, P. tremuloides
willow, Salix

Labrador tea, Ledum groenlandicum
fireweed, Epilobium angustifolium
mosses, grasses

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched 0

No. of unhatched eggs 4

parent may have
Cause of non-hatching of eggs been killed by
shrike seen nearby last 2 visits

No. of chicks that left nest --

Cause of death of chicks not leaving nest --

Name of Bird SWAINSON'S THROUSH Year 1961

Locality of Nest COHOE

Latitude 60° Longitude 151°

Altitude 80 Direction slope faces _____

Nest 8 1/2 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')
Moist tundra Rocky Tundra Field Marsh

Other _____

List abundant plants:

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

No. of eggs hatched NONE

No. of unhatched eggs 5

Cause of non-hatching of eggs predator.

No. of chicks that left nest _____

Cause of death of chicks not leaving nest _____

Name of Bird SWAINSON'S THRUSH Year 1961

Locality of Nest COHOE

Latitude 60° Longitude 151°

Altitude 80 Direction slope faces _____

Nest 7 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky tundra Marsh

Other _____

List abundant plants:

POSITION OF NEST

In tree, brush, or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

FATE OF NEST

No. of eggs hatched 4

No. of unhatched eggs none

Cause of non-hatching of eggs _____

No. of chicks that left nest NONE

Cause of death of chicks not leaving

Nest EATEN BY PREDATOR

#2

Name of Bird SWAINSON'S THRUSH | Year 1963

Locality of Nest COHOE

Latitude 60° Longitude 151°

Altitude 80 Direction slope faces _____

Nest 7 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')
Moist tundra Rocky Tundra Field Marsh

Other _____

List abundant plants:

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

No. of eggs hatched 4

No. of unhatched eggs 1

Cause of non-hatching of eggs NOT

FERTILE

No. of chicks that left nest 4

Cause of death of chicks not leaving nest _____

#1

Name of Bird SWAINSON'S THRUSH Year 1963

Locality of Nest COHOE

Latitude 60° Longitude 151°

Altitude 80 Direction slope faces _____

Nest 8 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky Tundra Field Marsh

Other _____

List abundant plants:

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched 5

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest 5

Cause of death of chicks not leaving nest _____

Name of Bird SWAINSON'S THRUSH Year 1960

Locality of Nest COHOE

Latitude 60° 20' Longitude 151° 20'

Altitude 80 Direction slope faces _____

Nest 7 1/2 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky tundra Marsh

Other _____

List abundant plants:

POSITION OF NEST

In tree, brush, or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

FATE OF NEST

No. of eggs hatched 4

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest 4

Cause of death of chicks not leaving _____

Nest _____

Name of Bird SWAINSON'S THRUSH | Year 1960

Locality of Nest Cohoe

Latitude 60° 20' Longitude 157° 20'

Altitude 80 Direction slope faces _____

Nest 4 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky tundra Marsh

Other Cleared Land

List abundant plants:

POSITION OF NEST

In tree, brush, or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

FATE OF NEST

No. of eggs hatched NONE

No. of unhatched eggs 3

Cause of non-hatching of eggs Female

Deserted nest or was killed

No. of chicks that left nest _____

Cause of death of chicks not leaving

Nest _____

ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer: **MARY. A SMITH COHOE**

FOR OBSERVATIONS ON ONE NEST

DAY	MONTH	No. of Eggs	No. of Young	ADULT ON NEST? SEX?	TIME
14	JUNE	3		F	10:00 A.M.
16	"	3			12:00 NOON
20	"	3		F	11:15 A.M.
24	"	3			3:00 P.M.
26	"	<hr/>			

REMARKS: e.g. Birds banded, pertinent weather information, etc.

nest deserted probably due to heavy equipment working nearby (see card - JUNE 26).

309 308 307 306 305 304 303 302 301

UNISORT

Name of Bird SWAINSON'S THRUSH Year 1960

Locality of Nest COHOE

Latitude 60° 20' Longitude 151° 20'

Altitude 80 Direction slope faces _____

Nest 10 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky tundra Marsh

Other _____

List abundant plants:

POSITION OF NEST

In tree, brush, or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

FATE OF NEST

No. of eggs hatched 4

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest 4

Cause of death of chicks not leaving _____

Nest _____

Name of Bird SWAINSON'S THRUSS Year 1962

Locality of Nest COHOE

Latitude 61° Longitude 157°

Altitude 80 Direction slope faces _____

Nest 7 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')
Moist tundra Rocky Tundra Field Marsh

Other _____

List abundant plants:

POSITION OF NEST

In tree, brush or shrub
On ground, under tree, brush or shrub
On ground, not under tree, brush or shrub
On ground, in open on sand or rocks
On cliff or bank On floating mat
On building

FATE OF NEST

No. of eggs hatched 4
No. of unhatched eggs _____
Cause of non-hatching of eggs _____

No. of chicks that left nest 4

Cause of death of chicks not leaving nest _____

Name of Bird SWAINSON'S THRUSH Year 1962

Locality of Nest COHOE

Latitude 61° Longitude 157°

Altitude 80' Direction slope faces _____

Nest 7½ ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky Tundra Field Marsh

Other NEAR LAKE SHORE.

List abundant plants:

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched 4

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest 4

Cause of death of chicks not leaving nest _____

4

Name of Bird SWAINSON'S THRUSH

Year 1965

Locality of Nest COHOE

Latitude... 60..... Longitude... 152....

Altitude... 80..... Direction slope faces.....

Nest... 12.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')


Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

SPRUCE (white)

POSITION OF NEST



On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched 4

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest..... 4

Cause of death of chicks not leaving nest.....

.....

#3

Name of Bird SWAINSON'S THRUSH Year 1965

Locality of Nest COHOE.

Latitude... 60 Longitude 152

Altitude... 80 Direction slope faces.....

Nest... 15ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched 4

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest..... 4

Cause of death of chicks not leaving nest.....

.....

Name of Bird SWAINSON'S THRUSS | Year 1962

Locality of Nest COHOE.

Latitude 61° Longitude 157°

Altitude _____ Direction slope faces _____

Nest 6 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')
Moist tundra Rocky Tundra Field Marsh

Other _____

List abundant plants:

POSITION OF NEST

In tree, brush or shrub
On ground, under tree, brush or shrub
On ground, not under tree, brush or shrub
On ground, in open on sand or rocks
On cliff or bank On floating mat
On building

FATE OF NEST

No. of eggs hatched _____

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving nest _____

Name of Bird SWAINSON'S THRUSS Year 1961

Locality of Nest COHOE

Latitude 60° Longitude 151°

Altitude 80' Direction slope faces _____

Nest 14' ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')
Moist tundra Rocky Tundra Field Marsh

Other _____

List abundant plants:

POSITION OF NEST

In tree, brush or shrub
On ground, under tree, brush or shrub
On ground, not under tree, brush or shrub
On ground, in open on sand or rocks
On cliff or bank On floating mat
On building

FATE OF NEST

No. of eggs hatched 4

No. of unhatched eggs NONE

Cause of non-hatching of eggs _____

No. of chicks that left nest 4

Cause of death of chicks not leaving nest _____

Name of Bird Swainsons thrush | Year 1961
Hylocichla ustulata

Locality of Nest woodlot between Whitney Station & Federal Prison Camp

Latitude 61° 14' 45" Longitude 149° 47' 00"

Altitude 185 Direction slope faces level

Nest 5 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')
Moist tundra Rocky Tundra Field Marsh

Other _____

List abundant plants:

paper birch, Betula papyrifera
quaking aspen, P. tremuloides
willow, Salix
white spruce, Picea glauca
labrador tea, Ledum groenlandicum
prickly rose, Rosa aciculata
grasses, mosses, & fireweed

POSITION OF NEST

In tree, ~~brush or shrub~~
On ground, under tree, brush or shrub
On ground, not under tree, brush or shrub
On ground, in open on sand or rocks
On cliff or bank On floating mat
On building

FATE OF NEST

No. of eggs hatched 4
No. of unhatched eggs 0
Cause of non-hatching of eggs --

No. of chicks that left nest apparently 4

Cause of death of chicks not leaving nest --

#1

Name of Bird	SWAINSON'S THROSH	Year	1969
--------------	-------------------	------	------

Locality of Nest: KASLOF ALASKA

Latitude... 61..... Longitude... 151.....

Altitude... 100..... Direction slope faces.....

Nest... 3.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

WHITE SPRUCE

BIRCH

WILLOW

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

No. of eggs hatched 4

No. of unhatched eggs..... 0

Cause of non-hatching of eggs.....

No. of chicks that left nest..... 4

Cause of death of chicks not leaving nest.....

ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer MARY A. MILLER
KAASILOF ALASKA

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
13	JUNE	2			8:20 pm
15	✓	4		F	11:05 AM.
22	✓	4			11:25 AM
29	✓		4		2:12 pm
8	JULY				

REMARKS: e.g. Birds banded, pertinent weather information, etc.

PARENTS WITH YOUNG IN IMMEDIATE VICINITY

UNISORT 309 308 307 306 305 304 303 302 301

UNISORT
MAAST
SIS
CARD
STO. FORM
12
BIRROUHS CORP.
ORATION
TODD DIV.
L

Name of Bird SWAINSON'S THROSH Year 1967

Locality of Nest COHOE, ALASKA

Latitude.....60..... Longitude....151.....

Altitude....80.... Direction slope faces.....

Nest....1.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

WHITESPRAUCE

CATTANWOOD

DWARF BIRCH

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched4.....

No. of unhatched eggs.....0.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest.....4.....

Cause of death of chicks not leaving nest.....

.....

