

Alder Draw, opposite 2nd Gulch

Name of Bird Tree Sparrow | Year 1967

Locality of Nest Eagle Creek
mile 105 Steese H.

Latitude _____ Longitude _____

Altitude 3200 Direction slope faces E

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky Tundra Field Marsh

Other _____

List abundant plants:

Alder, dwarf birch, blueberry,
willow, sedge.

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched _____

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving nest _____

Center Hill, below ditch, near
tailing pile

Name of Bird	Tree Sparrow	Year	1967
--------------	--------------	------	------

Locality of Nest	Eagle Creek mile 105 Steese
------------------	--------------------------------

Latitude..... Longitude.....

Altitude. 2750.... Direction slope faces. SW.....

Nest..... 0.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants: dwarf birch,
lichen, Labrador tea

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub birch.

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

West-running Brook

Name of Bird Tree Sparrow Year 1967

Locality of Nest Eagle Creek
mile 105 Stese

Latitude..... Longitude.....

Altitude... 3000 ... Direction slope faces. SW ...

Nest..... 0ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

dwarf birch, crowberry,
scattered willow + stunted
spruce

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub birch
8"

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

.....

Center Hill near old trail below ditch

Name of Bird	Tree Sparrow	Year	1967
--------------	--------------	------	------

Locality of Nest	Eagle Creek mile 105 Steese
------------------	--------------------------------

Latitude..... Longitude.....

Altitude 2750 Direction slope faces SW

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

willow, dwarf birch, low spruce

blueberry, ledum, sedge

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

ALASKA NEST RECORD CARD
University of Alaska, College, Alaska

Name and address of observer *R. Weeden*
Box 425 College

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
STD. FORM Y 12 16	6	2	3	on	2:15 pm
16	6	1	4	on	8:05 pm

REMARKS: e.g. Birds banded, pertinent weather information, etc.

UNISORT ANALYSIS CARD

2	1	7	4	2	1	7	4	2	1
110	109	108	107	106	105	104	103	102	101
1	2	4	7	1	2	4	7	1	2
201	202	203	204	205	206	207	208	209	210
211	212	213	214	215	216	217	218	219	220
221	222	223	224	225	226	227	228	229	230
301	302	303	304	305	306	307	308	309	310

UNISORT

Center Hill below ditch

Name of Bird	Tree Sparrow	Year	1967
--------------	--------------	------	------

Locality of Nest Eagle Creek
mile 105 Steese

Latitude..... Longitude.....

Altitude. 2750... Direction slope faces. SW...

Nest..... 0.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

Willow, alder, dwarf birch,
Ledum, blueberry

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub birch

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

between Blueberry Pt. + East-sunrise

Name of Bird Tree Sparrow Year 1967

Locality of Nest Eagle Creek
mile 105 Steese

Latitude..... Longitude.....

Altitude 2800 Direction slope faces E

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

Dwarf birch, blueberry,

cranberry, Ledum, moss.

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub birch

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

2nd Gulch by R1-6J

Name of Bird	Rocky Tree Sparrow	Year	1967
--------------	-------------------------------	------	------

Locality of Nest	Eagle Creek mile 105 Steese
------------------	--------------------------------

Latitude..... Longitude.....

Altitude... 3200... Direction slope faces... SW...

Nest.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

low sedge - crowberry - Ledum - moss.

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched ... 6

No. of unhatched eggs... 0

Cause of non-hatching of eggs.....

No. of chicks that left nest... 5

Cause of death of chicks not leaving nest... ?

UNISORT ALASKA STANDARD FORM Y2 BIRROUHS CORPORATION - TODD DIV. - L

ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer R. Weeden
Box 425 College

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
9	6	5	-	♀	10:12 am
13	6	6	-	on	8:30 am
26	6	-	5	near	9:00 am.
3	7	-	1 dead		9:00 am

REMARKS: e.g. Birds banded, pertinent weather information, etc.

Young 4⁺ days old 26/6

Name of Bird Tree Sparrow Year 1967

Locality of Nest Eagle Summit

Latitude..... Longitude.....

Altitude..... Direction slope faces. west

Nest.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

Dwarf Birch
Lichen

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

No. of eggs hatched

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

.....

ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer P. Headley
ADF & G

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
13	6	5		yes	1400

REMARKS: e.g. Birds banded, pertinent weather information, etc.

309 1
308 7
307 4
306 2
305 1
304 7
303 4
302 2
301 1

UNISORT

UNISORT
ALASKA
UNIVERSITY OF ALASKA
COLLEGE

BIRROUSHS CORPORATION - TODD DIV. - L

FORM Y 12

201 1
202 2
203 4
204 7
205 1
206 2
207 4
208 7
209 1
210 2
211 4
212 7
213 1
214 2
215 4
216 7
217 1
218 2
219 4
220 7
221 1
222 2
223 4
224 7
225 1
226 2
227 4

26 2
25 1
24 7
23 4
22 2
21 1
20 7
19 4
18 2
17 1
16 7
15 4
14 2
13 1
12 7
11 4
10 2
9 1
8 7
7 4
6 2
5 1
4 7
3 4
2 2
1 1

Name of Bird	Tree Sparrow	Year	1967
--------------------	--------------	------	------

Locality
of
Nest Eagle Summit

Latitude..... Longitude.....

Altitude..... Direction slope faces south

Nest.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

2 1 7 4 2 1 7 4 2 1
110 109 108 107 106 105 104 103 102 101

4
27 26 25 24 23 22 21 20 19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1

ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer *P. Headley*
ADF46

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
<i>11</i>	<i>6</i>	<i>5</i>		<i>yes</i>	<i>0815</i>

REMARKS: e.g. Birds banded, pertinent weather information, etc.

309 308 307 306 305 304 303 302 301
1 2 4 7 1 2 4 7
UNISORT

UNISORT ADDRESS SYSTEM CARD NO. FORM Y 12 BIRROUHS CORPORATION - TODD DIV. - L

Name of Bird Tree Sparrow Year 1967

Locality of Nest Eagle Summit

Latitude..... Longitude.....

Altitude..... Direction slope faces east...

Nest.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

Dwarf birch
alder

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

.....

110 109 108 107 106 105 104 103 102 101 27 4
 2 1 7 4 2 1 7 4 2 1 26 2
 1 2 1 7 4 2 1 25 1
 7 4 2 1 24 7
 1 7 4 23 4
 1 2 22 2
 2 21 1
 4 20 7
 7 19 4
 1 18 2
 2 17 1
 4 16 7
 7 15 4
 1 14 2
 2 13 1
 4 12 7
 7 11 4
 1 10 2
 2 9 1
 4 8 7
 7 6 2
 1 5 1
 2 4 7
 4 3 4
 1 2 2
 2 1 1
 4 277 7

UNISORT ALASKA SYSTEMS CORP. STD. FORM Y 12 BIRROUGHS CORPORATION - TODD DIV. - L

ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer *P. Headley ADFdG*

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
<i>13</i>	<i>6</i>	<i>5</i>		<i>yes</i>	<i>1115</i>

REMARKS: e.g. Birds banded, pertinent weather information, etc.

UNISORT

309 1
 308 7
 307 4
 306 2
 305 1
 304 7
 303 4
 302 2
 301 1

Name Tree Year
of Sparrow 1968
Bird

Locality Eagle Creek
of Mile 105 Steese
Nest

Latitude..... Longitude.....

Altitude..... Direction slope faces..... W

Nest.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

WILLOW, MOSS


POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub WILLOW

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks



On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

.....

Mastodon - low on slope
left side before E & W forks.

Name of Bird	Tree Sparrow	Year	1968
--------------	--------------	------	------

Locality of Nest	Eagle creek mile 105 Steese
------------------	--------------------------------

Latitude..... Longitude.....

Altitude..... Direction slope faces. *Flat*

Nest.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

*Willow, dryas, cranberry,
Sedge*

POSITION OF NEST

- In tree, brush or shrub *willow*
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

- No. of eggs hatched
- No. of unhatched eggs.....
- Cause of non-hatching of eggs.....
-
- No. of chicks that left nest.....
- Cause of death of chicks not leaving nest.....
-

Name of Bird Tree sparrow | Year 1960
Spizella arborea

Locality of Nest 1 mile west of mile 106-5
Steese Highway
(near pt nest #8)

Latitude _____ Longitude _____

Altitude 3200 Direction slope faces west

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky tundra Marsh

Other _____

List abundant plants:

Willows
Sage
dwarfed birch

POSITION OF NEST

In tree, brush, or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

FATE OF NEST

No. of eggs hatched _____

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving

Nest _____

Name of Bird Spizella arborea | Year 1960

Locality of Nest 1/2 mile west of Eagle Creek camp, mile 105 Steese H.

Latitude _____ Longitude _____

Altitude 2800 Direction slope faces northwest

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky tundra Marsh

Other _____

List abundant plants:

Betula nana

bedstraw

Vaccinium spp.

Moss

Willows

POSITION OF NEST

In tree, brush, or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

FATE OF NEST

No. of eggs hatched _____

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving _____

Nest _____

2 1 7 4 2 1 7 4 2 1
110 109 108 107 106 105 104 103 102 101

UNISORT
ANALYSIS CARD STD. FORM Y 12

ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer: T. Dean
College, Alaska

FOR OBSERVATIONS ON ONE NEST

DAY	MONTH	No. of Eggs	No. of Young	ADULT ON NEST? SEX?	TIME
8	6	5	0	one	7:40 P.M.

REMARKS: e.g. Birds banded, pertinent weather information, etc.

27 4 26 2 25 1 24 7 23 4 22 2 21 1 20 7 19 4 18 2 17 1 16 7 15 4 14 2 13 1 12 7 11 4 10 2 9 1 8 7 7 4 6 2 5 1 4 7 3 4 2 1 1

309 308 307 306 305 304 303 302 301
1 7 4 2 1 7 4 2 1

UNISORT

Name of Bird Spizella arborea Year 1960

Locality of Nest 1 mile northeast of Eagle Creek camp, mile 105 Steese H.

Latitude _____ Longitude _____

Altitude 3100 Direction slope faces flat - south

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')
Moist tundra Rocky tundra Marsh

Other _____

List abundant plants:

Dwarf birch
Stunted spruce
Blueberries

POSITION OF NEST

In tree, brush, or shrub
On ground, under tree, brush or shrub
On ground, not under tree, brush or shrub
On ground, in open on sand or rocks
On cliff or bank On floating mat

FATE OF NEST

No. of eggs hatched _____

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving _____

Nest _____

2 1 7 4 2 1 7 4 2 1
110 109 108 107 106 105 104 103 102 101

ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer

T. Deane
College, Alaska

UNISORT
ANALYSIS
CARD
STD. FORM
12

FOR OBSERVATIONS ON ONE NEST

DAY	MONTH	No. of Eggs	No. of Young	ADULT ON NEST? SEX?	TIME
13	6	4	0	ON	10:30 a.m.
16	6	4	0	ON	1:45 p.m.
20	6	NEST GONE			2:45 p.m.

REMARKS: e.g. Birds banded, pertinent weather information, etc.

Nest lined with ptarmigan feathers.

No trace of nest on 20/6

309 308 307 306 305 304 303 302 301
1 7 4 2 1 7 4 2 1

UNISORT

and boiler

Name of Bird Tree sparrow | Year 1962

Locality of Nest Eagle Creek, mile 105 Steese Highway

Latitude _____ Longitude _____

Altitude 2800 Direction slope faces S

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky Tundra Field Marsh

Other _____

List abundant plants:

Willow, grass, dwarfed birch, blueberry

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched _____

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving nest _____

110 109 108 107 106 105 104 103 102 101

ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer R. Weerden
Box 425 College

FOR OBSERVATIONS ON ONE NEST

DAY	MONTH	NO. OF EGGS	NO. OF YOUNG	ADULT ON NEST? SEX?	TIME
15	6	4	0	on	4:10 2:00
16	6	4	0	on	4:30 2:00
26	6	0	0	—	4:00 2:00
12					

REMARKS: e.g. Birds banded, pertinent weather information, etc.

UNISORT ANALYSIS CARD STD. FORM

UNISORT

309 308 307 306 305 304 303 302 301

S side mouth West-r. Brook

Name of Bird Tree Sparrow	Year 1963
------------------------------	--------------

Locality of Nest Eagle Creek
mile 105 Steese Highway

Latitude..... Longitude.....

Altitude... 2900... Direction slope faces... slight W.....

Nest..... 0.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

Blueberry, small spruce,
moss, Ledum, dwarf birch

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub under blueberry

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

2 1 7 4 2 1 7 4 2 1
110 109 108 107 106 105 104 103 102 101

27 4
26 2
25 1
24 7
23 4
22 2
21 1
20 7
19 4
18 2
17 1
16 7
15 4
14 2
13 1
12 7
11 4
10 2
9 1
8 7
7 4
6 2
5 1
4 7
3 4
2 2
1 1

ALASKA NATURAL HISTORY SURVEY

UNISO

ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer R. Wreeden
Box 425 College

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
12	6	5	-	on	7:30 a.m.
19	6	1	2	on	4:00 p.m.
22	6	1	2	-	7:00 a.m.

REMARKS: e.g. Birds banded, pertinent weather information, etc.
Y8, 4-6 days old
June 19

309 308 307 306 305 304 303 302 301
1 7 4 2 1 7 4 2 1

UNISO

12.

Road Ridge near top

Name of Bird	Tree Sparrow	Year	1963
--------------	--------------	------	------

Locality of Nest Eagle Creek
mile 105 Steese Highway

Latitude _____ Longitude _____

Altitude 3300 Direction slope faces S

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky Tundra Field Marsh

Other _____

List abundant plants:

dwarf birch, blueberry,

lichen, cranberry, grass

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub ^{under} dwarf birch

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched _____

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving nest _____

14

Lower mastodon Fork

Name of Bird	Tree Sparrow	Year	1963
Locality of Nest	Eagle Creek mile 105 Steese		

Latitude _____ Longitude _____

Altitude 3000 Direction slope faces flatNest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4') Moist tundra Rocky Tundra Field Marsh

Other _____

List abundant plants:

Tall willows along stream,
with grassy + gravelly
openings

POSITION OF NEST

In tree, brush or shrub On ground, under tree, brush or shrub *under
thin willow
with grass
at base.*On ground, not under tree, brush or shrub On ground, in open on sand or rocks On cliff or bank On floating mat On building

FATE OF NEST

No. of eggs hatched _____

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving nest _____

ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer: R. Weeden
Box 425 College

FOR OBSERVATIONS ON ONE NEST

DAY	MONTH	NO. OF EGGS	NO. OF YOUNG	ADULT ON NEST? SEX?	TIME
25	6	4	-	on	12:40 p.m.
3	7	0	4	on	2:10 pm
	7	1	day old		
5	7	4	-	on	8:45 am

REMARKS: e.g. Birds banded, pertinent weather information, etc.

1 201
2 202
4 203
7 204
1 205
2 206
7 207
7 208
1 209
2 210
4 211
7 212
1 213
2 214
4 215
7 216
1 217
2 218
4 219
7 220
1 221
2 222
4 223
7 224
1 225
2 226
4 227

Judy's plot - T7 ?

Name of Bird Tree sparrow | Year 1962

Locality of Nest Eagle Creek, mile 105 Steese Highway

Latitude _____ Longitude _____

Altitude 2900 Direction slope faces N

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')
Moist tundra Rocky Tundra Field Marsh

Other _____

List abundant plants:

Alder, birch, blueberry
grass, sedge, moss

POSITION OF NEST

In tree, brush or shrub
On ground, under tree, brush or shrub
On ground, not under tree, brush or shrub
On ground, in open on sand or rocks
On cliff or bank On floating mat
On building

FATE OF NEST

No. of eggs hatched _____

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving nest _____

East branch Miller Fk.
in territory of upper pr. Farm.

Name of Bird Tree sparrow | Year 1962

Locality of Nest Eagle Creek, mile 105
Steese Highway

Latitude _____ Longitude _____

Altitude 3400 Direction slope faces S

Nest ○ ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky Tundra Field Marsh

Other _____

List abundant plants:

Dwarfed birch + willow
Cassiope, sedge, lichens

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched _____

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving nest _____

Tailings, N side head of road.

Name of Bird Tree sparrow | Year 1962

Locality of Nest Eagle Creek, mile 105 Steese Highway

Latitude _____ Longitude _____

Altitude 3000 Direction slope faces W

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky Tundra Field Marsh

Other Old mined area,

List abundant plants:

Willow, grass, Melandrium,
Stellaria, Arabis, Crepis,
Silene.

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub base of

On ground, not under tree, brush or shrub grass

On ground, in open on sand or rocks dump

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched 5

No. of unhatched eggs 0

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks / not leaving nest _____

Ditch SW Zimmermans

Name of Bird Tree Sparrow | Year 1962

Locality of Nest Eagle Creek, mile 105 Steese Highway

Latitude _____ Longitude _____

Altitude 2650 Direction slope faces NE

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky Tundra Field Marsh

Other _____

List abundant plants:

Lichen, dwarf birch -

Ledum, blueberry, grass

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched _____

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving nest _____

S. edge of plot, S-Hill Gully.

Name of Bird Tree Sparrow | Year 1962

Locality of Nest Eagle Creek, mile 105 Steese Highway

Latitude _____ Longitude _____

Altitude 2900 Direction slope faces N

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky Tundra Field Marsh

Other _____

List abundant plants:

Blueberry, dwarfed birch and willow, alder, grass.

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched _____

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving nest _____

Flats above penstock

Name of Bird Tree Sparrow | Year 1962

Locality of Nest Eagle Creek, mile 105
Steese Highway

Latitude _____ Longitude _____

Altitude 2700 Direction slope faces N

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky Tundra Field Marsh

Other _____

List abundant plants:

Willow, birch, blueberry,
Lussock sedge, moss

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

No. of eggs hatched _____

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving nest _____

Between J 19 - J 20

Name of Bird Tree Sparrow | Year 1962

Locality of Nest Eagle Creek, mile 105 Steese Highway

Latitude _____ Longitude _____

Altitude 2750 Direction slope faces NW

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky Tundra Field Marsh

Other _____

List abundant plants:

Alder, willow, dwarfed birch,
Ledum, grass, moss,
Vaccinium vitis-~~idaea~~

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub Under small tuft of grass

On ground, in open on sand or rocks

On cliff or bank

On floating mat

On building

FATE OF NEST

No. of eggs hatched _____

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving nest _____

E of Zimmermans on tussock
flats

Name of Bird Tree sparrow Year 1962

Locality of Nest Eagle Creek, mile 105 Steese Highway

Latitude _____ Longitude _____

Altitude 2600 Direction slope faces N

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky Tundra Field Marsh

Other _____

List abundant plants:

low willow, blueberry, birch;
cranberry, sedge, moss, lichen

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched _____

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving nest _____

South Hill W face

Name of Bird Tree Sparrow | Year 1962

Locality of Nest Eagle Creek, mile 105
Seese Highway

Latitude _____ Longitude _____

Altitude 3300 Direction slope faces W

Nest 1" ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky Tundra Field Marsh

Other _____

List abundant plants:

Low, dense dwarfed birch + willow
in matrix of sedge, grass, moss,
lichens, Dryas, etc.

POSITION OF NEST

In tree, brush or shrub very slightly off ground,
in dense scrub birch

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched _____

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving nest _____

Name of Bird Spizella arborea Year 1960

Locality of Nest 1/2 mile south of Eagle Creek Camp, mile 105 Steese

Latitude _____ Longitude _____

Altitude 2900 Direction slope faces north

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tail brush (4-10') Shrub (1-4')

Moist tundra Rocky tundra Marsh

Other _____

List abundant plants:

Dwarf willow and birch
Sedge
Vaccinium
Empetrum

POSITION OF NEST

- in tree, brush, or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat

FATE OF NEST

No. of eggs hatched _____

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving _____

Nest _____

Name of Bird Tree sparrow | Year 1960

Locality of Nest Eagle Creek
Mile 105 Steese Hiway, Alaska

Latitude _____ Longitude _____

Altitude _____ Direction slope faces _____

Nest _____ ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

- Forest Tall brush (4-10') Shrub (1-4')
Moist tundra Rocky tundra Marsh

Other _____

List abundant plants:

POSITION OF NEST

- In tree, brush, or shrub
On ground, under tree, brush or shrub
On ground, not under tree, brush or shrub
On ground, in open on sand or rocks
On cliff or bank On floating mat

FATE OF NEST

No. of eggs hatched 4

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest 4

Cause of death of chicks not leaving _____

Nest _____

tree
Name of Bird ~~White-crowned~~ Sparrow | Year 1960

Locality Eagle Creek, Alaska
Nest *Access Highway Mile 105*

Latitude _____ Longitude _____

Altitude _____ Direction slope faces _____

Nest _____ ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')
Moist tundra Rocky tundra Marsh

Other _____

List abundant plants:

POSITION OF NEST

- In tree, brush, or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat

FATE OF NEST

No. of eggs hatched 5
No. of unhatched eggs _____
Cause of non-hatching of eggs _____

No. of chicks that left nest 2

Cause of death of chicks not leaving _____

Nest _____

2 1 7 4 2 7 4 2 1
110 109 108 107 106 105 104 103 102 101

4
27
2
26
1
25
7
24
4
23
2
22
1
21
7
20
4
19
2
18
1
17
7
16
4
15
4
14
1
13
7
12
4
11
2
10
1
9
7
8
4
7
6
2
5
1
4
7
3
4
2
1
1

ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer *N. Lange*
U. of Alaska, College

FOR OBSERVATIONS ON ONE NEST

DAY	MONTH	No. of Eggs	No. of Young	ADULT ON NEST? SEX?	TIME
15	6	5	0	yes	5:00 PM
16	6	5	0	yes	noon
17	6	5	0	yes	PM 1:40
20	6	0	5	no	AM 1:55
22	6	0	4	yes	F PM 12:25
23	6	0	3	no	PM 4:35
24	6	0	2	no	noon
27	6	0	0	no	PM 5:00

REMARKS: e.g. Birds banded, pertinent weather information, etc.
6 1/2 1 1/2

309 308 307 306 305 304 303 302 301
1 7 4 2 1 7 4 2 1

UNISORT

Name of Bird Tree Sparrow | Year 1960

Locality Eagle Creek, Alaska
Nest Heese Highway, Mile 105

Latitude _____ Longitude _____

Altitude _____ Direction slope faces _____

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky tundra Marsh

Other _____

List abundant plants:

dwarf birch lichen
grass cranberry
blueberry willow shrub
crowberry
laborator tea
moss

POSITION OF NEST

In tree, brush, or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

FATE OF NEST

No. of eggs hatched 5

No. of unhatched eggs 0

Cause of non-hatching of eggs _____

No. of chicks that left nest 5

Cause of death of chicks not leaving _____

Nest _____

Name of Bird Spizella arborea Year 1960

Locality of Nest 1/2 mile east of Eagle Creek
camp, mile 105 Steese
(miles from old road)

Latitude _____ Longitude _____

Altitude 2800 Direction slope faces flat

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')
Moist tundra Rocky tundra Marsh

Other _____

List abundant plants:

Willow
dwarf birch
sedge
Anemone
Pancreacis

POSITION OF NEST

In tree, brush, or shrub
On ground, under tree, brush or shrub
On ground, not under tree, brush or shrub
On ground, in open on sand or rocks
On cliff or bank On floating mat

FATE OF NEST

No. of eggs hatched _____

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving _____

Nest _____

Name of Bird Spizella arborea Year 1960

Locality of Nest 1 mile east of Eagle Creek
Camp, mile 105 Steese
(Castle Brook)

Latitude _____ Longitude _____

Altitude 3100 Direction slope faces west

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky tundra Marsh

Other _____

List abundant plants:

Dwarf birch, willow

Blueberry

Crowberry, Cassiope

POSITION OF NEST

In tree, brush, or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

FATE OF NEST

No. of eggs hatched _____

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving _____

Nest _____

FORK'S OF UPPER MASTODON

Name of Bird TREESPAR. | Year 1962

Locality of Nest EAGLE CREEK, MI 105 STEESE HIGHWAY, ALASKA

Latitude _____ Longitude _____

Altitude 3100 Direction slope faces _____

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky Tundra Field Marsh

Other _____

List abundant plants:

SALIX, ERIOPHORUM, GRASSES, SEDGES.

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank

On floating mat

On building

FATE OF NEST

No. of eggs hatched _____

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest _____

Cause of death of chicks not leaving nest _____

2 1 7 4 2 1 7 4 2 1
110 109 108 107 106 105 104 103 102 101

27 4
26 2
25 1
24 7
23 4
22 2
21 1
20 7
19 4
18 2
17 1
16 7
15 4
14 2
13 1
12 7
11 4
10 2
9 1
8 7
7 4
6 2
5 1
4 7
3 4
2 2
1 1

UNISORT
ALASKA NEST RECORD CARD
University of Alaska, College, Alaska

Name and address of observer *R. HERRICK*
A.D.F.R.

FOR OBSERVATIONS ON ONE NEST

DAY	MONTH	NO. OF EGGS	NO. OF YOUNG	ADULT ON NEST? SEX?	TIME
18	JUNE	5	0	YES	7:07 A.M.

REMARKS: e.g. Birds banded, pertinent weather information, etc.

309 308 307 306 305 304 303 302 301
1 7 4 2 1 7 4 2 1
UNISORT

8

East-running Brook

Name of Bird	Tree Sparrow	Year	1963
--------------	--------------	------	------

Locality of Nest Eagle Creek
mile 105 Steese Highway

Latitude..... Longitude.....

Altitude... 3300... Direction slope faces... SE...

Nest... 4...ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

Scattered small spruce.
Birch & willow shrubs, wet
grass-moss openings

POSITION OF NEST

In tree, brush or shrub in spruce

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched... 0.....

No. of unhatched eggs... 5.....

Cause of non-hatching of eggs... deserted.....

.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

.....

7 Pretty Gully

Name of Bird Tree Sparrow Year 1963

Locality of Nest Eagle Creek Mile 105 Steese Highway

Latitude..... Longitude.....

Altitude... 3300... Direction slope faces... S.....

Nest..... 0.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest [] Tall brush (4-10') [] Shrub (1-4') [x]

Moist Tundra [] Rocky Tundra [] Field [] Marsh []

Other

List abundant plants:

Dwarf birch, willow, moss, Dryas. Scattered low spruce

POSITION OF NEST

In tree, brush or shrub []

On ground, under tree, brush or shrub [x]

On ground, not under tree, brush or shrub []

On ground, in open on sand or rocks []

On cliff or bank [] On floating mat []

On building []

FATE OF NEST

No. of eggs hatched ... 5.....

No. of unhatched eggs... 0.....

Cause of non-hatching of eggs... T.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

6 Above upper ditch

Name of Bird	Tree sparrow	Year	1963
--------------	--------------	------	------

Locality of Nest Eagle Creek
Mile 105 Steese Highway

Latitude..... Longitude.....

Altitude... 3000... Direction slope faces... N...

Nest..... 0.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

Blueberry, Ledum, moss,
low willow, dwarf birch

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub ^{under} blueberry
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

No. of eggs hatched

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

2 1 7 4 2 1 7 4 2 1
 110 109 108 107 106 105 104 103 102 101

4
27
2 26
1 25
7 24
4 23
2 22
1 21
7 20
4 19
2 18
1 17
7 16
4 15
2 14
1 13
7 12
4 11
2 10
1 9
7 8
4 7
2 6
1 5
7 4
4 3
2 2
1 1

UNISORT
 A
 N
 I
 S
 O
 R
 T
 S
 C
 A
 R
 D

ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer R. Weeden
Box 425 college

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
8	6	5	-	on	2:10 pm
9					
10					
11					
12					
13					
14					
15					
16					
17					
18					
19					
20					
21					
22					
23					
24					
25					
26					
27					

REMARKS: e.g. Birds banded, pertinent weather information, etc.

309 308 307 306 305 304 303 302 301
 1 7 4 2 1 7 4 2 1

UNISORT

5 Bates Creek

Name of Bird	Tree sparrow	Year	1963
--------------	--------------	------	------

Locality of Nest Eagle Creek
mile 105 Steese Highway

Latitude..... Longitude.....

Altitude... 3100... Direction slope faces... SE...

Nest..... 0.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

Willow, low birch, moss,
blueberry, Cassiope, Ledum

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

No. of eggs hatched 0

No. of unhatched eggs..... 5

Cause of non-hatching of eggs..... Adult

..... killed on nest. Weasel?

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

.....

ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer R. Weeden
Box 425 College

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
8	6	5	-	-	10:25 am

REMARKS: e.g. Birds banded, pertinent weather information, etc.

See over.
 1 egg opened = 1/2 way through incubation

UNISORT ANALYSIS CARD

2 1 7 4 2 1 7 4 2 1
 110 109 108 107 106 105 104 103 102 101

27 4

26 2
 25 1
 24 7
 23 4
 22 2
 21 1
 20 7
 19 4
 18 2
 17 1
 16 7
 15 4
 14 2
 13 1
 12 7
 11 4
 10 2
 9 1
 8 7
 7 4
 6 2
 5 1
 4 7
 3 4
 2 2
 1 1

UNISORT

309 308 307 306 305 304 303 302 301
 1 2 4 7 1 2 4 7 1

4

Center Hill below ditch

Name of Bird	Tree sparrow	Year	1963
--------------	--------------	------	------

Locality of Nest Eagle Creek
mile 105 Steese Highway

Latitude..... Longitude.....

Altitude... 2800. Direction slope faces... W...

Nest..... 0.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

low spruce, Ledum,

dwarf birch, moss, willow

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub under spruce

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched ... 4

No. of unhatched eggs... 1

Cause of non-hatching of eggs.....

No. of chicks that left nest... 4

Cause of death of chicks not leaving nest.....

3. Opposite mouth W-running Brook

Name of Bird	Tree Sparrow	Year	1963
--------------	--------------	------	------

Locality of Nest Eagle Creek
mile 105 Steese Highway

Latitude..... Longitude.....

Altitude... 3100... Direction slope faces... E....

Nest..... 0.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

Low spruce, Labrador tea,
cranberry, crowberry, lichen
birch, willow

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub under birch

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

.....

2 Beginning Mastodon Fk. on trail

Name of Bird	Tree Sparrow	Year	1963
--------------	--------------	------	------

Locality of Nest Eagle Creek
mile 105 Steese Highway

Latitude..... Longitude.....

Altitude... 2900... Direction slope faces... Flat

Nest..... 0.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

Tall willows along stream,
with grassy openings

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub ⁱⁿ clump of grass

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched 4

No. of unhatched eggs... 1

Cause of non-hatching of eggs... ?

No. of chicks that left nest.... 4

Cause of death of chicks not leaving nest.....

1. middle Cripple Creek

Name of Bird	Tree Sparrow	Year	1963
--------------	--------------	------	------

Locality of Nest	Eagle Creek mile 105 Steese Highway
------------------	--

Latitude..... Longitude.....

Altitude... 3000... Direction slope faces... SW...

Nest..... 0.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

Dwarfed birch, blueberry
sedges, grass, alder, Ledum

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub ^{under} birches

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

150' above S. Hill ditch, just W
of gully

7

Name of Bird Tree Sparrow	Year 1968
------------------------------	--------------

Locality of Nest
Engle Creek
mile 105 Steese

Latitude..... Longitude.....

Altitude 2900... Direction slope faces... N....

Nest..... 0.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

alder, dwarf birch, grass

tussocks, blueberry, Lab. tea

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub sedge birch

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

.....

2nd Gulch (50 yds N, 2/3 way up)

6

Name of Bird	Tree Sparrow	Year	1968
--------------	--------------	------	------

Locality of Nest	Eagle Creek mile 105 Steese
------------------	--------------------------------

Latitude..... Longitude.....

Altitude...3200... Direction slope faces...SW...

Nest.....0.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

dwarf birch, low spruce clumps

Ledum

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub dwarf birch
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

No. of eggs hatched

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

15' W of stream in ravine leading * 9
N to upper Eagle: near bottom.

Name of Bird Tree Sparrow	Year 1968
------------------------------	--------------

Locality of Nest
Eagle Creek
mile 105 Steese H.

Latitude..... Longitude.....

Altitude..... 2950..... Direction slope faces..... N.....

Nest..... 0..... ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

Willow, dwarf birch, alder,
Cassiope, Lycopodium

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub alder

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST


No. of eggs hatched

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....



Name of Bird Tree Sparrow Year 1968

Locality of Nest Eagle Creek
mile 105 Steese

Latitude..... Longitude.....

Altitude 2800 Direction slope faces E

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

dwarf birch, willow

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub birch

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

middle cypress, 1/2 way up slope #11

Name of Bird Tree Sparrow Year 1968

Locality of Nest Eagle Creek
mile 105 Steese

Latitude..... Longitude.....

Altitude 3400 Direction slope faces W

Nest.....0.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

dryas, blueberry, birch scrub,
Pedicularis lanata

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub dwarf birch

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

.....

meadow below gravel pit

#12

Name of Bird	Tree Sparrow	Year	1968
--------------	--------------	------	------

Locality of Nest Engle Creek
mile 105 Steese

Latitude..... Longitude.....

Altitude... 3300 ... Direction slope faces... W ...

Nest.....⁰.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

blueberry, dwarf birch
moss, willow, grass

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub birch

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

Eagle Cr., AK., Mi. 105 Steese Hwy

Name of Bird Tree Sparrow

Year 1968

Locality of Nest 100 yds. west of Pretty Gulch;
North of Mastodon Fork.

Latitude 65°27' N Longitude 145°22' W

Altitude 3300 Direction slope faces S.W.

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

dwarf birch
grass

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

steep slope on W side lower
Cripple. 100 yds above stream

8

Name of Bird	Tree Sparrow	Year	1968
--------------	--------------	------	------

Locality of Nest Eagle Creek
mile 105 Steese

Latitude..... Longitude.....

Altitude... 3100... Direction slope faces... NE...

Nest.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

Alder, scattered spruce,
moss, Lycopodium,
dwarf birch.

POSITION OF NEST

- In tree, brush or shrub
- On ground, under tree, brush or shrub birch
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat
- On building

FATE OF NEST

No. of eggs hatched

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

.....

Name of Bird Spizella arborea | Year 1960

Locality of Nest 1 mile east of Eagle Creek Camp, mile 105 Steese H.

Latitude _____ Longitude _____

Altitude 3000 Direction slope faces North

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist tundra Rocky tundra Marsh

Other _____

List abundant plants:

Willow and birch scrub above gravel bars of stream.
Empetrum, cassiope, sedges.

POSITION OF NEST

- In tree, brush, or shrub
- On ground, under tree, brush or shrub
- On ground, not under tree, brush or shrub
- On ground, in open on sand or rocks
- On cliff or bank On floating mat

FATE OF NEST

No. of eggs hatched 5

No. of unhatched eggs _____

Cause of non-hatching of eggs _____

No. of chicks that left nest 0

Cause of death of chicks not leaving _____

Nest Abandoned by adult

died in rain.

above upper ditch W of plot

Name of Bird	Tree Sparrow	Year	1967
--------------	--------------	------	------

Locality of Nest	Eagle Creek mile 105 Steese H.
------------------	-----------------------------------

Latitude..... Longitude.....

Altitude 2800..... Direction slope faces NW..

Nest.....⁰.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

Sedge, dwarf birch,
Ledum

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub birch sedge

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

20' from Spur at top

Name of Bird	Tree Sparrow	Year	1967
--------------	--------------	------	------

Locality of Nest Engle Creek
mile 105 Steese

Latitude..... Longitude.....

Altitude 3200 Direction slope faces SW

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants: dwarf birch,

Ledum, blueberry, moss

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub birch-ledum

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

2 1 7 4 2 1 7 4 2 1
110 109 108 107 106 105 104 103 102 101

27 4
26 2
25 1
24 7
23 4
22 2
21 1
20 7
19 4
18 2
17 1
16 7
15 4
14 2
13 1
12 7
11 4
10 2
9 1
8 7
7 4
6 2
5 1
4 7
3 4
2 2
1 1

UNISORT MAILING SYSTEMS CORPORATION - TODD DIV. - L

ALASKA NEST RECORD CARD

University of Alaska, College, Alaska

Name and address of observer: *R. Weeden
Box 425 College*

FOR OBSERVATIONS ON ONE NEST

Day	Month	No. of Eggs	No. of Young	Adult on Nest? Sex?	Time
11	6	5	-	on	9:30 am

REMARKS: e.g. Birds banded, pertinent weather information, etc.

1 201
2 202
4 203
7 204
1 205
2 206
4 207
7 208
1 209
2 210
4 211
7 212
1 213
2 214
4 215
7 216
1 217
2 218
4 219
7 220
1 221
2 222
4 223
7 224
1 225
2 226
4 227

309 1
308 7
307 4
306 2
305 1
304 7
303 4
302 2
301 1

UNISORT

S. side of Bates No. 2.

Name of Bird	Tree Sparrow	Year	1966
--------------	--------------	------	------

Locality Eagle Creek
 of
 Nest Mile 105, Steese Hwy.

Latitude..... Longitude.....

Altitude... 3300 ... Direction slope faces... N....

Nest..... 0.....ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

Salix sp and Sphagnum
sp.

POSITION OF NEST

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, ^{shrub Salix sp} brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched 5

No. of unhatched eggs..... 0

Cause of non-hatching of eggs.....

No. of chicks that left nest..... 5

Cause of death of chicks not leaving nest.....

Head of Bates No 2
Gulch

Name of Bird Tree Sparrow Year 1965

Locality of Nest Eagle Creek
105 mi Steese Hwy

Latitude..... Longitude.....

Altitude 3,200 Direction slope faces NW

Nest 0 ft. above ground or base of cliff.

TYPE OF VEGETATION IN AREA (check one or more)

Forest Tall brush (4-10') Shrub (1-4')

Moist Tundra Rocky Tundra Field Marsh

Other

List abundant plants:

Salix
Betula
Alnus
grasses

POSITION OF NEST under shrub Willow

In tree, brush or shrub

On ground, under tree, brush or shrub

On ground, not under tree, brush or shrub

On ground, in open on sand or rocks

On cliff or bank On floating mat

On building

FATE OF NEST

No. of eggs hatched

No. of unhatched eggs.....

Cause of non-hatching of eggs.....

.....

No. of chicks that left nest.....

Cause of death of chicks not leaving nest.....

.....

