

S Findly

1986

JD

## Catalog

N  
 T1~~2~~-R2W, Sevilleta National Wildlife  
 Refuge (~~XXXXXXXX~~), Socorro Co., N.M.

April 9

7000	<i>N. albigula</i>	230 - 75 - 30 - 24	≡ 76g	(♂ NS)
7001	"	316 - 130.5 - 33 - 24	≡ 184g	(♀ lact, NS)
2	"	297 - 130 - 32 - 24	≡ 150g	(♀ non-lact, no E)
3	"	<del>112</del> - 300 - 120 - 30 - 26	≡ 164g	(♀ lact, no E)
4	"	290 - 110.5 - 31 - 30	≡ 118g	(♀ non-lact, no E)
5	"	315 - 118 - 30 - 24	≡ 186g	(♀ non-lact, no E)
6	<i>Dipodomys merriami</i>	233 - 134 - 32 - 12	≡ 40g	(♂, testes scrot)
7	"	240 - 125 - 36 - 12	≡ 54g	(♀ Lact, 2 Emb)
8	"	258 - 144 - 41 - 11	≡ 50g	(♀ Lact, NE)
9	"	235 - 130 - 36 - 9	≡ 34g	(♀ Nonlact, NE)
10	"	245 - 136 - 37 - 12	≡ 45g	(♂, testes scrot)
11	"	260 - 152 (BT) - 38 - 10	≡ 45g	(♀, Non-lact, 2E)
12	"	255 - 145 - 39 - 14	≡ 40g	(♀ lact, 2 emb.)
13	"	250 - 140 - 36 - 12	≡ 40g	(♀ scrotal)
14	"	274 - 164 - 39 - 13	≡ 50g	(♂ scrot.)
15	"	230 - 120 - 38 - 14	≡ 40g	(♀ non-lact, 2E)
16	"	225 - (120) - 37 - 12	≡ 45g	(♂ scrot.)
17	"	250 - 135 - 38 - 12	≡ 45g	(♂ scrot.)
18	"	230 - 133 - 39 - 12	≡ 39g	(♀ Nonlact, 2E)
19	"	215 - 115 - 34 - 11	≡ 38g	(♀ Nonlact, NE)
20	"	220 - 120 - 36 - 10	≡ 31g	(♀ Non, N.G.)
21	"	230 - 156 - 38 - 11	≡ 38g	(♀ Nonlact, NE)
22	"	225 - 131 - 38 - 11	≡ 33g	(♀ Nonlact, NE)
23	"	219 - 129 - 37 - 12	≡ 31g	(♀, non-lact., no E)
24	"	233 - 133 - 38 - 16	≡ 51g	(♂ NS)
25	"	240 - 131 - 37 - 14	≡ 40g	(♂ NS)

1986  
pa

## Catalog

26	Dipodomys merriami	250-130-38-13	≡ 52g	♂ <sup>non</sup> scrotal
27	" ordii	118.5-83-34-13	≡ 30g	♀ <sup>no</sup>
28	" "	250-130-35-13	≡ 47g	♀
29	Peromyscus truei	197-90-23.6-24.4	≡ 34.0g	Lact, 5E
30	" "	180-81-23.0-23.5	≡ 26.5g	♂, scrotal
31	" "	180-85-23.1-24.2	≡ 24.0g	♂, scrotal
32	" "	184-84-23.2-24.0	≡ 28.0g	♂, scrotal
33	" "	204-99-22.4-22.4	≡ 36.5g	♀, non-lact, 4E
34	" "	181-81-23.0-26.4	≡	♂, scrotal
35	" "	176-85-22.45-24.9	≡ 18.00g	♂, scrotal
36	" "	160-73-23.6-25.4	≡ 19.0g	♀, non-lact.
37	" "	172-82-22.5-23.5	≡ 21.5g	♂, scrotal
38	" "	148-70-22.1-21.9	≡ 13.0g	♂, scrotal <del>♀, non-lact, 4E</del>
39	" "	185-85-23.1-25.3	≡ 30.0g	♀, lact, noE
40	" "	184-87-23.3-22.75	≡ 26.0g	♀, non-lact, 4E
41	" "	192-89-23.8-25.3	≡ 26.5g	♀, non-lact, 4E
42	" "	162-75-23.5-24.3	≡	♂, scrotal/18.5
43	♂ <sup>scrotal</sup> " leucopus	188-87-22.6-17.4	≡ 27.5g	
44	♀ <sup>non-lact, 3E</sup> " "	166-73-22.1-16.5	≡ 21.5g	
45	♀ <sup>non-lact, noE</sup> " "	163-72-21.3-14.4	≡ 18.5g	
46	♂ <sup>scrotal</sup> " "	158-69-20.6-15.5	≡ 17.5g	
47	♀ <sup>not lact, 4E</sup> " "	194-84-22.2-15.9	≡ 37.0g	
48	♂ <sup>scrotal</sup> " "	157-68-21.4-17.3	≡ 20.5g	
49	♂ <sup>scrotal</sup> " "	185-84-22.3-16.9	≡ 25.0g	
50	♀ <sup>non-lact, noE</sup> " "	179-79-21.6-16.0	≡ 24.5g	
51	♂ <sup>scrotal</sup> " maniculatus	149-61-18.3-15.9	≡ 20.0g	
52	♀ <sup>non-lact, noE</sup> " eremicus	178-92-20.6-16.9	≡ 16.0g	
53	♀ <sup>lact, noE</sup> " "	189-94-21.2-16.8	≡ 22.0g	
54	♂ <sup>scrotal</sup> " "	185-94-20.65-16.75	≡ 21.0g	

1986  
 82

# Catalog

55	abd. ♂	Peromyscus	eremicus	173-90-21.1-17.4	≅ 18.0
56	♂ scrotal	"	"	191-97-20.0-17.3	≅ 22.0
57	♂ scrotal	"	boylei	185-95-21.7-19.2	≅ 20.0 17.0
58	♀ non lact. no E	"	"	178-88-21.0-19.2	≅ 20.0
59	♂ scrotal	"	"	174-85-21.3-17.6	≅ 20.0
60	♂ scrotal	"	"	175-88-21.8-18.8	≅ 20.0
61	♂ abd.	Onychomys	leucogaster	141-33-22-12	≅ 32g
62	♂ scrotal	"	arenicola	140-51-19-15	≅ 20g
63	♂	"	"	126-42-19-15	≅ 14g
64	♂ abd.	Reithrodontomys	megalotis	149-70-16-15	≅ 12g
65	♂ Test scrotal	"	"	154-75-19-14	≅ 11g
66	♂ Test scrotal	"	"	132-61-22-13	≅ 9g
67					
68					
69					